

**ATTACHMENT 1  
BIDDER'S QUOTATION SHEET**

Res. 21934

**NOTE:** Equipment listed below are size requirements. If you are bidding an alternative, please list manufacturer and model number of equipment. Attach additional pages if needed.

All equipment bids must meet or exceed the specified model.


\* Delivery quoted as needed as we  
outsource trucking & rates  
Vary by distance

| NO.  | EQUIPMENT                                                                                                    | PRICE PER DAY | PRICE PER MONTH | DELIVERY CHARGE |
|------|--------------------------------------------------------------------------------------------------------------|---------------|-----------------|-----------------|
|      | <b>TRACK EXCAVATOR - Includes 1 bucket</b>                                                                   |               |                 | —               |
| 1.0  | Caterpillar Model 330D, Operating Weight: 71,460 lbs.<br>Manufacturer & Model: Komatsu PC360LC-11            | \$1,450.00    | \$10,700.00     | —               |
| 2.0  | Caterpillar Model 325D, Operating Weight: 60,700 lbs.<br>Manufacturer & Model: Komatsu PC240LC-11            | \$990.00      | \$7,200.00      | —               |
| 3.0  | Volvo ECR 235E<br>Manufacturer & Model: Komatsu PC23845LC-11                                                 | \$990.00      | \$7,200.00      | —               |
| 4.0  | Volvo ECR 88<br>Manufacturer & Model: Komatsu PC88MR-11                                                      | \$475.00      | \$3,500.00      | —               |
| 5.0  | Volvo EC250 E<br>Manufacturer & Model: Komatsu PC290LC-11                                                    | \$1,150.00    | \$9,500.00      | —               |
|      | <b>HYDRAULIC HAMMER ATTACHMENT</b>                                                                           |               |                 |                 |
| 6.0  | Model H195, Working Weight: 14,520 lbs. (Working with 14,520 lb excavator)<br>Manufacturer & Model: NPK PH-4 | \$375.00      | \$2,950.00      | —               |
| 7.0  | Model H140, Working Weight: 4840 lbs.<br>Manufacturer & Model: NPK GH-10 (PC200C/449)                        | \$925.00      | \$6,950.00      | —               |
|      | <b>BACKHOE LOADER</b>                                                                                        |               |                 |                 |
| 8.0  | Caterpillar Model 450, Operating Weight: 19,600 lbs.<br>Manufacturer & Model: Not available                  | —             | —               | —               |
| 9.0  | Caterpillar Model 430, Operating Weight: 16,670 lbs.<br>Manufacturer & Model: Not available                  | —             | —               | —               |
|      | <b>PADDED DRUM AND VIBRATORY SOIL COMPACTOR</b>                                                              |               |                 |                 |
| 10.0 | Caterpillar Model CP-563E, Operating Weight: 25,700 lbs.<br>Manufacturer & Model: Bomag BW211 or BW213       | \$725.00      | \$6,100.00      | —               |
|      | <b>PNEUMATIC TIRE ASPHALT COMPACTOR</b>                                                                      |               |                 |                 |
| 11.0 | Volvo SD115, 84 inches<br>Manufacturer & Model: Bomag BW211 or BW213                                         | \$725.00      | \$6,100.00      | —               |
|      | <b>ASPHALT RECLAIMER</b>                                                                                     |               |                 |                 |
| 12.0 | Caterpillar Model RM-300, Operating Weight: 42,470 lbs.<br>Manufacturer & Model: Bomag RS360                 | \$2,800.00    | \$21,500.00     | —               |
|      | <b>MOTORGRADER</b>                                                                                           |               |                 |                 |
| 13.0 | Caterpillar Model 12M<br>Manufacturer & Model: Komatsu GD655-6                                               | \$950.00      | \$7,700.00      | —               |

| NO.  | EQUIPMENT                                                                                             | PRICE PER DAY | PRICE PER MONTH | DELIVERY CHARGE |
|------|-------------------------------------------------------------------------------------------------------|---------------|-----------------|-----------------|
|      | <b>WHEEL LOADER</b>                                                                                   |               |                 |                 |
| 14.0 | Caterpillar Model 938G with 3-yard bucket<br>Manufacturer & Model: Komatsu WA270-8                    | \$700.00      | \$5,500.00      | —               |
|      | <b>CHIP SPREADER</b>                                                                                  |               |                 |                 |
| 15.0 | Etnyre 12" to 24" spreader width, variable head, 4-wheel drive<br>Manufacturer & Model: Not available | —             | —               | —               |
|      | <b>TRACK LOADER</b>                                                                                   |               |                 |                 |
| 16.0 | Case Model 1455B<br>Manufacturer & Model: Not available                                               | —             | —               | —               |
|      | <b>CRACK SEALER</b>                                                                                   |               |                 |                 |
| 17.0 | Craftco Model 125 Super Shot<br>Manufacturer & Model: Not available                                   | —             | —               | —               |
|      | <b>DOZER</b>                                                                                          |               |                 |                 |
| 18.0 | Caterpillar D-6T<br>Manufacturer & Model: Komatsu D65EX-18                                            | \$1,175.00    | \$9,400.00      | —               |
| 19.0 | Caterpillar D-6<br>Manufacturer & Model: Komatsu D61EX-24                                             | \$775.00      | \$6,950.00      | —               |
|      | <b>BULLDOZER</b>                                                                                      |               |                 |                 |
| 20.0 | Caterpillar D5 or John Deere 650J<br>Manufacturer & Model: Komatsu D39EX-24                           | \$695.00      | \$5,725.00      | —               |
|      | <b>ROLLER/COMPACTOR</b>                                                                               |               |                 |                 |
| 21.0 | Volvo Road Model DD 38 HF<br>Manufacturer & Model: Bomag BW138                                        | \$350.00      | \$2,700.00      | —               |
|      | <b>WHEEL LOADER</b>                                                                                   |               |                 |                 |
| 22.0 | Volvo L70G<br>Manufacturer & Model: Komatsu WA200                                                     | \$600.00      | \$4,600.00      | —               |
| 23.0 | Volvo DD138<br>Manufacturer & Model: Bomag BW190 or BW191AD                                           | \$695.00      | \$5,700.00      | —               |
|      | Bomag BW11RH-5 (9-Tire Pneumatic Roller)                                                              | \$650.00      | \$5,200.00      | —               |

Response time for delivery of equipment: ASAP - 48 Hours

Response time for maintenance request: ASAP - 48 Hours

|                                                                                                |                           |
|------------------------------------------------------------------------------------------------|---------------------------|
| SIGNATURE:  | DATE: 2/13/25             |
| NAME: (Print or Type) <u>Jeremy Manning</u>                                                    | PHONE: 816-898-9728       |
| TITLE: (Print or Type) <u>Government Sales Specialist</u>                                      | ALTERNATIVE: 913-371-3822 |
| COMPANY NAME: (Print or Type) <u>Road Builders Machinery &amp; Supply Co., Inc</u>             |                           |
| EMAIL ADDRESS: (Print or Type) <u>gov.sales@rbmsco.com or jmmanning@rbmsco.com</u>             |                           |

| <b><u>ROADBUILDERS RENTAL RATES</u></b>   | <b><u>3/1/2024</u></b>            |                   |                    |                      | <b>*RATES ARE SUBJECT<br/>TO CHANGE ANYTIME</b> |
|-------------------------------------------|-----------------------------------|-------------------|--------------------|----------------------|-------------------------------------------------|
|                                           |                                   |                   |                    |                      |                                                 |
| <b><u>DOZERS</u></b>                      | <b><u>HP-LBS</u></b>              | <b><u>DAY</u></b> | <b><u>WEEK</u></b> | <b><u>4-week</u></b> |                                                 |
| D39EX/PX                                  | 105hp--22-23k lbs                 | 750               | 2250               | 5950                 |                                                 |
| <b>D39EX/PXi (iMC Model)</b>              |                                   | <b>1250</b>       | <b>3250</b>        | <b>8750</b>          |                                                 |
| D51EX/PX                                  | 131hp--31-32k lbs                 | 900               | 2700               | 7250                 |                                                 |
| <b>D51EXi/D51PXi (iMC Model)</b>          |                                   | <b>1300</b>       | <b>3750</b>        | <b>9950</b>          |                                                 |
| D61EX/PX                                  | 168hp-41-43k lbs                  | 1100              | 3250               | 8200                 |                                                 |
| <b>D61EXi/D61PXi (iMC Model)</b>          |                                   | <b>1600</b>       | <b>4800</b>        | <b>12300</b>         |                                                 |
| D65EX/WX/PX                               | 217hp--47-52k lbs                 | 1300              | 3800               | 9900                 |                                                 |
| <b>D65EXi/D65PXi (iMC Model)</b>          |                                   | <b>1800</b>       | <b>5400</b>        | <b>13750</b>         |                                                 |
| D71PX                                     | 237hp--50-53k lbs                 | 1400              | 4200               | 10500                |                                                 |
| <b>D71PXi (iMC Model)</b>                 |                                   | <b>1800</b>       | <b>5400</b>        | <b>13950</b>         |                                                 |
| D85PX                                     | 264hp-64k lbs                     | 1750              | 5200               | 13985                |                                                 |
| D155AX                                    | 354hp-89k lbs                     | 2475              | 7400               | 19775                |                                                 |
| <b>D155AXi (iMC Model)</b>                |                                   | <b>3250</b>       | <b>9700</b>        | <b>26000</b>         |                                                 |
| <b>BASE &amp; ROVER (UHF OR 915SS)</b>    |                                   | <b>395</b>        | <b>1250</b>        | <b>3500</b>          |                                                 |
| <b>ADL RADIO (TRIMBLE OR LEICA CONV.)</b> |                                   | <b>50</b>         | <b>195</b>         | <b>500</b>           |                                                 |
|                                           |                                   |                   |                    |                      |                                                 |
| <b><u>MOTOR GRADER/BLADE</u></b>          |                                   | <b><u>DAY</u></b> | <b><u>WEEK</u></b> | <b><u>4-WEEK</u></b> |                                                 |
| <b>GD655</b>                              | <b>38k lbs--14" Blade--218 hp</b> | <b>1100</b>       | <b>3300</b>        | <b>8300</b>          |                                                 |
|                                           |                                   |                   |                    |                      |                                                 |
|                                           |                                   |                   |                    |                      |                                                 |
| <b><u>ARTICULATED DUMP TRUCKS</u></b>     | <b><u>LOAD CAPACITY</u></b>       | <b><u>DAY</u></b> | <b><u>WEEK</u></b> | <b><u>4-week</u></b> |                                                 |
| HM300 - Empty Weight: 56k lbs.            | 30 Met Ton/22 YD3 Heaped          | 1575              | 4750               | 11700                |                                                 |
| HM400 - Empty Weight: 78k lbs.            | 40 Met Ton/31 YD3 Heaped          | 2250              | 6500               | 16700                |                                                 |
|                                           |                                   |                   |                    |                      |                                                 |
|                                           |                                   |                   |                    |                      |                                                 |
|                                           |                                   |                   |                    |                      |                                                 |
|                                           |                                   |                   |                    |                      |                                                 |
|                                           |                                   |                   |                    |                      |                                                 |



| <b>EXCAVATOR**rates include 1 bucket</b> | <b>WEIGHT</b>                             | <b>DAY</b> | <b>WEEK</b> | <b>4-week</b> | <b>**W/THUMB<br/>Day-Week-Month</b> |
|------------------------------------------|-------------------------------------------|------------|-------------|---------------|-------------------------------------|
| TB210R                                   | 2,535 lbs.--11.7hp--5'9"DD                | 250        | 650         | 1675          |                                     |
| TB216/TB225                              | 3,900 // 4,995lbs.--15//19.6hp            | 285        | 750         | 1850          |                                     |
| PC35/TB235/TB240/TB335                   | 8,325 // 7,700 // 8,990 lbs.              | 325        | 950         | 2300          | \$350--1025--2500                   |
| PC55/TB250/TB257/TB260                   | 11,600// 11,300// 12,930// 12,645 lbs.    | 425        | 1100        | 2875          | \$450--1175--3075                   |
| PC88/TB370/TB280FR/TB290                 | 19,000 // 14,850 // 18,800 // 18,630 lbs. | 525        | 1500        | 3875          | \$550--1575--4075                   |
| PC138/TB2150                             | 36,000 // 34,700 lbs.                     | 725        | 2100        | 4975          | \$775--2250--5275                   |
| PC170                                    | 42,000 lbs.--121 HP                       | 795        | 2300        | 5500          | \$845--2450--5800                   |
| PC210                                    | 52,000 lbs.--165 HP                       | 950        | 2750        | 6975          | \$1000--2900--7275                  |
| PC238                                    | 54,400 lbs.--165 HP                       | 1100       | 3200        | 7900          | \$1150--3350--8200                  |
| PC210LCi (iMC Model)                     |                                           | 1450       | 4250        | 10200         |                                     |
| PC240                                    | 56,000 lbs.--177 HP                       | 1100       | 3200        | 7900          | \$1150--3350--8200                  |
| PC290                                    | 72,000 lbs.--196 HP                       | 1275       | 3800        | 9900          | \$1325--3950--10200                 |
| PC290LCi (iMC Model)                     |                                           | 1575       | 4700        | 12800         |                                     |
| PC360                                    | 80,000 lbs.--257 HP                       | 1575       | 4750        | 11700         | \$1625--4900--12000                 |
| PC360LCi (iMC Model)                     |                                           | 1975       | 5975        | 15500         |                                     |
| PC390                                    | 90,000 lbs.--257 HP                       | 1750       | 4950        | 12700         | \$1800--5100--13000                 |
| PC390LCi (iMC Model)                     |                                           | 2100       | 6300        | 15900         |                                     |
| PC490                                    | 109,000 lbs.--359 HP                      | 1925       | 5750        | 14500         |                                     |
| PC490LCi (iMC Model)                     |                                           | 2300       | 6900        | 17950         |                                     |
| PC650                                    | 140,000 lbs.--436 HP                      | 2975       | 8925        | 24900         |                                     |
| PC290 LONG FRONT                         | 60' reach/60" Wide Bucket                 | 1950       | 5600        | 13900         |                                     |
| PC360 LONG FRONT                         | 60' reach/60" Wide Bucket                 | 2100       | 5950        | 14600         |                                     |
| <b>BUCKETS</b>                           | <b>Widths Available</b>                   | <b>DAY</b> | <b>WEEK</b> | <b>4-week</b> |                                     |
| PC35/TB235,240                           | 12"-24"                                   | 25         | 75          | 200           |                                     |
| PC55/TB250/TB260/TB257                   | 12"-36"                                   | 30         | 90          | 250           |                                     |
| PC88/TB280/TB290/TB370                   | 12"-36"                                   | 35         | 100         | 300           |                                     |
| PC138/TB2150                             | 12"-42"                                   | 40         | 120         | 350           |                                     |
| PC170                                    | 18"-48"                                   | 50         | 150         | 400           |                                     |
| PC200                                    | 24"-60"                                   | 75         | 200         | 600           |                                     |
| PC300                                    | 24"-60"                                   | 100        | 275         | 700           |                                     |
| PC400                                    | 24"-72"                                   | 100        | 300         | 800           |                                     |
| PC650                                    | 48"-72"                                   | 150        | 450         | 1250          |                                     |

| <b><u>HAMMERS</u></b>                    | <b>Weight</b>    |                     | <b><u>DAY</u></b> | <b><u>WEEK</u></b> | <b><u>4-week</u></b> |  |
|------------------------------------------|------------------|---------------------|-------------------|--------------------|----------------------|--|
| PH-2/PH-3                                | 610 lbs/990 lbs. | PC35-PC55-TB240-260 | 325               | 875                | 2100                 |  |
| PH-4                                     | 1235 lbs.        | PC88/TB290          | 425               | 1250               | 3200                 |  |
| GH-6                                     | 2500 lbs.        | PC138/TB2150        | 675               | 1850               | 4800                 |  |
| GH-10                                    | 4700 lbs.        | PC200/220           | 995               | 2990               | 7200                 |  |
| GH-12                                    | 6200 lbs.        | PC300               | 1200              | 3500               | 8500                 |  |
| GH-15                                    | 7300 lbs.        | PC300               | 1500              | 4500               | 11500                |  |
| GH-18                                    | 8500 lbs.        | PC400               | 1700              | 4950               | 12700                |  |
| **AUTOLUBE installed on GH-6 & Up        |                  |                     |                   |                    |                      |  |
|                                          |                  |                     |                   |                    |                      |  |
| <b><u>PLATE COMPACTORS</u></b>           |                  | <b><u>SIZE</u></b>  | <b><u>DAY</u></b> | <b><u>WEEK</u></b> | <b><u>4-week</u></b> |  |
| C2D                                      | 400 lbs.         | PC35/55             | 100               | 275                | 625                  |  |
| C4C                                      | 925 lbs.         | PC88                | 125               | 375                | 750                  |  |
| C6C                                      | 1650 lbs.        | PC138/170           | 150               | 425                | 850                  |  |
| C8C                                      | 2250 lbs.        | PC200               | 200               | 495                | 1100                 |  |
| C10C                                     | 3530 lbs.        | PC300               | 250               | 675                | 1575                 |  |
|                                          |                  |                     |                   |                    |                      |  |
| <b><u>RIPPER TOOTH FOR EXCAVATOR</u></b> |                  | <b><u>SIZE</u></b>  | <b><u>DAY</u></b> | <b><u>WEEK</u></b> | <b><u>4-week</u></b> |  |
| RIPPER TOOTH                             |                  | PC55/TB260          | 95                | 225                | 600                  |  |
| RIPPER TOOTH                             |                  | PC88/TB290          | 100               | 275                | 650                  |  |
| RIPPER TOOTH                             |                  | PC138/TB2150        | 125               | 350                | 795                  |  |
| RIPPER TOOTH                             |                  | PC200               | 175               | 450                | 985                  |  |
| RIPPER TOOTH                             |                  | PC300               | 200               | 550                | 1300                 |  |
| RIPPER TOOTH                             |                  | PC400               | 250               | 600                | 1500                 |  |
|                                          |                  |                     |                   |                    |                      |  |
| <b><u>COMPACTION WHEELS</u></b>          |                  |                     | <b><u>DAY</u></b> | <b><u>WEEK</u></b> | <b><u>4-week</u></b> |  |
| 12" WIDE                                 |                  | PC35/PC55/88/138    | 95                | 270                | 745                  |  |
| 18" WIDE                                 |                  | PC88/138/170/200    | 125               | 350                | 945                  |  |
| 24" WIDE                                 |                  | PC200/300/400       | 195               | 595                | 1350                 |  |
| 36" WIDE                                 |                  | PC200/300/400       | 225               | 650                | 1450                 |  |
|                                          |                  |                     |                   |                    |                      |  |
|                                          |                  |                     |                   |                    |                      |  |
|                                          |                  |                     |                   |                    |                      |  |

| <b>WHEEL LOADERS*INCLUDES 1 BUCKET</b> | <b>Bucket Size/HP/Weight</b> | <b>DAY</b> | <b>WEEK</b> | <b>4-week</b> |  |
|----------------------------------------|------------------------------|------------|-------------|---------------|--|
| WA200                                  | 2.6-3.1yd//126hp//26.5k      | 650        | 1850        | 4850          |  |
| WA270                                  | 2.5-3.5yd//149hp//29k        | 750        | 2250        | 5800          |  |
| WA320                                  | 3.0-3.5yd//165hp//35k        | 850        | 2550        | 6500          |  |
| WA380                                  | 3.5-4.5yd//191hp//41k        | 1200       | 3500        | 8200          |  |
| WA470                                  | 5-5.8yd//272hp//55k          | 1500       | 4500        | 10800         |  |
| WA480                                  | 6-6.5yd//299hp//56k          | 1550       | 4650        | 10950         |  |
| WA500                                  | 6.8-8.2//357hp//77k          | 1750       | 5700        | 13500         |  |
|                                        |                              |            |             |               |  |
| WHEEL LOADER FORKS                     | 60" LONG                     | 100        | 225         | 600           |  |
|                                        | 72" LONG                     | 100        | 225         | 600           |  |
| WHEEL LOADER BUCKETS                   | WA200-WA320                  | 100        | 225         | 600           |  |
|                                        | WA380                        | 125        | 300         | 650           |  |
|                                        | WA470-WA600                  | 150        | 400         | 950           |  |
| WHL LDR GRAPPLE BUCKETS                | WA200-WA320                  | 175        | 500         | 1100          |  |
|                                        | WA380                        | 200        | 550         | 1200          |  |
|                                        |                              |            |             |               |  |
| TW80 TAKEUCHI                          | 1.5YD/80hp/12.7k             | 500        | 1500        | 4000          |  |
| TW95 TAKEUCHI                          | 2.0YD/114hp/18k              | 550        | 1600        | 4400          |  |
|                                        |                              |            |             |               |  |
| <b>Takeuchi Track Loaders</b>          |                              | <b>DAY</b> | <b>WEEK</b> | <b>4-week</b> |  |
| <b>**Rates include 1 bucket</b>        |                              |            |             |               |  |
| TL6                                    | 7780 Lbs./65hp               | 425        | 1250        | 2975          |  |
| TL8                                    | 8,631Lbs./74hp               | 450        | 1400        | 3475          |  |
| TL10                                   | 10,270Lbs./74hp              | 500        | 1500        | 3775          |  |
| TL12                                   | 13,190Lbs./111hp             | 550        | 1650        | 4375          |  |
|                                        |                              |            |             |               |  |
| <b>Fecon/FAE Mulchers</b>              |                              | <b>DAY</b> | <b>WEEK</b> | <b>4-week</b> |  |
| SS Mulcher Fecon/FAE                   | 61"cut//24-45GPM//2500lbs    | 650        | 1900        | 4750          |  |
| CEM36 EXC Mulcher PC138                | 36"cut//17-30 GPM//1400lbs   | 650        | 1900        | 4750          |  |
| Fecon BH80 EXC Mulcher                 | 56"cut//38-105GPM//4275lbs.  | 1100       | 3200        | 7950          |  |
|                                        |                              |            |             |               |  |
|                                        |                              |            |             |               |  |

| <b><u>SS ATTACHMENTS</u></b>  |                                             | <b><u>DAY</u></b> | <b><u>WEEK</u></b> | <b><u>4-week</u></b> |  |
|-------------------------------|---------------------------------------------|-------------------|--------------------|----------------------|--|
| SKIDSTEER FORKS               | 42" or 48" TINES--Walk Through              | 25                | 75                 | 195                  |  |
| SKIDSTEER BUCKETS             | 60,66,72,78,84" WIDTHS                      | 50                | 100                | 250                  |  |
| GRAPPLE BUCKET-Skeleton/Root  | 72", 78" or 84"                             | 150               | 450                | 990                  |  |
| BROOM w/HOPPER                | 72" or 84"                                  | 225               | 575                | 990                  |  |
| LANDSCAPE RAKE/LAND LEVELE    | 78"                                         | 100               | 225                | 495                  |  |
| AUGER**includes 1 bit         | 2" HEX                                      | 190               | 495                | 1100                 |  |
| AUGER BITS (standard)         | 12" 18", 24", 36" Bits // 24" EXT Available | 20                | 50                 | 100                  |  |
| BRUSH CUTTER-HD/HighFlow      | 72", 78" or 84"                             | 285               | 775                | 1800                 |  |
| BRUSH CUTTER-Low Flow         | 72", 78"                                    | 225               | 575                | 1385                 |  |
| DISC MULCHER--High Flow       | 60" & 72" 30-45gpm--HF ONLY                 | 375               | 1150               | 2950                 |  |
| 4-n-1 SS HYD BUCKET SS        | 84"WIDE---33" OPENING                       | 175               | 425                | 985                  |  |
| HARLEY POWER RAKE             | 13-20 GPM                                   | 175               | 500                | 990                  |  |
| SKELETON ROCK BUCKETS         | 72", 78", 84"--2.9" TINE SPACING            | 100               | 250                | 450                  |  |
|                               |                                             |                   |                    |                      |  |
| <b><u>FINN EQUIPMENT</u></b>  | <b><u>TYPE</u></b>                          | <b><u>DAY</u></b> | <b><u>WEEK</u></b> | <b><u>4-week</u></b> |  |
| T-75-750g HYDROSEEDER         | 4.3 loads/ac--80-90' Discharge Distance     | 450               | 1100               | 2975                 |  |
| T-90-900g HYDROSEEDER         | 3.7 loads/ac--160-180' Dischrg Distnc       | 595               | 1950               | 4950                 |  |
| T-120-1200g HYDROSEEDER       | 3 loads/ac--160-180' Dischrg Distnc         | 775               | 2300               | 5985                 |  |
| T-30 HYDROSEEDER--*Skid Mount | 11 loads/ac--60-70' Dischrg Distnc          | 225               | 595                | 1775                 |  |
| B-40-Strawblower--*Skid Mount | 4 tons/hr.---35-45' Dischrg Distnc          | 195               | 495                | 1250                 |  |
| B-70-Strawblower              | 6-7 tons/hr.---50-60' Dischrg Distnc        | 390               | 995                | 2975                 |  |
| B230 Strawblower              | 20 tons/hr.--80-90' Dischrg Distnc          | 775               | 2300               | 5950                 |  |
| BB 5 SERIES (MB50)**          | BARK BLOWER                                 | 950               | 2850               | 7850                 |  |
| MBH6** Bark Blower            | BARK BLOWER                                 | 1075              | 3200               | 8200                 |  |
| BB 302**Bark Blower           | BARK BLOWER                                 | 725               | 2100               | 5950                 |  |
|                               |                                             |                   |                    |                      |  |
| GSH75 Ground Prep SS mount    |                                             | 250               | 595                | 1275                 |  |
|                               |                                             |                   |                    |                      |  |
| **Extra Hose for Bark Blowers | **Add cost to rate of unit**                | 50                | 150                | 375                  |  |
|                               |                                             |                   |                    |                      |  |
|                               |                                             |                   |                    |                      |  |
|                               |                                             |                   |                    |                      |  |

| <b><u>DOUBLE DRUM ROLLERS</u></b>         | <b><u>WIDTH/WEIGHT</u></b>              | <b><u>DAY</u></b> | <b><u>WEEK</u></b> | <b><u>4-week</u></b> |                |
|-------------------------------------------|-----------------------------------------|-------------------|--------------------|----------------------|----------------|
| BW120AD                                   | 48"--7,000                              | 350               | 875                | 2550                 |                |
| BW138AD                                   | 54"--9,400                              | 400               | 1100               | 2950                 |                |
| BW161AD-5                                 | 66"--22,000                             | 500               | 1500               | 3950                 |                |
| BW191AD                                   | 79"--28,000                             | 750               | 2400               | 5950                 |                |
| <b><u>SINGLE DRUM ROLLERS</u></b>         | <b><u>WIDTH/WEIGHT</u></b>              | <b><u>DAY</u></b> | <b><u>WEEK</u></b> | <b><u>4-week</u></b> |                |
| BW138 AC                                  | 54"--10,225                             | 400               | 1195               | 2975                 |                |
| BW145                                     | 56"--11,200                             | 575               | 1600               | 4490                 |                |
| BW177                                     | 66"--17,000                             | 600               | 1700               | 4975                 |                |
| BW211--BW213                              | 84"--32,000                             | 785               | 2390               | 6490                 |                |
| BW11RH-5                                  | 68"--12,000                             | 695               | 2100               | 5490                 |                |
|                                           |                                         |                   |                    |                      |                |
| <b><u>RECYCLER/MILLING/DRILL</u></b>      |                                         | <b><u>DAY</u></b> | <b><u>WEEK</u></b> | <b><u>4-week</u></b> |                |
| RS360 RECYCLER                            | 79"ww//39,000 lbs.                      | 2950              | 8500               | 22500                |                |
| BM1300/30 COLD PLANER                     | 51" ww//47,000lbs.                      | 2800              | 8400               | 22500                |                |
|                                           |                                         |                   |                    |                      |                |
|                                           |                                         |                   |                    |                      |                |
| <b><u>CRUSHERS/SCREENS/CONVEYORS*</u></b> |                                         | <b><u>DAY</u></b> | <b><u>WEEK</u></b> | <b><u>4-week</u></b> | ***ADDITIONAL  |
| CW85 MOBILE CONVEYOR                      |                                         | 550               | 1600               | 3950                 | HOURLY RATE ON |
| 1908S Nordtrack Crusher                   |                                         | 2500              | 6950               | 17800                | CRUSHERS*****  |
| LT1110S CRUSHER                           | *will need crane on-site for assembly   | 2975              | 8990               | 27500                |                |
| LT1213S CRUSHER                           |                                         | 3650              | 10900              | 34900                |                |
| S2.5 SCREENS                              |                                         | 1400              | 4200               | 11400                |                |
| R105/S3.7 SCREENS                         |                                         | 1500              | 4500               | 12900                |                |
|                                           |                                         |                   |                    |                      |                |
| <b><u>SHEARS/PROCESSORS</u></b>           |                                         | <b><u>DAY</u></b> | <b><u>WEEK</u></b> | <b><u>4-week</u></b> |                |
| K4JR SHEAR PC88                           | PC88 TOP PLATE--w/POWER ROTATION        | 1200              | 3500               | 9250                 |                |
| M-28 PROCESSOR                            | PC290/360 TOP PLATE 26-66GPM            | 1600              | 4800               | 12400                |                |
| U31JA CONCRETE CRUSHER                    | PC360 TOP PLATE//NON-ROTATING//26-66GPM | 1400              | 3950               | 9850                 |                |
|                                           |                                         |                   |                    |                      |                |
| <b><u>Krypto Klaw Buckets/Clamps</u></b>  | Must be ran with Combo Hyd kits         | <b><u>DAY</u></b> | <b><u>WEEK</u></b> | <b><u>4-week</u></b> |                |
| 42" PC210                                 | 3725 lbs./1.3yd                         | 325               | 850                | 2050                 |                |
| 48" PC200/300/Clamp                       | 5736 lbs./1.75yd                        | 375               | 900                | 2300                 |                |



| <u>EXCAVATOR RAKES</u> | 5 TOOTH RAKES --WORK WITH 4-TINE THUMBS | <u>DAY</u> | <u>WEEK</u> | <u>4-WEEK</u> |  |
|------------------------|-----------------------------------------|------------|-------------|---------------|--|
| PC138                  | 48" Width                               | 100        | 225         | 575           |  |
| PC210/240/290          | 55" Width                               | 125        | 325         | 750           |  |
| PC360                  | 56" Width                               | 150        | 425         | 975           |  |
|                        |                                         |            |             |               |  |
|                        |                                         |            |             |               |  |


| No. | Equipment                                               | Price per Day | Price per Month | Delivery Charge |
|-----|---------------------------------------------------------|---------------|-----------------|-----------------|
|     | <b>TRACK EXCAVATOR</b>                                  |               |                 |                 |
|     | Caterpillar Model 330D, Operating Weight: 71,460 lbs.   | 1568          | 10872           | 500 each way    |
| 1.  | Manufacturer & Model Sany 335H                          |               |                 |                 |
|     | Caterpillar Model 325D, Operating Weight: 60,700 lbs    | 1650          | 11020           | 500 each way    |
| 2.  | Manufacturer & Model: John Deere 300G                   |               |                 |                 |
|     | Volvo ECR 235E                                          |               |                 |                 |
| 3.  | Manufacturer & Model: Komatsu 238                       | 875           | 7686            | 500 each way    |
|     | Volvo ECR 88                                            |               |                 |                 |
| 4.  | Manufacturer & Model: Kubota KX080                      | 590           | 3491            | 250 each way    |
|     | Volvo EC250 E                                           |               |                 |                 |
| 5.  | Manufacturer & Model: Linkbelt 250 X4                   | 2313          | 13076           | 500 each way    |
|     | <b>HYDRAULIC HAMMER ATTACHMENT</b>                      |               |                 |                 |
|     | Model H195, Working Weight: 14,520 lbs                  |               |                 |                 |
| 6.  | Manufacturer & Model: Connect Work CH180                | 4000          | 25000           | 250 each way    |
|     | Model H140, Working Weight: 4840 lbs                    |               |                 |                 |
| 7.  | Manufacturer & Model Connect Work CH140                 | 1688          | 6750            | 250 each way    |
|     | <b>BACKHOE LOADER</b>                                   |               |                 |                 |
|     | Caterpillar Model 450, Operating Weight: 19,600 lbs     | 517           | 2792            | 500 each way    |
| 8.  | Manufacturer & Model: Case 580                          |               |                 |                 |
|     | Caterpillar Model 430, Operating Weight: 16,670 lbs     |               |                 |                 |
| 9.  | Manufacturer & Model:                                   | 522           | 3267            | 250 each way    |
|     | <b>PADDED DRUM AND VIBRATORY SOIL COMPACTOR</b>         |               |                 |                 |
|     | Caterpillar Model CP-563E, Operating Weight: 25,700 lbs | NO BID        |                 |                 |
| 10. | Manufacturer & Model:                                   |               |                 |                 |
|     | <b>PNEUMATIC TIRE ASPHALT COMPACTOR</b>                 |               |                 |                 |
|     | Volvo SD115, 84 inches                                  |               |                 |                 |
| 11. | Manufacturer & Model:                                   | NO BID        |                 |                 |
|     | <b>ASPHALT RECLAIMER</b>                                |               |                 |                 |
|     | Caterpillar Model RM-300, Operating Weight: 42,470 lbs  | NO BID        |                 |                 |
| 12. | Manufacturer & Model                                    |               |                 |                 |
|     | <b>MOTORGRADER</b>                                      |               |                 |                 |
|     | Caterpillar Model 12M                                   | 2200          | 14000           | 500 each way    |
| 13. | Manufacturer & Model: Sany 14'                          |               |                 |                 |

Type text here

|     |                                                                                         |        |       |              |
|-----|-----------------------------------------------------------------------------------------|--------|-------|--------------|
|     | <b>WHEEL LOADER</b>                                                                     |        |       |              |
| 14. | Caterpillar Model 938G with 3-yard bucket<br>Manufacturer & Model: John Deere 524       | 846    | 6233  | 500 each way |
|     | <b>CHIP SPREADER</b>                                                                    |        |       |              |
| 15. | Etnyre 12" to 24" spreader width, variable head, 4-wheel drive<br>Manufacturer & Model: | NO BID |       |              |
|     | <b>TRACK LOADER</b>                                                                     |        |       |              |
| 16. | Case Model 1455B<br>Manufacturer & Model                                                | NO BID |       |              |
|     | <b>CRACK SEALER</b>                                                                     |        |       |              |
| 17. | Craftco Model 125 Super Shot<br>Manufacturer & Model:                                   | NO BID |       |              |
|     | <b>DOZER</b>                                                                            |        |       |              |
| 18. | Caterpillar D-6T<br>Manufacturer & Model:                                               | NO BID |       |              |
| 19. | Caterpillar D-6<br>Manufacturer & Model: Komatsu D-65                                   | 2576   | 17130 | 500 each way |
|     | <b>BULLDOZER</b>                                                                        |        |       |              |
| 20. | Caterpillar D5 or John Deere 650J<br>Manufacturer & Model: John Deere 650J              | 809    | 5949  | 500 each way |
|     | <b>ROLLER/COMPACTOR</b>                                                                 |        |       |              |
| 21. | Volvo Road Model DD 38 HF<br>Manufacturer & Model:                                      | NO BID |       |              |
|     | <b>WHEEL LOADER</b>                                                                     |        |       |              |
| 22. | Volvo L70G<br>Manufacturer & Model: Komatsu WA-270                                      | 846    | 6233  | 500 each way |
| 23. | Volvo DD138<br>Manufacturer & Model:                                                    | NO BID |       |              |

Response time for delivery of equipment: 12-48 Hours

Response time for maintenance request: 4 Hours

|                                                                                                       |                                     |
|-------------------------------------------------------------------------------------------------------|-------------------------------------|
| <b>SIGNATURE:</b>  | <b>DATE:</b> 2/24/2025              |
| <b>NAME (print):</b> Toby Hawkins                                                                     | <b>PHONE:</b> 801-450-1095          |
| <b>TITLE (print):</b>                                                                                 | Dir of Government Rentals and Sales |
| <b>COMPANY NAME (print):</b>                                                                          | H&E Equipment Services, Inc.        |
| <b>EMAIL ADDRESS FOR PO's (print):</b>                                                                | govsales@he-equipment.com           |
|                                                                                                       |                                     |