

IN THE COUNTY LEGISLATURE OF JACKSON COUNTY, MISSOURI

A RESOLUTION awarding a contract for the purchase of one (1) 2010 International 7300 single axle cab and chassis and two (2) 2010 International 7400 dual axle cab and chassis for use by the Public Works Department to Diamond International of Kansas City, Missouri, under the terms and conditions of the City of Lee's Summit Contract No. 10-009, an existing government contract, at an actual cost to the County not to exceed \$232,870.00.

RESOLUTION #17186, March 1, 2010

INTRODUCED BY Bob Spence, County Legislator

WHEREAS, the County has a need for one (1) 2010 International 7300 single axle cab and chassis and two (2) 2010 International 7400 dual axle cab and chassis for use by the Public Works Department; and,

WHEREAS, the Director of Finance and Purchasing recommends the award of a contract for the purchase of one (1) 2010 International 7300 single axle cab and chassis and two (2) 2010 International 7400 dual axle cab and chassis for use by the Public Works Department to Diamond International of Kansas City, Missouri, under the terms and conditions of the City of Lee's Summit Contract No. 10-009, an existing government contract, at an actual cost to the County not to exceed \$232,870.00; and,

WHEREAS, the Director recommends award under section 1030.4, Jackson County Code, 1984, for the reason that this will allow the County to take advantage of discounts offered to large entities; now therefore,

BE IT RESOLVED that award be made under the existing government contract as recommended by the Director of Finance and Purchasing and that the Director be, and is hereby, authorized to execute for the County any documents necessary for the accomplishment of the award; and,

BE IT FURTHER RESOLVED that the Director of Finance and Purchasing be and hereby is authorized to make all payments, including final payment on the contract.

Effective Date: This Resolution shall be effective immediately upon its passage by a majority of the Legislature.

APPROVED AS TO FORM:

Pamela Jellin
Deputy/Assistant County Counselor

[Signature]
Acting County Counselor

Certificate of Passage

I hereby certify that the attached resolution, Resolution #17186 of March 1, 2010, was duly passed on March 8, 2010 by the Jackson County Legislature. The votes thereon were as follows:

Yeas 7 Nays 0
Abstaining 0 Absent 0

3.8.10
Date

Mary Jo Spino
Mary Jo Spino, Clerk of Legislature

There is a balance otherwise unencumbered to the credit of the appropriation to which the expenditure is chargeable and there is a cash balance otherwise unencumbered in the treasury to the credit of the fund from which payment is to be made each sufficient to provide for the obligation herein authorized.

ACCOUNT NUMBER: 004 1506 58110
ACCOUNT TITLE: Special Road and Bridge Fund
Road and Bridge Maintenance
Heavy Machinery & Equipment
NOT TO EXCEED: \$232,870.00

[Signature]
Date

[Signature]
Director of Finance and Purchasing

REQUEST FOR LEGISLATIVE ACTION



Completed by County Counselor's Office:

Resolution No.: 17186

Sponsor(s): Bob Spence

Date: March 1, 2010

<p>SUBJECT</p>	<p>Action Requested <input checked="" type="checkbox"/> Resolution <input type="checkbox"/> Ordinance</p> <p>Project/Title: <u>Requesting authorization of the purchase of One 2010 International 7300 Single Axle Cab & Chassis and Two 2010 International 7400 Dual Axle Cab & Chassis for use by the Road & Bridge Division of the Public Works Department to Diamond International (Clay County) Kansas City, Missouri, in the amount of \$232,870.00 under the Terms and Conditions of the City of Lees Summit Contract No. 10-009, an existing government contract.</u></p>										
<p>BUDGET INFORMATION <i>To be completed By Requesting Department and Finance</i></p>	<table border="1"> <tr> <td>Amount authorized by this legislation this fiscal year:</td> <td>\$232,870.00</td> </tr> <tr> <td>Amount previously authorized this fiscal year:</td> <td>\$</td> </tr> <tr> <td>Total amount authorized after this legislative action:</td> <td>\$232,870.00</td> </tr> <tr> <td>Amount budgeted for this item * (including transfers):</td> <td>\$232,870.00</td> </tr> <tr> <td>Source of funding (name of fund) and account code number; FROM / TO</td> <td>FROM ACCT TO ACCT</td> </tr> </table> <p>* If account includes additional funds for other expenses, total budgeted in the account is: \$</p> <p>OTHER FINANCIAL INFORMATION:</p> <p><input type="checkbox"/> No budget impact (no fiscal note required) <input type="checkbox"/> Term and Supply Contract (funds approved in the annual budget); estimated value and use of contract: Department: Estimated Use: \$</p> <p>Prior Year Budget (if applicable): N/A Prior Year Actual Amount Spent (if applicable): N/A</p>	Amount authorized by this legislation this fiscal year:	\$232,870.00	Amount previously authorized this fiscal year:	\$	Total amount authorized after this legislative action:	\$232,870.00	Amount budgeted for this item * (including transfers):	\$232,870.00	Source of funding (name of fund) and account code number; FROM / TO	FROM ACCT TO ACCT
Amount authorized by this legislation this fiscal year:	\$232,870.00										
Amount previously authorized this fiscal year:	\$										
Total amount authorized after this legislative action:	\$232,870.00										
Amount budgeted for this item * (including transfers):	\$232,870.00										
Source of funding (name of fund) and account code number; FROM / TO	FROM ACCT TO ACCT										
<p>PRIOR LEGISLATION</p>	<p>Prior ordinances and (date): N/A Prior resolutions and (date): N/A</p>										
<p>CONTACT INFORMATION</p>	<p>RLA drafted by (name, title, & phone): Teddy Ballard, Senior Buyer, 881-3465</p>										
<p>REQUEST SUMMARY</p>	<p>The Road & Bridge Division of the Public Works Department is requesting the purchase of three 2010 International Cab and Chassis from Diamond International on the 2010 Joint Governmental Fleet Bid issued and awarded by the City of Lees Summit, Missouri.</p> <p>Pursuant to Section 1030.4 of the Jackson County Code 1984, the Director of Purchasing and Financing recommends the award of One 2010 International 7300 Single Axle Cab & Chassis and Two 2010 International 7400 Dual Axle Cab & Chassis for use by the Road & Bridge Division of the Public Works Department to Diamond International (Clay County) of Kansas City, Missouri, in the amount of \$232,870.00 under the Terms and Conditions set for in the following existing government contract:</p> <p>Recommended Vendor Diamond International Kansas City (Clay County)</p> <p>Contract Number City of Lees Summit, Missouri Contract Number 10-009</p>										
<p>CLEARANCE</p>											

	<input type="checkbox"/> Tax Clearance Completed (Purchasing & Department) <input type="checkbox"/> Business License Verified (Purchasing & Department) <input checked="" type="checkbox"/> Chapter 6 Compliance - Affirmative Action/Prevailing Wage (County Auditor's Office)	
ATTACHMENTS	The pertinent pages of the City of Lees Summit Contract No. 10-009, Requisition No. RE321155312, and the Quote form Diamond International	
REVIEW	Department Director: Jerry A Page, PE	Date: 2/22/2010
		
	Finance (Budget Approval): <i>If applicable</i>	Date: 2/22/10
	Division Manager: 	Date: 2/22/10
County Counselor's Office:		Date:

Fiscal Information (to be verified by Budget Office in Finance Department)

- This expenditure was included in the annual budget.
- Funds for this were encumbered from the _____ Fund in _____.
- There is a balance otherwise unencumbered to the credit of the appropriation to which the expenditure is chargeable and there is a cash balance otherwise unencumbered in the treasury to the credit of the fund from which payment is to be made each sufficient to provide for the obligation herein authorized.
- Funds sufficient for this expenditure will be/were appropriated by Ordinance # _____
- Funds sufficient for this appropriation are available from the source indicated below.

Account Number:	Account Title:	Amount Not to Exceed:
004-1506-58110	Road and Bridge, Public Works-Maintenance, Heavy Machinery & Equipment	\$232,870.00

- This award is made on a need basis and does not obligate Jackson County to pay any specific amount. The availability of funds for specific purchases will, of necessity, be determined as each using agency places its order.
- This legislative action does not impact the County financially and does not require Finance/Budget approval.

Fiscal Note:

This expenditure was included in the Annual Budget.

Date: February 22, 2010 RES # 17186

<u>Department / Division</u>	<u>Character/Description</u>	<u>Not to Exceed</u>
------------------------------	------------------------------	----------------------

Special Road & Bridge Fund - 004		
---	--	--

1506 - Public Works - Maintenance	58110 - Heavy Machinery & Equip	232,870.00
-----------------------------------	---------------------------------	------------

<u>Mary Rasmussen</u> Budgeting	Total	232,870.00
------------------------------------	-------	------------

Header

Line Items

Document Information

Doc ID: RE 321155312000

Ref ID:

Date: 02/04/10 Copy Only:

Buyer: TNB Send:

Total Amount: 232,870.00

Requester Information

Invoice To: 0145

Requester: WESSING CAROLYN

Dept: 1506

Vendor Information

ID: KCR42500

Name: DIAMOND INTERNATIONAL

Address: PO BOX 709

Shipping Information

Ship To: 0144

Name: ROAD & BRIDGE MAINT. FACILITY

Address:

34900 OLD US 40 HIGHWAY

OAK GROVE, MO 64075

Ship Via:

Document 1 of 1

OK Approve Total Defaults Close

Header

Line Items

Document ID: RE 321155312000 Date: 02/04/10 Amount: 232,870.00

Item ID/Description	UOM	Quantity	Price	Amount	I
590-050	EA	1	73228.00	73,228.00	✓
VEHICLES: TRAILERS		Acct:	004-1506-58110-999-9999-9999-10		
2010 FLEET BID, SINGLE AXLE DUMP TRK-1		PER SPEC			
590-050	EA	2	79821.00	159,642.00	✓
VEHICLES: TRAILERS		Acct:	004-1506-58110-999-9999-9999-10		
2010 FLEET BID, TANDEM AXLE DUMP TRUC		ITEM #5 PER SPECS			

Summary

Detail



CITY OF LEE'S SUMMIT

PURCHASING DIVISION
220 S.E. GREEN STREET
LEE'S SUMMIT, MO 64083
816-969-1080 Phone 816-969-1081 Fax

TERM AND SUPPLY
YEARLY CONTRACT #10-009-6
Bid #10-009

THIS CONTRACT, MADE THIS 93rd day of November 2009, is herein called Yearly Contract for 2010 Model Year Vehicles between the City of Lee's Summit, Missouri (hereinafter "City") and Diamond International, (hereinafter "Supplier").

WHEREAS, City has caused to be prepared, General Terms and Conditions, Special Conditions and/or Specifications, Invitation for Bid, Proposal for Term and Supply Contracts and any special bid clauses/addenda listed under Special Attachments below (hereinafter "Contract Documents"), said contract documents setting forth such equipment, supplies, labor and/or services to be furnished as therein fully described; and

WHEREAS, Supplier did on the 26th day of August 2009, file with City his Bid to furnish such equipment, supplies, labor and/or services, as specified; and

WHEREAS, the aforementioned documents adequately and clearly describe the terms and conditions upon which the Supplier is to furnish such equipment, supplies, labor and/or services as specified, IT IS AGREED,

1. The City of Lee's Summit, Missouri, acting through its Purchasing Agent does hereby accept, with modifications, if any, the Bid of Supplier.

2. That a copy of the Supplier's signed Bid is attached. The Supplier's Bid and the City's Contract Documents become the agreement and contract between the parties hereto; that both parties hereby accept and agree to the terms and conditions of said bid documents, and that the parties are bound thereby and that the compensation to be paid the Supplier is as set forth in the Supplier's Bid. In the event of a conflict between the Supplier's Bid and the City's Contract Documents, the City's Contract Documents shall control. This Contract includes the Award to the Supplier the following line items:

- Items 3, 4, 5, 6 and 7 (see attachment)

3. Services shall only be provided after receipt of a written request or order from the City after the Department Head for the Department requesting the services, or his/her designee, has determined that budgeted funds are available to cover the cost of the services.

4. That this Contract shall be effective on the 20th day of November 2009, Contract No. 10-009-6, Contract period from November 20, 2009 to October 31, 2010.

5. No financial obligation shall accrue against the City until Supplier makes delivery pursuant to order of the Purchasing Agent and/or his approved designee.

6. This Contract may be terminated by either party upon sixty (60) days prior notice in writing to the other party. The City may terminate this contract immediately, under breach of contract, if the Supplier fails to perform in accordance with the terms and conditions as referenced to and incorporated above. In the event of any termination of contract by the Supplier, the City may purchase such supplies and/or services similar to those so terminated, and for the duration of the contract period the Supplier will be liable for all costs in excess of the established contract pricing.

Bid Number: 10-009 Dated: 8/26/09 Pages 1 through 32
Specifications: Dated: 8/26/09 Pages 1 through 109
General Conditions: Pages 5 through 13
Special Attachments: Addendum No. 1 and Addendum No. 2

Handwritten signature of Procurement Officer of Record
Handwritten signature of Purchasing Manager
Date: 11/23/09

Date
Original: Supplier
Copy of original bid: File
Copy of all Associates Payable
Copy: Buyer's File
Revised 11-04-04 BAP added not to exceed

Diamond International
Company Name
Handwritten signature of Supplier Authorized Signature
Transportation Consultant 11/20/09
Date
Title
Howard Gentry
Type or Print the Name of Authorized Person

ATTACHMENT

DIAMOND INTERNATIONAL OF KCMO		
GROUP I TRUCKS, HEAVY DUTY		UNIT PRICE
3	Truck, C&C 21,000, GVWR, 4X2, Diesel	\$45,997.00
4	Truck, C&C 29,000 GVWR, Diesel	\$52,792.00
5	Truck, C&C 34,000 GVWR, Diesel	\$55,972.00
6	Truck, C&C 56,000 GVWR, Diesel	\$64,186.00
7	Truck, C&C 66,000 GVWR, Diesel	\$94,314.00

Ordering 1

Item No. 5

Type: 34,000 GVWR CAB & CHASSIS DIESEL

Model Year 2010

FEATURE	DESCRIPTION	BIDDER MUST COMPLETE		PRICE
		MFG'S CODE	MEETS SPEC	
Cab & Chassis	Bidder must state make & model	INTERNATIONAL 7000	(YES/NO)	
GVWR	34,000 LB, min., state	37,000 LBS	(YES/NO)	
Wheelbase	Specify minimum	171"	(YES/NO)	
Cab to Axle	86" for 12' dump body	86"	(YES/NO)	
Cab	Cab "A"	16030	(YES/NO)	
Cab Height (Inside)	64" Minimum	58.6"	(YES/NO)	
Shoulder Room	65.2" Min. (Window to Window)	70.6"	(YES/NO)	
Frame	Bumper and frame extension 20" RBW: 2,000,000 PSI: 120,000, Stator Section Modulus-Stator	1WDS 2,134,000 120,000 17.78	(YES/NO) (YES/NO) (YES/NO) (YES/NO)	
Air Brake Dryer	Wabco spin-on, heated, or equal-Stator	4EBD-WABCO	(YES/NO)	
Air Cleaner	Required, with dash-mounted restriction gauge	16HHE	(YES/NO)	
Air Conditioning	Factory installed	18WKB	(YES/NO)	
Ammeter	120 amp, min; State emp.	6GQZ 120 AMP	(YES/NO)	
Arm Rests	Left & right sides	STD	(YES/NO)	
Auxiliary Outlet	12 volt, Factory installed	851B	(YES/NO)	
Axles	Front: 14,000 LBS. Rear: 23,000 LBS single speed Mainl. froe, 1600 CCA min., State	2ARV 14051	(YES/NO) (YES/NO)	
Battery	External jump start	8MEZ	(YES/NO)	
Battery Terminals	Parking; spring set	8WBW	(YES/NO)	
Brakes	Front: 16.6" X 6" Rear: 16 1/2" X 7" Service: Air	STD 4JCJ 4NDB 40B1	(YES/NO) (YES/NO) (YES/NO) (YES/NO)	
Compressor	Backing Plate	STD	(YES/NO)	
Cooling System	13.2 CFM	4SBC	(YES/NO)	
Differential	Heavy duty, increased cooling Will select gear ratio from standard production options at no extra cost	12UWZ STD	(YES/NO) (YES/NO)	
Drainage	Automatic moisture ejectors	STD	(YES/NO)	
Electrical Systems	12 volt, body builders connection box/plug	4722	(YES/NO)	
Engine	Diesel, 210 HP, 6 cylinder turbo charged, 600 LB-FT of torque min.	8HAB 12NUG 225HP	(YES/NO) (YES/NO)	
Exhaust	Vertical pipe with horizontal muffler	620 TORQUE	(YES/NO)	
Floor Covering	Heavy duty vinyl/rubber	7BDL	(YES/NO)	
Fuel Tank	Step type, 50 gal., LH	STD	(YES/NO)	
Fuel Water Sep.	Required with in-line heater	16SCE	(YES/NO)	
Gauges/Indicators	Air, oil, voltmeter, engine coolant, fuel, transmission temp	16LKG STD	(YES/NO) (YES/NO)	
Glass	Tinted, all windows	16HGH STD	(YES/NO) (YES/NO)	
Governor	Adjustable max. cruising RPM	STD	(YES/NO)	
Grab Handles	One (1) each side of cab	STD	(YES/NO)	
Grille	Fixed	STD	(YES/NO)	
Hand Electronic Throttle	Required with cruise	8HBM	(YES/NO)	
Heater	Engine block, 1000W/120 volt	12VXT	(YES/NO)	
Hood & Fenders	TEI hood and fender	12P59	(YES/NO)	
Horn	Single air	8WBC	(YES/NO)	
Hourmeter	Standard engine-actuated	8WCL	(YES/NO)	
Lights	Cab clearance, five (5)	STD	(YES/NO)	
Line Set	Two (2) copies required with each truck	STD	(YES/NO)	

Jackson Co.
single axle

Item No. & FEATURE	Type: 34,000 GVWR CAB & CHASSIS DIESEL (Continued) DESCRIPTION	MFG'S CODE	MEETS SPEC	Model Year 2010 PRICE
Mirrors	Outside: dual w/est coast, painted, Heated Aluminum (outside) 16" X 7", retractable	16SDL HEATED	YES/NO YES/NO	
Oil Filter	2 each, 1 quart min.	STD	YES/NO	
Paint	Mfg. standard - provide color chart	STD	YES/NO	
Payload	State	STD	YES/NO	
Power Take Off	Front crank shaft mounted	26G70	YES/NO	
Radio	AM/FM, factory installed	12851	YES/NO	
Seat	Driver: air suspension, individual bucket, vinyl, Bostrom or National high back, state; Passenger: non-suspension, individual bucket, vinyl	8RKB 18JNT NATIONAL	YES/NO YES/NO YES/NO	
Seat Belts	3 point, required	16PJH	YES/NO	
Shocks	Required front	STD	YES/NO	
Steck Adjuster	Automatic front & rear	STD	YES/NO	
Spare Tire	Same as Tires	STD	YES/NO	
Spare Wheel	Same as Wheels	29007 FRONT	YES/NO	
Springs	Rated each @ ground Front: 14,000 LBS Rear: 23,000 LBS main with 4,500 LB aux.	28DRA PER SPEC	YES/NO YES/NO	
Steering	Power	3ADD	YES/NO	
Sun Visors	Dual	14VAH	YES/NO	
Tachometer	Related to engine	6P5A	YES/NO	
Tires	Tubular, steel belted radial	STD	YES/NO	
Tires: Front	Highway tread, 12R22.5, 16 ply	STD	YES/NO	
Tires: Rear	All terrain, 12R22.5, 16 ply	73B2155408	YES/NO	
Transmission	Atison 3500R0SP World Transmission - 6 speed	73B2160182	YES/NO	
Warning Lights & Buzzers	Low air pressure, low coolant level, low oil pressure, high coolant temp. with automatic shutdown system	13AJK	YES/NO	
Warranty	Attech all manufacturer standard.	8WVJ	YES/NO	
Wheels	8.25 X 22.5 Hub pilot, 10 hole disc, white	STD	YES/NO	
Wipers	Intermittent	STD	YES/NO	

TOTAL STANDARD VEHICLE, DIESEL

\$55,872.00

OPTIONAL EQUIPMENT

Alarm System	Describe	NOT AVAILABLE	S/N/A
Alternative Fuel	State: Example - B20 CNG by ESI	B9, B-20 LOCAL, see vendor for available tax credit	S/N/O \$53,350
Alternator	145 amp.	8GDR <i>Delco</i> 146 AMP	\$
Axles (Front)	18,000 LB 12,000 LB (For Axle Changes, include Tires & Wheels to achieve minimum rating.)	2ARU 2ARW	\$163 \$1,887 \$ < 673 >
Axles (Rear)	21,000 LB, 2 speed (For Axle Changes, include Tires & Wheels to achieve minimum rating.)	14CVB	\$
Back-Up Alarm	State Price:	BTHB	\$
Brakes (Trailer)	With tractor protection valve	4618/BTMG AIR LINES AND ELEC. PLUG	\$114
Cab	Cab "B" Cab "C" Other _____	18CAB 16186/16RZG	\$532 \$2,892 \$7,611
Cab Steps	Driver only, factory	STD	\$
Eurothra injection	Both sides, factory	STD	S/N/C
	Do you have uretha injection? If so, what size?	NO UREA, NONE REQUIRED.	S/N/C

Item No. 5

Type: \$4,000 GVWR CAB & CHASSIS DIESEL (Continued)

Model Year 2010

FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE	PRICE
Cab To Axle	OPTIONAL EQUIPMENT (cont)		
	84"	160*	\$445
	90"	165*	\$445
	102"	177*	\$N/O
	108"	183*	\$622
	Step type		\$
	Overhead storage area with safety net	STD	\$N/O
		STO	\$N/O
			\$
		LOCAL	\$845
			\$
			\$
		LOCAL	\$
			\$568
		LOCAL	\$
Console Daytime Running Lights Diagnostic Software & Cables	Engine SERVICE MAXX		\$
			\$
	Transmission ALLISON 600	LOCAL	\$
	Anti-Lock Brakes, Air Brake BENDIX ACOM	LOCAL	\$
	Anti-Lock Brakes, Hydraulic Brake	NOT AVAILABLE	\$
	Chassis Electrical System		\$N/A
	DIAMOND LOGIC BUILDER	LOCAL	\$
	Cables		\$
	USB LINK	LOCAL	\$567
			\$
		LOCAL	\$
			\$730
			\$
			\$
	Engine Cover Engines	Let other available	2010 EMISSION COMPLIANT
CYL. Liter HP Fuel			\$8,000 X
6 7.6 265 D		12NBZ	\$
6 7.6 285 D		12NTB	\$1,423
6 7.6 300 D		12NSH	\$3,720 X
Rubber/Vinyl		LOCAL	\$4,288
50-gallon step tank		16SCD RT UNDER CAB	\$25
Single 100 gal LH		15SES	\$130
Single 100 gal RH		15SEP	\$316
Single 70 gal LH 80		15SEM Aluminum	\$318
Single 70 gal R.H.		15SEN	\$82 309 X
Silicone cooling system hoses		15SEN	\$272
(Silicone radiator & heater w/ worm drive gear clamps)		12928/16976	\$173
3 identical keys per vehicle		LOCAL	\$
Service manuals		LOCAL	\$9 X4536 X
Phillips Fender Guides	LOCAL	\$250 X	
Pull chain type	4722	\$160	
Other than mfg. standard	10771 6A23 Blue	\$(-84) X	
		\$230	
		\$	
Parking Brake Alarm Pre-Trip Light Inspection Plow Lights (Snow) Remote Power Module Rust Proofing	State:	BWXD SOUNDS ELECTRIC HORN	\$
	State:	BWPZ FLASHES EXTERIOR LIGHTS	\$40
	Factory installed	BTHJ SWITCH AND WIRING	\$40
	State:	60AAG 6-FACTORY SWITCHES	\$61
	Ziebart or Ming - State:	RHINO LINING OF KANSAS CITY	\$504
	Certificates required		\$278
	Bidder must state brand & warranty	10 YEAR FLEET	\$
	Front oil lubricated wheel seals	STD	\$
	Full bench, vinyl	16JPU	\$N/O
	2-man passenger	16PHJ	\$(-73)
	Service hatches in hood	BANG DRIVERS SIDE ONLY	\$70
	State:	BTHJ SWITCH AND WIRING	\$422
	State:	12VAG DRIVER CONTROLLED	\$81 X
			\$149 X

Item No. 6

Type: 34,000 GVWR CAB & CHASSIS DIESEL (Continued)

Model Year 2010

FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE	PRICE
Steering Wheel	OPTIONAL EQUIPMENT (con)		
	Tire	6708	\$118
Temporary Tag	Cruise	STD	\$N/A
Theft Deterrent System	State:	LOCAL	\$N/A
Tires:	11R22.5, 16 ply	60ACK DRIVER CONTROLLED	\$361
	Michelin - Chp Resistant		\$ < 460 >
Tow Command	State:	6HAH WIRING FOR ELEC. BRAKE CONTROL	\$1,310
Tow Hooks	2 each	1570	\$232
Trailer Tow Package	State:	4618/OTMG AIR LINES AND ELEC PLUG	\$72
Transmission	Allison MD automatic 3500RQSP - 6 speed	13ALZ 3000RDS	\$532
	Allison MD automatic 3500RQSP - 6 speed	13AJN	\$N/A
	Allison MD automatic 3000RQSP - 6 speed	13AMB	\$2,395
Winter Fronts	State:	LOCAL	\$2,395
Extended Warranty	State:	ENGINE AND ENGINE ELECTRONICS INCLUDING INJECTORS 48 MONTHS, 100,000 MILES OR 3,600 HRS	\$165
		ALLISON TRANSMISSION 6 YEAR DUMP APPLICATION	\$1,730
			\$
			\$
			\$800
			\$

OPTION DELETE FROM STANDARD

- Air Brake Dryer
- Air Conditioning
- Air horn
- Automatic moisture ejectors
- Bumper, 1/4" min., front
- Compressor
- Dash-mounted air restriction gauge
- Engine shutdown
- Front mounted PTO
- Hoister, engine block
- Muffler, horizontal
- Radio, AM/FM
- Spare Tire
- Spare Wheel

4EBD	\$ < 237 >
16WKA	\$ < 440 >
STD	\$N/A
4722	\$ < 54 >
11LA	\$ < 18 >
NOT AVAILABLE	\$N/A
16HHE	\$ < 18 >
8WPP	\$ < 84 >
12851	\$ < 56 >
12859	\$ < 48 >
78DB	\$ < 115 >
8RKB	\$ < 188 >
29067	\$ < 387 >
280RA	\$ < 74 >

parts manual, CD
 Batteries, 3 @ 1950 CCA TOTAL
 Rear axle, Driver controlled Traction Differential
 Dual element air cleaner
 wiper blades, Snow Type
 Relocate Battery Box + air Tank
 lower point,
 additional, operator's manual
 Bus screen, Aux fender mounted turn signals,
 Front fender splash guards

265
 47
 1524
 84
 25
 310⁰²
 28⁰⁰
 30^{math}

294⁰²
 73,228⁰²

Ordering 2

Item No. 6	Type: 56,000 GVWR CAB & CHASSIS - DIESEL	BIDDER MUST COMPLETE	Model Year 2010
FEATURE	DESCRIPTION	MFG'S CODE	MEETS SPEC
			PRICE
Cab & Chassis	State make & model	INTERNATIONAL 7400	<input checked="" type="checkbox"/> YES/NO
GVWR	56,000 LB min.	56,000 LBS	<input checked="" type="checkbox"/> YES/NO
Wheelbase	Specify minimum	201"	<input checked="" type="checkbox"/> YES/NO
Cab To Axle	120" min., State	126"	<input checked="" type="checkbox"/> YES/NO
Cab	Cab "A"	16030	<input checked="" type="checkbox"/> YES/NO
Cab Height (Inside)	64" Minimum	66.6"	<input checked="" type="checkbox"/> YES/NO
Shoulder Room	65.2" Minimum (Window to Window)	70.6"	<input checked="" type="checkbox"/> YES/NO
Frame	RBM: 2,500,000 min. PSI: 120,000-State; Section Module-State;	2,554,400 120,000 22.12	<input checked="" type="checkbox"/> YES/NO <input checked="" type="checkbox"/> YES/NO <input checked="" type="checkbox"/> YES/NO
Air Brake Dryer	Wabco spin-on, heated, or equal-State;	4EBD WABCO	<input checked="" type="checkbox"/> YES/NO
Air Cleaner	Required, with dash-mounted restriction gauge	18HHE	<input checked="" type="checkbox"/> YES/NO
Air Conditioning	Factory installed	16WBK	<input checked="" type="checkbox"/> YES/NO
Alternator	120 amp. min. State amp.	8GGZ 120 AMP	<input checked="" type="checkbox"/> YES/NO
Arm Rests	Right & left sides	STD	<input checked="" type="checkbox"/> YES/NO
Auxiliary Outlet	12 volt, Factory installed	8518	<input checked="" type="checkbox"/> YES/NO
Axles	Front: 20,000 LB Rear: 46,000 LB	2ARU 16,000 LBS 14GWA 40,000 LBS	<input checked="" type="checkbox"/> YES/NO <input checked="" type="checkbox"/> YES/NO
Battery	Main: free, dual batteries, 1600 CCA min.	8MAZ 1,650 CCA	<input checked="" type="checkbox"/> YES/NO
Brakes	Parking: spring brake, both rear axles Service: air, 13.2 cu.ft. air compressor Rear drum, 16-1/2" X 7" min. Backing Plate	STD 45BC 4NDB STD	<input checked="" type="checkbox"/> YES/NO <input checked="" type="checkbox"/> YES/NO <input checked="" type="checkbox"/> YES/NO <input checked="" type="checkbox"/> YES/NO
Bumper	Front	1LLA	<input checked="" type="checkbox"/> YES/NO
Cooling System	Heavy duty, increased cooling	12UWY	<input checked="" type="checkbox"/> YES/NO
Differential	Gear ratio to be selected from standard production options at time of order	STD	<input checked="" type="checkbox"/> YES/NO
Drainage	Automatic moisture ejectors	4722	<input checked="" type="checkbox"/> YES/NO
Electrical Systems	12 volt, body builders connection box/plug	8HAB	<input checked="" type="checkbox"/> YES/NO
Engine	Diesel, 246 HP, 650 LB-FT Torque, 7.2L	12MTA	<input checked="" type="checkbox"/> YES/NO
Floor Covering	Heavy duty, vinyl/rubber	STD	<input checked="" type="checkbox"/> YES/NO
Fuel Tank	Step type, 50 gal, LH	16SCF	<input checked="" type="checkbox"/> YES/NO
Fuel Water Sep.	In-line heater	16LKG	<input checked="" type="checkbox"/> YES/NO
Gauges/Indicators	Air, oil, voltmeter, engine coolant, fuel, transmission temp	STD	<input checked="" type="checkbox"/> YES/NO
Glass	Tinted, all windows	18HGH	<input checked="" type="checkbox"/> YES/NO
Grab Handles	One (1) each side	STD	<input checked="" type="checkbox"/> YES/NO
Hand Throttle	Required	12VXT	<input checked="" type="checkbox"/> YES/NO
Heater	Engine block, 1000 watt	12959	<input checked="" type="checkbox"/> YES/NO
Hood & Fenders	Tinting	8WBC	<input checked="" type="checkbox"/> YES/NO
Hourmeter	Standard engine-activated	STD	<input checked="" type="checkbox"/> YES/NO
Lights	Cab clearance, five (5)	STD	<input checked="" type="checkbox"/> YES/NO
Line Set	Two (2) copies required with each truck	9TD	<input checked="" type="checkbox"/> YES/NO
Mirrors	Outside: left & right painted west coast type, 16" X 7" min. Heated Aluminum (outside)	16SDL STD HEATED	<input checked="" type="checkbox"/> YES/NO <input checked="" type="checkbox"/> YES/NO <input checked="" type="checkbox"/> YES/NO
Oil Filter	2 quart capacity	STD	<input checked="" type="checkbox"/> YES/NO
Paint	Mfg. standard - provide color chart	STD	<input checked="" type="checkbox"/> YES/NO
Payload	State	40.614	<input checked="" type="checkbox"/> YES/NO
Power Take Off	Required opening right side	STD	<input checked="" type="checkbox"/> YES/NO
Radio	AM/FM, factory installed	8RKB	<input checked="" type="checkbox"/> YES/NO
Rims	22.8 X 8.00 wide base (front) 22.6 X 8.26 wide base (rear)	27DMW 28DMA	<input checked="" type="checkbox"/> YES/NO <input checked="" type="checkbox"/> YES/NO
Seats	Front wheel seats oil lubricated	STD	<input checked="" type="checkbox"/> YES/NO
Seats	Driver: air suspension, individual bucket, vinyl, Bostron or National, high back, stater. Passenger: Single non suspension Individual bucket suspension, vinyl	16JNT NATIONAL 18PJN STD	<input checked="" type="checkbox"/> YES/NO <input checked="" type="checkbox"/> YES/NO <input checked="" type="checkbox"/> YES/NO <input checked="" type="checkbox"/> YES/NO

Jackson Co
Tandem Axle

Item No. 6

Type: 66,000 GVWR CAB & CHASSIS - DIESEL

Model Year: 2010

FEATURE	DESCRIPTION
Shocks	Heavy duty front
Stack Adjusters	Automatic, front & rear
Spare Tire	Same as Tires
Spare Wheel	Same as Wheels
Springs	Rated each el ground Front: 18,000 LB capacity Rear: 40,000 LB capacity
Steering	Power
Sun Visors	Dual
Suspension	Heavy duty; State;
Tachometer	Required
Tires	Steel belted radial
Tires: Front	(2) conventional tread, 31560R22.5, 18 ply
Tires: Rear	(8) el terrain tread, 11R22.5, 14 ply
Tow Hooks	Installed front to frame rails
Transmission	Atison MT-360RDSP 5-speed Automatic, 5 speed with temp. gauge
Warning Lights & Buzzers	Low oil pressure, high water temp; low air pressure, low coolant level with automatic shutdown system
Warranty	At each manufacturer standard
Wheels	6.25 x 22.5 Hub pilot, 10 hole disc, white
Wipers	Intermittent

TOTAL STANDARD VEHICLE 66,000 GVWR, DIESEL

OPTIONAL EQUIPMENT

Air Horns	Dual, single base
Alarm System	Deceba
Alternative Fuel	State; Example- B20 CNG by ESI
Axle (Front Steering)	12,000 LB in lieu of 16,000 LB with 12,000 LB springs <i>18,000#</i>
Axle (Rear)	34,000 LB with 34,000 LB springs
Back Up Alarm	Please State:
Brush Guard	Front
Bumper	Front, 1/4" min.
Cab	Cab "B" Cab "O" Other
Cab Steps	Driver only, factory
Cab To Axle	Both sides, factory 84" 102" 108" 136" 160" 169"
Circuit Breakers	In lieu of standard fuses
Console	Overhead storage area with safety net
Daytime Running Lights	
Eurothe Injection	Do you have eurothe injection? If so, what else?

BIDDER MUST COMPLETE

MFQ'S CODE	MEETS SPEC
STD	YES/NO
STD	YES/NO
REAR	YES/NO
26DRA REAR	YES/NO
PER SPEC	YES/NO
3AD5	YES/NO
14UHC	YES/NO
5RTB	YES/NO
STD	YES/NO
HANDRICKSON	YES/NO
STD	YES/NO
STD	YES/NO
7782545418	YES/NO
7382132409	YES/NO
1570	YES/NO
13AJK	YES/NO
16HGH	YES/NO
STD	YES/NO
8WVJ	YES/NO
DWPP	YES/NO
PER SPEC	YES/NO
26DMA	YES/NO
STD	YES/NO

PRICE

564,166.00 X

SINGLE INCLUDED IN BASE

NOT AVAILABLE	\$N/A
B-5, B-20	\$N/A
LOCAL see vendor for available tax credit	\$53,350
2AGE	\$
3ADC	\$4,475 X
NOT AVAILABLE	\$N/A
BTHB 102DRA	\$114
NOT AVAILABLE	\$N/A
1LNX	\$76
16CAR	\$2,892
16198/16RZG	\$7,811
STD	\$
STD	\$N/A
160	\$N/A
177	\$448
183	\$480
213	\$660
226	\$896
244	\$1,426
STD	\$2,219
STD	\$N/A
STD	\$N/A
STD	\$N/A
NO UREA	NONE REQUIRED

Item No. 6

Type: \$8,000 GVWR CAB & CHASSIS - DIESEL

Model Year 2010

FEATURE

DESCRIPTION
OPTIONAL EQUIPMENT (cont.)

BIDDER MUST COMPLETE
MFG'S CODE

PRICE

Diagnostic Software & Cables

Engine SERVICE MAXX

LOCAL

\$

Transmission ALLISON DDC

LOCAL

\$648

Anti-Lock Brakes, Air Brake BENDIX ACOM

LOCAL

\$

Anti-Lock Brakes, Hydraulic Brake

NOT AVAILABLE

\$568

Chassis Electrical System

LOCAL

\$30

DIAMOND LOGIC BUILDER

LOCAL

\$

Cables

LOCAL

\$

USB LINK

LOCAL

\$667

Engines

List others available

CYL Liter HP Fuel
6 7.6 285 D
6 2.9 200 330

2010 EMISSION COMPLIANT

\$8,000

Price to include any cost for tires, suspension, change over etc.

12NTB

\$

12NSH

\$1,118

Exhaust
Floor Mats
Frame
Fuel Tanks

Vertical w/guard
Rubber/Vinyl

7BDS

\$

Double Channel, min. 26 G.M.
50 gal, dual step, frame mounted
70 gal, step tank, LH

LOCAL

\$1,888

1GBP

\$

16D/M

\$272

16SEM

\$25

12928/16975

\$1,312

Hoses

Silicone Cooling System
(Silicone radiator & heater w/worm drive gear clamps)

100 gallon Aluminum

\$612

Keys

3 identical keys per vehicle

LOCAL

\$590

Low Entry Cab

Describe

AVAILABLE EARLY 2010

\$173

Manuals

Service manuals

LOCAL

\$

Mirrors

Phillips fender guides

LOCAL

\$9

Paint

Other than mfg. standard

LOCAL

\$173

Power Take Off

Installed in front of radiator
PTO adapter plate on engine shaft to
include 18" frame extension with
sway back and front bumper

10771 6A23

\$

Parking Brake Alarm

State

ADAPTER PLATE

\$

Pre-Trip Light Inspection

State

12B51

\$378

Plow Light (Snow) Wiring

Factory installed

1WDS

\$

Radiator Grill

Stationary

1LLA

\$

Remote Power Module

State

BWXD SOUNDS ELECTRIC HORN

\$

Rust Proofing

Ziebart or Mfg - State:

BWPZ FLASHES EXTERIOR LIGHTS

\$40

Seals

Certificates required

BTHJ SWITCH AND WIRING

\$40

Bidder must state brand & warranty

STD

\$61

Bench type, vinyl,

60AAG 6-FACTORY SWITCHES

\$N/C

Single driver, dual passenger

RHIND LINING OF KANSAS CITY

\$504

Driver, Bostrom or National, low back, vinyl, state:

10 YEAR FLEET

\$275

2-man passenger

16JPU

\$

Service Hatch

Two (2) for use with lift hood

NOT AVAILABLE

\$

Snow Plow Package

State:

16PCP W/ UNDER SEAT STORAGE

\$

Snow Valve

State:

BANG DRIVERS SIDE ONLY

\$

Steering Wheel

TH

BTHJ SWITCH AND WIRING

\$422

Tire Axle

Air Up, Air Down Capacity

12VAG DRIVER CONTROLLED

\$61

Temporary Tire

Include Tires & Wheels - State Sizes

5708

\$148

8TD

\$118

14WLM

\$N/C

11R22.5

\$7,168

LOCAL

\$N/C

\$N/C

\$N/C

\$N/C

\$N/C

\$N/C

\$N/C

Item No. 6

Type: 56,000 GVWR CAB & CHASSIS - DIESEL

FEATURE	DESCRIPTION
Theft Deterrent System	State
Tow Command	State
Tow Hooks	2 each
Trailer Tow Package	State
Transmissions	Allison MD automatic, 3000RDSP, 5 speed
	Allison MD automatic, 3000RDSP, 6 speed
	Allison MD automatic, 3500RDSP, 6 speed
Extended Warranty	State

OPTION DELETE FROM STANDARD

- Air brake dryer
- Air Conditioning
- Automatic moisture ejectors
- Dash-mounted air restriction gauge
- Engine block heater
- Fuel/water separator
- Glass, tinted all windows
- Horn/mel - Standard engine-activated
- Passenger non-suspension, individual bucket, vinyl
- Radio, AM/FM
- Seats: Driver, air suspension, individual bucket, vinyl
- Spare Tire
- Spare Wheel

BIDDER MUST COMPLETE
MFG'S CODE

Model Year 2010

PRICE
\$
60ACK DRIVER CONTROLLED \$381
8HAW WIRING FOR ELEC. BRAKE CONTROL \$232
1570 \$72
4619/RTMG AIR LINES AND ELEC. PLUG \$532
13ALZ \$280
13AMB \$280
13AJN \$110
ENGINE AND ENGINE ELECTRONICS \$1,730
INCLUDING INJECTORS, 48 MONTHS, 100,000 MILES OR 3,600 HRS
ALLISON TRANS. 6 YR. AR. DUMP APPL. \$900
\$
4EBD \$<237>
18WKB \$<440>
4722 \$<84>
16HHE \$<18>
12959 \$<48>
STD \$N/O
STD \$N/O
STD \$N/O
16400 \$<180>
8RKB \$<168>
16JDY \$<120>
28007 \$<387>
26ORA \$<74>

Alternator - Delco 145 Amp
 Rear axle & suspension, 46,000 lbs
 Batteries, 3 @ 1950 CCA TOTAL
 Dual Element air cleaner
 Wiper Blades, snow type
 Relocate Battery Box and Tanks
 Buy green, aux fender mounted Turn signals,
 Front fender splash guards
 Operator's manual
 Power point

126-
 3634-
 47-
 84-
 25-
 310-
 294-
 30
 28

79821