

Request for Legislative Action

Res. #21443
Sponsor: Jeanie Lauer
Date: October 23, 2023

Completed by County Counselor's Office

Action Requested:	Resolution	Res.Ord No.:	21443
Sponsor(s):	Jeanie Lauer	Legislature Meeting Date:	10/23/2023

Introduction

Action Items: ['Authorize', 'Award']

Project/Title:

Authorizing the purchase of a Stertil-Koni brand heavy equipment mobile lift for use by the Public Works Road & Bridge Division under the following terms and conditions.

1. Stertil-Koni heavy equipment mobile lift from Quality Automotive Equipment & Sales of Kansas City, MO under the terms and conditions of Sourcewell Contract No. 013020-SKI, an existing competitively bid contract.

Cost: \$58,551.28

Request Summary

The Public Works Road & Bridge Division is in need of a new heavy mobile vehicle lift for the repair shop. The current (4-wheel style) heavy mobile lift is an important part of the shop and is necessary for daily operations but is outdated and in need of replacement. These specialty lifts are designed to lift dump trucks and various other heavy equipment with multiple axles during the repair and service process.

Public Works Road & Bridge Division requests using Sourcewell Contract No. 013020-SKI for this purchase of a Stertil-Koni brand lift. This is an existing competitively bid contract, and the order will be filled by Quality Automotive Equipment & Sales. Quality Automotive Equipment & Sales is the local Stertil-Koni USA, Inc. dealer in the Kansas City area.

Pursuant to Section 1030.4 of the Jackson County Code, the Public Works Road & Bridge Division recommends the purchase of a Stertil-Koni heavy equipment mobile lift from Quality Automotive Equipment & Sales of Kansas City, MO under the terms and conditions of Sourcewell Contract No. 013020-SKI, an existing competitively bid contract.

The source of funding (name of fund) and account code numbers are as follows and is within the existing Road & Bridge budget:

FROM ACCOUNT:

004-1011-58110

Special Road & Bridge Fund – Public Works Fleet Replacement – Heavy Machinery & Equipment

Amount: \$58,551.28

Request for Legislative Action

Contact Information			
Department:	Public Works	Submitted Date:	10/12/2023
Name:	Matt E. Willier	Email:	MWillier@jacksongov.org
Title:	Assistant Road & Bridge Administrator	Phone:	816-847-7083

Budget Information			
Amount authorized by this legislation this fiscal year:			\$58,552
Amount previously authorized this fiscal year:			\$ 0
Total amount authorized after this legislative action:			\$58,552
Is it transferring fund?			No
Single Source Funding:			
Fund:	Department:	Line Item Account:	Amount:
004 (Special Road & Bridge Fund)	1011 (Public Works - Fleet Replacement)	58110 (Heavy Machinery & Equipment)	\$58,552

Prior Legislation	
Prior Ordinances	
Ordinance:	Ordinance date:
Prior Resolution	
Resolution:	Resolution date:

Purchasing	
Does this RLA include the purchase or lease of supplies, materials, equipment or services?	Yes
Chapter 10 Justification:	Fixed Price Contract
Core 4 Tax Clearance Completed:	Not Applicable
Certificate of Foreign Corporation Received:	Not Applicable
Have all required attachments been included in this RLA?	Yes

Compliance
Certificate of Compliance
Not Applicable

Request for Legislative Action

Minority, Women and Veteran Owned Business Program	
Goals Not Applicable for following reason: Contract is with another government agency	
MBE:	.00%
WBE:	.00%
VBE:	.00%
Prevailing Wage	
Not Applicable	

Fiscal Information
<ul style="list-style-type: none">Funds sufficient for this appropriation and/or transfer are available from the source indicated on the budget information tab.

History
Submitted by Public Works requestor: Matt E. Willier on 10/12/2023. Comments:
Approved by Department Approver Brian Gaddie on 10/12/2023 4:06:08 PM. Comments:
Approved by Purchasing Office Approver Barbara J. Casamento on 10/13/2023 8:57:43 AM. Comments:
Approved by Compliance Office Approver Ikeela Alford on 10/13/2023 9:55:18 AM. Comments:
Approved by Budget Office Approver David B. Moyer on 10/13/2023 10:38:08 AM. Comments:
Approved by Executive Office Approver Sylva Stevenson on 10/16/2023 10:01:35 AM. Comments:
Approved by Counselor's Office Approver Anton Brehe on 10/18/2023 10:22:03 AM. Comments:

This expenditure was included in the Annual Budget.

Date: October 13, 2023

Org Code/Description	Object Code/Description	Not to Exceed
----------------------	-------------------------	---------------

1011	Public Works - Fleet Replacement	58110	Heavy Machinery & Equipment	\$	58,552
------	----------------------------------	-------	-----------------------------	----	--------

[illegible]

[illegible]

\$ 58,552

Budget Office



Jackson County Public Works Department

ROAD MAINTENANCE 34900 E. Old US 40 Hwy, P.O. Box 160
Grain Valley, Missouri 64029
(816) 847-7050 *phone*
(816) 847-7051 *fax*

MEMORANDUM

TO: Keith Allen, Finance and Purchasing Department

FROM: Matt Willier, Assistant Road and Bridge Administrator, Public Works

DATE: October 12, 2023

SUBJECT: Stertil Koni Lift Purchase

The Public Works Department Road & Bridge Division is in need of a new (4-wheel mobile style) heavy vehicle lift for the repair shop. The current (4-wheel mobile style) lift is an important part of the shop and is necessary for daily operations but is outdated and in need of replacement. These specialty lifts are designed to lift dump trucks and various other heavy equipment with multiple axles during the repair and service process.

Public Works Road & Bridge Division requests using Sourcewell Contract No. 013020-SKI for this purchase of a Stertil-Koni brand lift. This is an existing competitively bid contract, and the order will be filled by Quality Automotive Equipment & Sales. Quality Automotive Equipment & Sales is the local Stertil-Koni USA, Inc. dealer in the Kansas City area.

The source of funding (name of fund) and account code numbers are as follows and is within the existing Road & Bridge budget:

FROM ACCOUNT:
004-1011-58110
Special Road & Bridge Fund – Public Works Fleet Replacement – Heavy Machinery & Equipment
Amount: \$58,551.28

Thank you for your consideration,

Matt E. Willier



200 Log Canoe Circle • Stevensville • Maryland • Orders@sterdil-koni.com • 410-643-9001 • 800-336-6637 • 410-643-8901 (fax)

For current ALI certification status of lifts and/or accessories, please visit www.autolift.org/ali-directory-of-certified-lifts/

2022 PRICE LIST Edition 3 May 1

MOBILE LIFTS

Alpha designations for the mobile columns are as follows:

First letter of three following model number, i.e. ST1085-2FWA, first letter always represents the wheels.
F=Fixed wheels and R=Retractable wheels

Second letter of three following model number, i.e. ST1085-2FWA, second letter always represents the controls.
S=Cabled controls, B=Battery controls, W=Wireless and R=Energy retrieval system

Third letter of three following model number, i.e. ST1085-2FWA, third letter always represents the forks.
F=Fixed forks and A=Adjustable forks

Model Number	Description	2022 Ed. 3		State Contracts	
		List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
ST1064 MODELS, CABLED EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1064-1FSA	Set of 2 - 28,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks	Temporarily Unavailable			
ST-1064-2FSA	Set of 4 - 56,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks	Temporarily Unavailable			
ST-1064-3FSA	Set of 6 - 84,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks	Temporarily Unavailable			
ST1064 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1064-1FBA	Set of 2 - 28,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	Temporarily Unavailable			
ST-1064-2FBA	Set of 4 - 56,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	Temporarily Unavailable			
ST-1064-3FBA	Set of 6 - 84,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	Temporarily Unavailable			
ST1064 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1064-1FWA	Set of 2 - 28,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 37,125	\$ 26,358.75	\$ 25,245.00	\$ 24,688.13
ST-1064-2FWA	Set of 4 - 56,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 74,250	\$ 52,717.50	\$ 50,490.00	\$ 49,376.25
ST-1064-3FWA	Set of 6 - 84,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 111,375	\$ 79,076.25	\$ 75,735.00	\$ 74,064.38
ST1065 MODELS, CABLED AND WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1065-2FSV	Set of 4 - 58,000lbs capacity, 208 to 460 volts, 3 phase, extra wide forks to lift contruction vehicles, one primary column per set of 4	\$ 90,788	\$ 64,459.60	\$ 61,735.96	\$ 60,374.14
ST-1065-2FXV	Set of 4 - 58,000lbs capacity, 24 volts DC, extra wide forks to lift contruction vehicles	\$ 122,002	\$ 86,621.61	\$ 82,961.54	\$ 81,131.50
ST1075 MODELS, CABLED EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1075-1FSA	Set of 2 - 33,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks	\$ 32,008	\$ 22,725.75	\$ 21,765.50	\$ 21,285.38
ST-1075-2FSA	Set of 4 - 66,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks	\$ 62,305	\$ 44,236.72	\$ 42,367.56	\$ 41,432.98
ST-1075-3FSA	Set of 6 - 99,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks	\$ 93,459	\$ 66,356.12	\$ 63,552.34	\$ 62,150.45
ST1075 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1075-1FBA	Set of 2 - 33,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 29,512	\$ 20,953.54	\$ 20,068.18	\$ 19,625.50
ST-1075-2FBA	Set of 4 - 66,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 59,025	\$ 41,908.07	\$ 40,137.31	\$ 39,251.93
ST-1075-3FBA	Set of 6 - 99,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 88,539	\$ 62,862.61	\$ 60,206.44	\$ 58,878.36
ST1075 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1075-1FWA	Set of 2 - 33,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 41,377	\$ 29,377.90	\$ 28,136.58	\$ 27,515.92
ST-1075-2FWA	Set of 4 - 66,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 82,320	\$ 58,447.19	\$ 55,977.59	\$ 54,742.79
ST-1075-3FWA	Set of 6 - 99,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 124,131	\$ 88,132.70	\$ 84,408.78	\$ 82,546.82

MOBILE LIFTS

Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
ST1085 MODELS, CABLED EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1085-1FSA	Set of 2 - 37,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj forks.	\$ 34,485	\$ 24,484.03	\$ 23,449.49	\$ 22,932.23
ST-1085-2FSA	Set of 4 - 74,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj forks.	\$ 67,021	\$ 47,584.68	\$ 45,574.06	\$ 44,568.75
ST-1085-3FSA	Set of 6 - 111,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj forks.	\$ 99,551	\$ 70,681.15	\$ 67,694.62	\$ 66,201.35
ST1085 MODELS, CABLED EBRIGHT CONTROLS WITH RETRACTABLE WHEELS:					
ST-1085-1RSA	Set of 2 - 37,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj forks	\$ 37,973	\$ 26,960.71	\$ 25,821.52	\$ 25,251.93
ST-1085-2RSA	Set of 4 - 74,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj forks	\$ 74,008	\$ 52,545.37	\$ 50,325.14	\$ 49,215.03
ST-1085-3RSA	Set of 6 - 111,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj forks	\$ 110,025	\$ 78,117.46	\$ 74,816.72	\$ 73,166.36
ST1085 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1085-1FBA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 36,638	\$ 26,013.15	\$ 24,914.00	\$ 24,364.43
ST-1085-2FBA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 73,275	\$ 52,025.30	\$ 49,827.05	\$ 48,727.92
ST-1085-3FBA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 109,913	\$ 78,038.45	\$ 74,741.05	\$ 73,092.35
ST1085 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH RETRACTABLE WHEELS:					
ST-1085-1RBA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 39,909	\$ 28,335.22	\$ 27,137.95	\$ 26,539.32
ST-1085-2RBA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 79,818	\$ 56,670.43	\$ 54,275.91	\$ 53,078.64
ST-1085-3RBA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 119,723	\$ 85,003.65	\$ 81,411.95	\$ 79,616.09
ST1085 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS					
ST-1085-1FWA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 41,399	\$ 29,392.98	\$ 28,151.02	\$ 27,530.04
ST-1085-2FWA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 82,796	\$ 58,784.98	\$ 56,301.11	\$ 55,059.18
ST-1085-3FWA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 124,194	\$ 88,177.96	\$ 84,452.13	\$ 82,589.22
ST1085 MODELS, WIRELESS EBRIGHT CONTROLS WITH RETRACTABLE WHEELS					
ST-1085-1RWA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 46,036	\$ 32,685.72	\$ 31,304.63	\$ 30,614.09
ST-1085-2RWA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 92,072	\$ 65,371.44	\$ 62,609.27	\$ 61,228.18
ST-1085-3RWA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 138,109	\$ 98,057.16	\$ 93,913.90	\$ 91,842.27
ST1085 MODELS, EARTHIFT™ EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS					
ST-1085-1FRA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 46,468	\$ 32,992.33	\$ 31,598.29	\$ 30,901.27
ST-1085-2FRA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 92,939	\$ 65,986.67	\$ 63,198.50	\$ 61,804.41
ST-1085-3FRA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 139,407	\$ 98,979.00	\$ 94,796.79	\$ 92,705.68
ST1085 MODELS, EARTHIFT™ EBRIGHT CONTROLS WITH RETRACTABLE WHEELS					
ST-1085-1RRA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 49,997	\$ 35,498.17	\$ 33,998.25	\$ 33,248.29
ST-1085-2RRA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 99,995	\$ 70,996.34	\$ 67,996.49	\$ 66,496.57
ST-1085-3RRA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 149,992	\$ 106,494.51	\$ 101,994.74	\$ 99,744.86
ST1100 MODELS, CABLED EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1100-1FSA	Set of 2 - 44,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks.	\$ 36,824	\$ 26,144.92	\$ 25,040.21	\$ 24,487.85
ST-1100-2FSA	Set of 4 - 88,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks.	\$ 71,639	\$ 50,863.53	\$ 48,714.37	\$ 47,639.79
ST-1100-3FSA	Set of 6 - 132,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks.	\$ 106,454	\$ 75,582.14	\$ 72,388.53	\$ 70,791.72
ST1100 MODELS, CABLED EBRIGHT CONTROLS WITH RETRACTABLE WHEELS:					
ST-1100-1RSA	Set of 2 - 44,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks	\$ 41,162	\$ 29,224.80	\$ 27,989.95	\$ 27,372.52
ST-1100-2RSA	Set of 4 - 88,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks	\$ 80,225	\$ 56,959.41	\$ 54,552.67	\$ 53,349.30
ST-1100-3RSA	Set of 6 - 132,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks	\$ 119,281	\$ 84,689.82	\$ 81,111.38	\$ 79,322.16
ST1100 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1100-1FBA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks.	\$ 39,820	\$ 28,272.30	\$ 27,077.69	\$ 26,480.39
ST-1100-2FBA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks.	\$ 79,640	\$ 56,544.59	\$ 54,155.38	\$ 52,960.78
ST-1100-3FBA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks.	\$ 119,460	\$ 84,816.89	\$ 81,233.07	\$ 79,441.17
ST1100 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH RETRACTABLE WHEELS:					
ST-1100-1RBA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 44,690	\$ 31,729.93	\$ 30,389.23	\$ 29,718.88
ST-1100-2RBA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 89,380	\$ 63,459.86	\$ 60,778.45	\$ 59,437.75
ST-1100-3RBA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 134,072	\$ 95,190.78	\$ 91,168.64	\$ 89,157.57

MOBILE LIFTS					
Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
ST1100 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS					
ST-1100-1FWA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 47,012	\$ 33,378.85	\$ 31,968.47	\$ 31,263.29
ST-1100-2FWA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 94,022	\$ 66,755.69	\$ 63,935.03	\$ 62,524.70
ST-1100-3FWA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 141,035	\$ 100,134.54	\$ 95,903.50	\$ 93,787.99
ST1100 MODELS, WIRELESS EBRIGHT CONTROLS WITH RETRACTABLE WHEELS					
ST-1100-1RWA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 51,536	\$ 36,590.79	\$ 35,044.70	\$ 34,271.66
ST-1100-2RWA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 103,074	\$ 73,182.58	\$ 70,090.36	\$ 68,544.25
ST-1100-3RWA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 154,610	\$ 109,773.37	\$ 105,135.06	\$ 102,815.90
ST1100 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS					
ST-1100-1FRA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 49,256	\$ 34,971.83	\$ 33,494.15	\$ 32,755.31
ST-1100-2FRA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 98,514	\$ 69,944.67	\$ 66,989.26	\$ 65,511.55
ST-1100-3FRA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 147,770	\$ 104,916.50	\$ 100,483.41	\$ 98,266.86
ST1100 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH RETRACTABLE WHEELS					
ST-1100-1RRA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 53,783	\$ 38,185.78	\$ 36,572.29	\$ 35,765.55
ST-1100-2RRA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 107,563	\$ 76,369.55	\$ 73,142.67	\$ 71,529.23
ST-1100-3RRA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 161,347	\$ 114,556.33	\$ 109,715.92	\$ 107,295.72
ACCESSORIES AND OPTIONS FOR MOBILE LIFTS					
Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
SKTJ-401	Heavy duty transmission jack, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, pneumatic operation	\$ 13,946	\$ 9,901.68	\$ 9,483.29	\$ 9,274.10
SKTJ-401S	Heavy duty transmission jack w/swivel wheels, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, pneumatic operation	\$ 14,700	\$ 10,436.78	\$ 9,995.79	\$ 9,775.29
SKTJ-402	Heavy duty transmission jack, table 20"X14", 3,500lbs capacity, (34X48 Base), 74" lifting height, pneumatic operation	\$ 13,521	\$ 9,600.17	\$ 9,194.53	\$ 8,991.71
SKWD-500	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 52" lifting height, pneumatic operation	\$ 12,680	\$ 9,002.59	\$ 8,622.20	\$ 8,432.01
SKWD-500-74	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 74" lifting height, pneumatic operation	\$ 14,918	\$ 10,591.61	\$ 10,144.07	\$ 9,920.31
SKWD-501	Counter balanced High Lift Wheel Dolly (CBHLWD) with chain guard, 850lb. Capacity, 52" lifting height, pneumatic operation	\$ 17,115	\$ 12,151.64	\$ 11,638.19	\$ 11,381.47
SKTJ-401 Batt.	Heavy duty transmission jack, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, battery operation	\$ 15,205	\$ 10,795.32	\$ 10,339.18	\$ 10,111.11
SKTJ-401S-E Batt.	Heavy duty transmission jack w/swivel wheels, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, battery operation	\$ 15,933	\$ 11,312.32	\$ 10,834.33	\$ 10,595.34
SKTJ-402 Batt.	Heavy duty transmission jack, table 20"X14", 3,500lbs capacity, (34X48 Base), 74" lifting height, battery operation	\$ 14,771	\$ 10,487.48	\$ 10,044.35	\$ 9,822.78
SKWD-500 Batt.	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 52" lifting height, battery operation	\$ 14,825	\$ 10,525.51	\$ 10,080.77	\$ 9,858.40
SKWD-501 Batt	Counter balanced High Lift Wheel Dolly (CBHLWD), 850lb. Capacity, 52" lifting height, battery operation	\$ 19,562	\$ 13,889.15	\$ 13,302.28	\$ 13,008.85
G-BDA	HLWD Adapter for standard wheel drums	\$ 1,154	\$ 819.41	\$ 784.78	\$ 767.47
G-AD	Transmission Jack Adapter for differential assemblies	\$ 2,065	\$ 1,465.88	\$ 1,403.94	\$ 1,372.97
G-AD2-02-2000	Transmission Jack Adapter for clutch assemblies	\$ 845	\$ 600.29	\$ 574.93	\$ 562.25
G-TJ-01-03	Transmission Jack Table/Cradle Screws, balance and retains various transmission housing to table top (price per screw, 4 screws required)	\$ 397	\$ 281.59	\$ 269.69	\$ 263.74
ST575V	575 voltage power option, extra per column when requested at time of original order placement	\$ 919	\$ 652.48	\$ 624.91	\$ 611.12
Upgrade control box	Primary control box exchange (upgrade from secondary control box), when requested at time of original order placement	\$ 2,458	\$ 1,745.49	\$ 1,671.74	\$ 1,634.86
OPVL33200	Drive over 12 meter black cable for all mobile columns, extra price per column when requested at time of original order placement	\$ 735	\$ 521.54	\$ 499.50	\$ 488.48
DROVER 21.5M	Drive over 21.5 meter black cable for all mobile columns, extra price per column when requested at time of original order placement	\$ 927	\$ 658.03	\$ 630.22	\$ 616.32
OPVL33300	NON drive over 21.5 meter red cable for all mobile columns, extra price per column when requested at time of original order placement	\$ 638	\$ 452.74	\$ 433.61	\$ 424.05
XWF1085	Extra wide fork option for ST1085 Adj. Front Wheels, wheel diameter up to R24.5/63", extra price per column when requested at time of original order placement	\$ 3,670	\$ 2,605.77	\$ 2,495.67	\$ 2,440.61
XWF1100	Extra wide fork option for ST1100 Adj. Front Wheels, wheel diameter up to R24.5/63", extra price per column when requested at time of original order placement	\$ 3,670	\$ 2,605.77	\$ 2,495.67	\$ 2,440.61
380.00.771	Weight Gauge for ST1085 ebright. Price per column. Price includes part only.	\$ 844	\$ 599.21	\$ 573.90	\$ 561.24
WGI Labor	Weight Gauge installation. Price per column. Price includes labor only.	\$ 200	\$ 142.04	\$ 136.03	\$ 133.03
32737250	Battery Controls Cable Reel. Price per column. Price includes part and labor to install.	\$ 1,166	\$ 827.80	\$ 792.83	\$ 775.34
38000904	Set of 2 (Two) detachable lifting pockets to lift and transport a mobile column with a forklift. Price per column.	\$ 263	\$ 186.42	\$ 178.55	\$ 174.61

ACCESSORIES AND OPTIONS FOR MOBILE LIFTS

Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
34400910	Set of 2 Baseframe extensions for use with fork extensions L=500mm / 20", per col. (max. capacity 14,500 lbs per col.) ONLY FOR FIXED WHEELS. OBLIGATORY WHEN USING FORK EXTENSIONS	\$ 2,397	\$ 1,702.16	\$ 1,630.23	\$ 1,594.27
32710915	Set of 2 Baseframe extensions for use with fork extensions L=500mm / 20", per col. (max.capacity 14,500 lbs per col.) ONLY FOR RETRACTABLE WHEELS. OBLIGATORY WHEN USING FORK EXTENSIONS.	\$ 2,397	\$ 1,702.16	\$ 1,630.23	\$ 1,594.27
34200930	Single fork extension with integrated reduction sleeve and lock (right side), for ST1075 & ST1085 (L = 500 mm / 20"), cap. 8,800 lbs Only for fixed forks	\$ 924	\$ 656.01	\$ 628.29	\$ 614.43
34200935	Single fork extension with integrated reduction sleeve and lock (left side), for ST1075 & ST1085 (L = 500 mm / 20"), cap. 8,800 lbs Only for fixed forks	\$ 924	\$ 656.01	\$ 628.29	\$ 614.43
32700930	Set of 2 Fork extensions with locks ST1085 & ST1100 Only For Adjustable Forks (L=500 mm/20"), cap. 14,500 lbs Warning: Fork extension and fork extensions with integrated reduction sleeves may only be used in combination with base frame extensions!	\$ 1,029	\$ 730.93	\$ 700.05	\$ 684.60
32790210	Large Wheel Adapter ST1065 with drive on/drive off ramps, can handle tires up to 85" diameter and 29.5" width, price each	\$ 3,027	\$ 2,149.41	\$ 2,058.59	\$ 2,013.18
38002950	Large Wheel Adapter ST1075 & ST1085 with drive on/drive off ramps, can handle tires up to 85" diameter and 29.5" width, price each	\$ 3,027	\$ 2,149.41	\$ 2,058.59	\$ 2,013.18
32800910	Large Wheel Adapter ST1175 with drive on/drive off ramps, can handle tires up to 85" diameter and 29.5" width, price each	\$ 10,284	\$ 7,301.54	\$ 6,993.03	\$ 6,838.77
32700920	Reducer plate with lock (right side) for ST1060, ST1075, ST1082 & ST1085 F (L= 350 mm/14")	\$ 625	\$ 443.86	\$ 425.11	\$ 415.73
32700925	Reducer plate with lock (left side) for ST1060, ST1075, ST1082 & ST1085 F (L= 350 mm/14")	\$ 625	\$ 443.86	\$ 425.11	\$ 415.73
34400920	Reducer plate with lock (right side) for ST1073 & ST1100 (L= 300 mm/12")	\$ 625	\$ 443.86	\$ 425.11	\$ 415.73
34400925	Reducer plate with lock (left side) for ST1073 & ST1100 (L= 300 mm/12")	\$ 625	\$ 443.86	\$ 425.11	\$ 415.73
32790205	Reducer plate for ST1065 price each, not ALI certified	\$ 796	\$ 564.82	\$ 540.95	\$ 529.02
32803100	Reducer plate standard for ST 1175 price each 380mm / 14.95"	\$ 858	\$ 609.20	\$ 583.46	\$ 570.59
32803200	Reducer plate wider for ST 1175 price each 460mm / 18.11"	\$ 1,227	\$ 871.08	\$ 834.27	\$ 815.87
32850460	Reducer plate standard for ST 1130 price each 380mm / 14.95"	\$ 1,235	\$ 876.63	\$ 839.59	\$ 821.07
32850470	Reducer plate wider for ST 1130 price each 460mm / 18.11"	\$ 1,368	\$ 970.95	\$ 929.92	\$ 909.41
38008900	LED lighting -UL approved - Battery operated column, 2 LED lights, brackets & cable set, uses power from the batteries, per column	\$ 1,175	\$ 834.46	\$ 799.20	\$ 781.57
38004900	LED lighting -UL approved - AC operated column, 2 LED lights, brackets & cable set, 230V, per column	\$ 1,868	\$ 1,326.04	\$ 1,270.01	\$ 1,242.00
MLK Labor	Labor for installation of any of the lighting kits listed above, price per column	\$ 586	\$ 416.12	\$ 398.54	\$ 389.75
34007930 FCF	Remote Control for ST 1075 FCF and all OLD STYLE Battery/Wireless/Earthlift models, Not UL Approved, 32' 10" cable	\$ 2,985	\$ 2,119.45	\$ 2,029.89	\$ 1,985.11
34007940 FCF	Remote Control for ST 1075 FCF and all OLD STYLE Battery/Wireless/Earthlift models, UL Approved, 32' 10" cable	\$ 5,425	\$ 3,851.97	\$ 3,689.21	\$ 3,607.83
32557930	Remote Control for ST1075, ST 1082, ST1085, ST1100 & ST 1175 Superior Controls, Not UL Approved, 32' 10" cable	\$ 2,985	\$ 2,119.45	\$ 2,029.89	\$ 1,985.11
32557940	Remote Control for ST1075, ST 1082, ST1085, ST1100 & ST 1175 Superior Controls, UL Approved, 32' 10" cable	\$ 5,425	\$ 3,851.62	\$ 3,688.88	\$ 3,607.50
38007755	Remote Control for ebright control mobile column lifts, Not UL Approved, 32' 10" cable	\$ 2,985	\$ 2,119.45	\$ 2,029.89	\$ 1,985.11
38007754	Remote Control for ebright control mobile column lifts, UL Approved, 32' 10" cable	\$ 5,425	\$ 3,851.62	\$ 3,688.88	\$ 3,607.50
38007747	Installation kit to create a plug for a remote control on ebright columns on site (without remote)	\$ 477	\$ 338.45	\$ 324.14	\$ 316.99
32592000	Traverse beam with king-pin adaptor, capacity 16,000 lbs.,	\$ 6,956	\$ 4,939.08	\$ 4,730.39	\$ 4,626.04
32591500	Traverse beam with lifting supports, capacity 32,000 lbs.,	\$ 6,956	\$ 4,939.08	\$ 4,730.39	\$ 4,626.04
32591050	Low profile cross beam with supports - capacity 33,000 lbs,	\$ 7,157	\$ 5,081.12	\$ 4,866.42	\$ 4,759.08
32591150	Low profile cross beam with supports, for 130 mm wider fork - capacity 33,000 lbs	\$ 10,042	\$ 7,129.55	\$ 6,828.30	\$ 6,677.67
32591100	Low profile cross beam with supports - capacity 18,800 lbs,	\$ 7,157	\$ 5,081.12	\$ 4,866.42	\$ 4,759.08
32593000	4-wheel forklift adapter kit (10 pieces)	\$ 10,243	\$ 7,272.69	\$ 6,965.40	\$ 6,811.75
32593100	3-wheel forklift adapter kit (12 pieces)	\$ 12,764	\$ 9,062.57	\$ 8,679.64	\$ 8,488.18
32593030	Lifting piece for forklift kit (2 required per kit), price each	\$ 1,266	\$ 898.82	\$ 860.84	\$ 841.85
18-9081A-03	Traverse Beam for vehicles with snow plow mounted (WEB-36-120ST)	\$ 8,955	\$ 6,358.34	\$ 6,089.67	\$ 5,955.34
38000920	Multi-Purpose Adapter ST1075/1085/1100, cap. to match column, (2 pieces), incl. two flat sliding adapters 32591051	\$ 10,049	\$ 7,135.10	\$ 6,833.61	\$ 6,682.87
38010920	Multi-Purpose Adapter ST1065, cap. to match column, (2 pieces), incl. two flat sliding adapters 32591051	\$ 11,876	\$ 8,432.28	\$ 8,075.99	\$ 7,897.84
38000950	Multi-Purpose Wide Reach Adapter ST1075/1085/1100, cap. to match column 44,000 lbs, (2 pieces), incl. two U-shape sliding adapters 59001091	\$ 11,081	\$ 7,867.47	\$ 7,535.04	\$ 7,368.83
38000970	Multi-Purpose Light Truck Adapter ST1075/1085/1100, cap. 5,500 lbs per column, (2 pieces), incl. two sliding rubber pick up pads	\$ 6,980	\$ 4,955.73	\$ 4,746.33	\$ 4,641.63
38000990	Multi-Purpose Extended Reach Adapter ST1075/1085/1100, (2 pieces), reduced capacity, incl. two U-shape sliding adapters 59001091, requires baseframe extensions (not included)	\$ 11,081	\$ 7,867.47	\$ 7,535.04	\$ 7,368.83

ACCESSORIES AND OPTIONS FOR MOBILE LIFTS

Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
38000930	Lower Beam Part of MPA standard version (fits on standard ST1075/1085/1100), cap. <u>to match column</u>	\$ 2,016	\$ 1,431.46	\$ 1,370.97	\$ 1,340.73
38000955	Lower Beam Part of MPA extended version 500mm / 20" (fits on ST1075/1085/1100), cap. 14,500 lbs.	\$ 2,610	\$ 1,853.13	\$ 1,774.83	\$ 1,735.68
38010930	Lower Beam Part of MPA extra wide version (fits on ST1065), cap. to match column,	\$ 2,610	\$ 1,853.13	\$ 1,774.83	\$ 1,735.68
38000940	Upper Beam Part of MPA standard version 875mm / 34.44",cap. to match column,	\$ 2,016	\$ 1,431.46	\$ 1,370.97	\$ 1,340.73
38010940	Upper Beam Part of MPA wider version 1250mm / 49.20", cap. to match column,	\$ 2,610	\$ 1,853.13	\$ 1,774.83	\$ 1,735.68
38000975	Upper Beam Part of MPA ultra low version, cap of 5500 lbs.	\$ 2,610	\$ 1,853.13	\$ 1,774.83	\$ 1,735.68
38000921	Adapter pin Ø40 mm / 1.57" (1 standard supplied with 38000920/38010920), <u>per piece</u>	\$ 377	\$ 267.43	\$ 256.13	\$ 250.48
32591051	Flat slideable adapter with anti slip top plate (2 standard supplied with 38000920/38010920), (item number based on physical item inspection, per piece	\$ 638	\$ 452.81	\$ 433.68	\$ 424.11
38000945	Flat slideable adapter with Ø40 mm / 1.57" female pick up point for various pick up adapters (2 standard supplied with 38000950), per piece	\$ 551	\$ 391.41	\$ 374.87	\$ 366.61
38000960	U-shape pick up adapter 74 mm/ 3" wide and 120mm / 4.7" long, with Ø40 mm / 1.57" male pick up point (2 standard supplied with 38000950), per piece	\$ 526	\$ 373.69	\$ 357.90	\$ 350.00
32591020	Vertically adjustable riser, sliding adapter with height adjustment 270-420 mm / 10.63 - 16.53", per piece	\$ 927	\$ 657.84	\$ 630.04	\$ 616.14
38010950	Multi-Purpose Adapter Transport Cart for storage and transportation of maximum2 Multi-Purpose Adapters and various pick up adapters	\$ 6,034	\$ 4,284.17	\$ 4,103.15	\$ 4,012.64

Multi-Purpose Adapters can be used in conjunction with contact adapters and vertical risers available for the Freedom Lifts!

SUPPORT STANDS BY CAPACITY AND ADJUSTMENT HEIGHT

Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
JS-L12	Capacity 26,500 lbs, Low, 3 locking positions, Range 14"-22", fixed flat adapter, weight 41 lbs.	\$ 542	\$ 385.05	\$ 368.78	\$ 360.65
JS-M8F	Capacity18,500 lbs, Medium, 7 locking positions, Range 33"-54" with fine adjustment, weight 95 lbs	\$ 1,618	\$ 1,148.50	\$ 1,099.97	\$ 1,075.70
JS-M12F	Capacity 26,500 lbs, Medium, 7 locking positions, Range 33"-54" with fine adjustment, weight 121 lbs	\$ 1,752	\$ 1,243.93	\$ 1,191.37	\$ 1,165.09
JS-H8F	Capacity 18,500 lbs, High, 10 locking positions, Range 53"-83" with fine adjustment, weight 130 lbs	\$ 1,921	\$ 1,363.77	\$ 1,306.14	\$ 1,277.33
JS-H12F	Capacity 26,500 lbs, High, 10 positions, Range 53"-83" with fine adjustment, weight 176 lbs	\$ 2,510	\$ 1,782.11	\$ 1,706.81	\$ 1,669.16
39225980	Foldable stand storage bracket (one per stand)	\$ 228	\$ 162.01	\$ 155.16	\$ 151.74
JS-M8, JS-M12, JS-H8 & JS-H12 comes with flat adapter, U-shape adapter, V-shape adapter, fine adjustment, springloaded wheels (set of 3) and spring for inner tube as standard.					
JS-H8-DZ	Capacity 18,000 lbs, High, Foldable, 10 locking positions, Range 50"-80", weight 130 lbs	\$ 1,536	\$ 1,090.79	\$ 1,044.70	\$ 1,021.66
JS-H8-DZ comes with flat adapter, springloaded wheels (set of 3) and spring for inner tube as standard.					
Options for the JS-H8-DZ:					
39225960	Vertical fine adjuster, adds 3" to minimum and maximum height range	\$ 220	\$ 156.46	\$ 149.85	\$ 146.55
39225940	U-shaped adapter	\$ 139	\$ 98.76	\$ 94.59	\$ 92.50
39225950	V-shaped adapter	\$ 139	\$ 98.76	\$ 94.59	\$ 92.50
SKCP 1220-10	10 tons, no handle or wheels; 12"-20", with pin stop	\$ 799	\$ 567.29	\$ 543.32	\$ 531.34
SKCV 1828-10	10 tons, no handle or wheels, 18"-28", fine adjustment	\$ 1,470	\$ 1,043.70	\$ 999.60	\$ 977.55
SKCP 1830-10	10 tons, no handle or wheels, 18"-30"; with pin stop	\$ 903	\$ 641.13	\$ 614.04	\$ 600.50
SKCP 2644-10	10 tons, no handle or wheels, 26"-44";with pin stop	\$ 1,013	\$ 719.23	\$ 688.84	\$ 673.65
SKCP 5278-09	9 tons, with handle & wheels, spring loaded center tube, pin stop, 1 fixed steel head, 52"-78"	\$ 1,430	\$ 1,015.30	\$ 972.40	\$ 950.95
SKCVP 3658-18	18 tons, w/handle & wheels, spring loaded center tube, pin stop w/36"-58" fine adjustment, 1 fixed wooden head	\$ 2,031	\$ 1,442.01	\$ 1,381.08	\$ 1,350.62
SKCVP 5480-18	18 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-80" fine adjustment, 1 fixed wooden head	\$ 2,075	\$ 1,473.25	\$ 1,411.00	\$ 1,379.88
SKCVP 5484-30	30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-84" fine adjustment, 1 fixed wooden head	\$ 7,747	\$ 5,500.37	\$ 5,267.96	\$ 5,151.76

FREEDOM LIFT					
Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
HYDRAULIC TWO POST LIFT, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH					
35072000	SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms	\$ 42,168	\$ 29,939.63	\$ 28,674.57	\$ 28,042.05
35073000	SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic	\$ 43,645	\$ 30,988.06	\$ 29,678.70	\$ 29,024.02
35040000	SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms	\$ 59,576	\$ 42,298.89	\$ 40,511.61	\$ 39,617.97
35041000	SK 2.20-23 Two-post 20,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms	\$ 63,954	\$ 45,407.37	\$ 43,488.74	\$ 42,529.43
35042000	SK 2.20-33 Two-post 20,000 lbs capacity with 4 double telescopic arms	\$ 68,332	\$ 48,515.85	\$ 46,465.88	\$ 45,440.90
35050000	SK 2.26-22 Two-post 26,000 lbs capacity with 4 single telescopic arms	\$ 70,233	\$ 49,865.24	\$ 47,758.26	\$ 46,704.76
35051000	SK 2.26-23 Two-post 26,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms	\$ 80,642	\$ 57,256.00	\$ 54,836.74	\$ 53,627.10
35052000	SK 2.26-33 Two-post 26,000 lbs capacity with 4 double telescopic arms	\$ 85,145	\$ 60,453.30	\$ 57,898.93	\$ 56,621.75
35060000	SK 2.30-22 Two-post 30,000 lbs capacity with 4 single telescopic arms	\$ 75,636	\$ 53,701.77	\$ 51,432.68	\$ 50,298.14
35061000	SK 2.30-23 Two-post 30,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms	\$ 86,786	\$ 61,618.21	\$ 59,014.63	\$ 57,712.83
35062000	SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms	\$ 91,289	\$ 64,815.51	\$ 62,076.82	\$ 60,707.48
Items being supplied with the SK 2.16 models (all adapters supplied in qty of four pieces or one per arm) :					
35000304	Flat low rubber cap slip-in pick-up pad Ø128x26 mm, only for SK 2.16				
35000301	Externally threaded bushing (height adjuster) to hold any contact adapter, only for SK 2.16				
39225983	Toothed steel slip-in pick-up pad square 110 mm / 4 5/16" (1 pc.)				
35000306	Support extension 1.5"				
37003909	Support extension 3.5"				
37003916	Support extension 6.3"				
35099012	Set of chemical anchors and shims				
Items being supplied with the SK 2.20/26/30 models (all adapters supplied in qty of four pieces or one per arm) :					
39225988	Flat rubber cap pick-up pad Ø128x36 mm				
39225983	Toothed steel slip-in pick-up pad square 110 mm / 4 5/16" (1 pc.)				
35000306	Support extension 1.5"				
37003909	Support extension 3.5"				
37003916	Support extension 6.3"				
35099014	Set of chemical anchors and shims				
ACCESSORIES AND OPTIONS FOR FREEDOM LIFT					
Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
Options for ONLY SK 2.16:					
33003915	Set telescopic threaded pick-up points, height min. 145 mm max. 245 mm (2 pcs), only for SK 2.16	\$ 1,428	\$ 1,013.73	\$ 970.89	\$ 949.48
35000304	Replacement flat low rubber cap for contact Ø128x26 mm (1pc.), only for SK 2.16	\$ 452	\$ 320.73	\$ 307.18	\$ 300.40
35000301	Externally threaded bushing (height adjuster) to hold any contact adapter, only for SK 2.16	\$ 452	\$ 320.73	\$ 307.18	\$ 300.40
30003100	Flat rubber capped contact adapter with external threads to provide height adjustment Ø124 mm (1pc.), only for SK 2.16	\$ 452	\$ 320.73	\$ 307.18	\$ 300.40
35099012	Set chemical anchors and shims, only for SK 2.16	\$ 549	\$ 390.14	\$ 373.65	\$ 365.41
Options for SK 2.16 / SK 2.20 / SK 2.26 / SK 2.30					
35000950	LED lighting set -UL-approved- Freedom lift series, 4 LED lights, power transformer, brackets & cable set, 110-220V	\$ 2,546	\$ 1,807.40	\$ 1,731.03	\$ 1,692.85
OPVL08060	Second control box	\$ 3,713	\$ 2,635.93	\$ 2,524.55	\$ 2,468.86
OPVLRAL01	Extra price for 1 different colour	\$ 1,247	\$ 885.45	\$ 848.04	\$ 829.33
OPVLRAL01-2	Extra price for 2 different colors	\$ 1,733	\$ 1,230.09	\$ 1,178.11	\$ 1,152.12
OPVL41041	Analogue weight gauge for Freedom Lift	\$ 1,165	\$ 827.45	\$ 792.48	\$ 775.00
35000918	Set of 2 adapter trays to store 2*4 adapters. To be mounted to the column structure.	\$ 335	\$ 237.96	\$ 227.90	\$ 222.88
35000919	Set of 2 adapter trays to store 2*6 adapters. To be mounted to the column structure.	\$ 388	\$ 275.82	\$ 264.16	\$ 258.33
35000118	Magnetic tool tray, 9.6 x 5.6"	\$ 93	\$ 65.98	\$ 63.19	\$ 61.80
39225983	Toothed steel slip-in pick-up pad square 110 mm / 4 5/16" (1 pc.)	\$ 465	\$ 329.90	\$ 315.96	\$ 308.99
39225988	Flat rubber cap pick-up pad Ø128x36 mm (1pc.)	\$ 548	\$ 389.39	\$ 372.93	\$ 364.71
4310.09.04.00	Flat steel pick-up pad (1 pc)	\$ 125	\$ 88.69	\$ 84.95	\$ 83.07
4310.09.06.00	U-shaped steel pick-up pad (1 pc)	\$ 154	\$ 109.24	\$ 104.63	\$ 102.32

ACCESSORIES AND OPTIONS FOR FREEDOM LIFT

Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
4310.09.05.00	V-shaped steel pick-up pad (1 pc)	\$ 161	\$ 114.65	\$ 109.81	\$ 107.39
35000306	Support extension 1.5"	\$ 119	\$ 84.37	\$ 80.80	\$ 79.02
37003909	Support extension 3.5"	\$ 236	\$ 167.65	\$ 160.57	\$ 157.03
37003916	Support extension 6.3"	\$ 305	\$ 216.33	\$ 207.19	\$ 202.61
37003925	Support extension 10"	\$ 379	\$ 269.33	\$ 257.95	\$ 252.26
37003945	Prism adapter for Sprinter/Crafter, rear side	\$ 312	\$ 221.63	\$ 212.26	\$ 207.58
37003955	Cone adapter for Sprinter/Crafter, front side	\$ 312	\$ 221.63	\$ 212.26	\$ 207.58
35099014	Set chemical anchors and shims for SK 2.20 / SK 2.26 / SK 2.30 (for SK 2.16 see above)	\$ 1,072	\$ 761.47	\$ 729.29	\$ 713.20

LIGHT DUTY 4-POST LIFTS

Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
ST 4055	12,000 lb. Four post lift, runway length 201" x 25" wide, 118" between columns	\$ 34,994	\$ 24,845.92	\$ 23,796.09	\$ 23,271.18
ST 4055-V	12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns	\$ 36,204	\$ 25,704.54	\$ 24,618.43	\$ 24,075.38
ST 4055-L	12,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns	\$ 37,817	\$ 26,850.38	\$ 25,715.86	\$ 25,148.59
ST 4055-LV	12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns	\$ 39,028	\$ 27,710.01	\$ 26,539.17	\$ 25,953.75
ST 4070	16,000 lb. Four post lift, runway length 201" x 25" wide, 118" between columns	\$ 38,393	\$ 27,258.81	\$ 26,107.03	\$ 25,531.14
ST 4070-S	16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns	\$ 38,393	\$ 27,258.81	\$ 26,107.03	\$ 25,531.14
ST 4070-SV	16,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns	\$ 39,969	\$ 28,378.17	\$ 27,179.09	\$ 26,579.55
ST 4070-V	16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns	\$ 39,969	\$ 28,378.17	\$ 27,179.09	\$ 26,579.55
ST 4070-L	16,000 lb. Four post lift, runway length 245" x 25" wide, 118" between columns	\$ 42,064	\$ 29,865.22	\$ 28,603.30	\$ 27,972.35
ST 4070-LV	16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns	\$ 43,637	\$ 30,982.54	\$ 29,673.42	\$ 29,018.86

ACCESSORIES AND OPTIONS FOR LIGHT DUTY 4-POST LIFTS

Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
43509600	LED lighting set -UL-approved- ST4055 & ST4070-S, 4 LED lights, power transformer, brackets & cable set, 110-220V	\$ 2,397	\$ 1,701.96	\$ 1,630.04	\$ 1,594.09
44509600	LED lighting set -UL-approved- ST4055-LV & ST4070, 6 LED lights, power transformer, brackets & cable set, 110-220V	\$ 3,041	\$ 2,159.27	\$ 2,068.04	\$ 2,022.42
43599013	Anchor kit for ST 4055, ST 4070 and ST 4120	\$ 390	\$ 277.04	\$ 265.33	\$ 259.48
44509040	Standard drive on/off ramps, 28.7", (2 pieces)	\$ 1,913	\$ 1,358.03	\$ 1,300.65	\$ 1,271.96
OPVL09250	Second control box for ST 4055 and ST 4070	\$ 2,462	\$ 1,747.79	\$ 1,673.94	\$ 1,637.01

HEAVY DUTY 4-POST LIFTS

Model Number	Old Model #	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
ST4.300-4	ST 4120-4	Four post 30,000lbs capacity, 15 ft runway	\$ 51,262	\$ 36,396.00	\$ 34,858.14	\$ 34,089.21
ST4.300-6	ST 4120-6	Four post 30,000lbs capacity, 20 ft runway	\$ 54,969	\$ 39,027.87	\$ 37,378.81	\$ 36,554.28
ST4.300-8	ST 4120-8	Four post 30,000lbs capacity, 26 ft runway	\$ 58,466	\$ 41,511.04	\$ 39,757.05	\$ 38,880.06
ST4.300-10	ST 4120-10	Four post 30,000lbs capacity, 33 ft runway	\$ 62,720	\$ 44,530.97	\$ 42,649.38	\$ 41,708.58
ST4.500-6	ST 4175-6	Four post 50,000lbs capacity, 20 ft runway	\$ 104,561	\$ 74,238.16	\$ 71,101.34	\$ 69,532.92
ST4.500-8	ST 4175-8	Four post 50,000lbs capacity, 26 ft runway	\$ 110,292	\$ 78,307.42	\$ 74,998.66	\$ 73,344.28
ST4.500-9	ST 4175-9	Four post 50,000lbs capacity, 30 ft runway	\$ 111,313	\$ 79,032.51	\$ 75,693.11	\$ 74,023.41
ST4.500-10	ST 4175-10	Four post 50,000lbs capacity, 33 ft runway	\$ 116,019	\$ 82,373.48	\$ 78,892.91	\$ 77,152.63
ST4.500-11.5	ST 4175-11.5	Four post 50,000lbs capacity, 38 ft runway	\$ 122,976	\$ 87,313.28	\$ 83,623.99	\$ 81,779.34
41509040		Synchronization set needed to make any Eight Post version of ST4.500/ST 4175 above, bridge part 3' 4"	\$ 18,398	\$ 13,062.29	\$ 12,510.36	\$ 12,234.40
41509030		Synchronization set needed to make any Eight Post version of ST4.500/ST 4175 above, bridge part 4' 11"	\$ 22,466	\$ 15,950.88	\$ 15,276.90	\$ 14,939.91
ST4.660-6	ST 4250-6	Four post 66,000lbs capacity, 20 ft runway	\$ 158,663	\$ 112,650.74	\$ 107,890.85	\$ 105,510.91
ST4.660-7	ST 4250-7	Four post 66,000lbs capacity, 23 ft runway	\$ 163,706	\$ 116,231.27	\$ 111,320.09	\$ 108,864.50
ST4.660-8	ST 4250-8	Four post 66,000lbs capacity, 26 ft runway	\$ 168,751	\$ 119,812.86	\$ 114,750.35	\$ 112,219.09
ST4.660-9	ST 4250-9	Four post 66,000lbs capacity, 30 ft runway	\$ 173,804	\$ 123,400.87	\$ 118,186.75	\$ 115,579.69
ST4.660-10	ST 4250-10	Four post 66,000lbs capacity, 33 ft runway	\$ 179,495	\$ 127,441.26	\$ 122,056.42	\$ 119,364.00

HEAVY DUTY 4-POST LIFTS						
Model Number	Old Model #	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
ST4.660-11.5	ST 4250-11.5	Four post 66,000lbs capacity, 38 ft runway	\$ 188,047	\$ 133,513.61	\$ 127,872.19	\$ 125,051.48
42519030		Synchronization set needed to make any Eight Post version of ST4.660/ST 4250 above, brigde part 3' 4"	\$ 18,398	\$ 13,062.29	\$ 12,510.36	\$ 12,234.40
42519040		Synchronization set needed to make any Eight Post version of ST4./660/ST 4250 above, brigde part 4' 11"	\$ 22,466	\$ 15,950.88	\$ 15,276.90	\$ 14,939.91
ST4.1330-12	ST 4600-12	Four post 132,000lbs capacity, 39 ft runway	On request	On request	On request	On request
ST4.1320 VL	ST 4600 VL	Four post 132,000lbs capacity, various lengths and accessories available upon request	On request	On request	On request	On request
ACCESSORIES AND OPTIONS FOR 4-POST LIFTS						
Model Number	Old Model #	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
ST4.300 Series						
41209020		Hinged transition plates, length 16.1" (2 pcs)	\$ 2,427	\$ 1,723.35	\$ 1,650.53	\$ 1,614.12
OPVL15165		Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps	\$ (2,496)	\$ (1,772.23)	\$ (1,697.35)	\$ (1,659.91)
41209030		Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120	\$ 4,210	\$ 2,989.37	\$ 2,863.06	\$ 2,799.91
41209100		Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps)	\$ 8,310	\$ 5,900.32	\$ 5,651.01	\$ 5,526.36
41209200		Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (only in combination with long drive-on/off ramps)	\$ 9,237	\$ 6,558.29	\$ 6,281.18	\$ 6,142.62
41209010		Set long drive on/off ramps, length 63"	\$ 7,329	\$ 5,203.65	\$ 4,983.78	\$ 4,873.84
OPVL16165		Extended length access ramps, instead of standard ramps	\$ 1,816	\$ 1,289.45	\$ 1,234.97	\$ 1,207.73
41407151	34007930 4120	Remote Control, Not UL Approved, 32' 10" cable	\$ 2,959	\$ 2,100.63	\$ 2,011.87	\$ 1,967.49
41407150	34007940 4120	Remote Control, UL Approved, 32' 10" cable	\$ 5,378	\$ 3,818.51	\$ 3,657.16	\$ 3,576.49
43599013		Anchor kit for ST 4055, ST 4070 and ST4.300/ST 4120	\$ 390	\$ 277.04	\$ 265.33	\$ 259.48
41009350	41229350	LED lighting set, UL approved for ST4.300/ST4120, 15' platform, 4 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 3,281	\$ 2,329.37	\$ 2,230.94	\$ 2,181.73
41019350	41219350	LED lighting set, UL approved for ST4.300/ST4120, 20' platform, 6 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 4,157	\$ 2,951.69	\$ 2,826.97	\$ 2,764.61
41029350	41209350	LED lighting set, UL approved for ST4.300/ST4120, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 5,088	\$ 3,612.71	\$ 3,460.06	\$ 3,383.74
41039350	41239350	LED lighting set, UL approved for ST4.300/ST4120, 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 5,969	\$ 4,238.09	\$ 4,059.01	\$ 3,969.47
41009355	41309150	Optional additional power transformer for supply voltage ranges 400, 460 & 575	\$ 455	\$ 322.87	\$ 309.23	\$ 302.41
ST4.500 and ST4.660 Series						
41509010		Set standard drive on/off ramps ST4.500/ST4175, length 44" (2 pcs)	\$ 4,713	\$ 3,346.32	\$ 3,204.92	\$ 3,134.23
41509050		Extended length ramps ST4.500/ST4175, length 66" (2 pcs)	\$ 6,644	\$ 4,717.35	\$ 4,518.03	\$ 4,418.37
OPVL16170		Extended length ramps ST4.500/ST4175, length 66" (2 pcs), instead of standard ramps	\$ 800	\$ 567.88	\$ 543.88	\$ 531.89
41509060		Extended length ramps ST4.500/ST4175, length 92" (2 pcs)	\$ 11,458	\$ 8,135.32	\$ 7,791.58	\$ 7,619.70
OPVL16171		Extended length ramps ST4.500/ST4175, length 92" (2 pcs), instead of standard ramps	\$ 6,530	\$ 4,636.08	\$ 4,440.18	\$ 4,342.24
41509070		Extended length ramps ST4.500/ST4175, length 104.75" (2 pcs)	\$ 13,843	\$ 9,828.27	\$ 9,412.99	\$ 9,205.35
OPVL16172		Extended length ramps ST4.500/ST4175, length 104.75" (2 pcs), instead of standard ramps	\$ 7,064	\$ 5,015.73	\$ 4,803.80	\$ 4,697.83
42509020		Set short drive-on/off ramps , L = 510 mm / 20" (2 pcs)	\$ 3,038	\$ 2,157.08	\$ 2,065.94	\$ 2,020.37
OPVL15170		Hinged transition plates ST4.500/ST4175 & ST4.660/ST4250, instead of standard ramps	\$ (1,133)	\$ (804.23)	\$ (770.25)	\$ (753.26)
42519010		Set standard drive on/off ramps ST4.660/ST4250, length 55" (2 pcs) for 20, 26 and 30 foot runways	\$ 4,889	\$ 3,471.44	\$ 3,324.76	\$ 3,251.42
42519050		Extended length ramps ST4.660/ST4250, length 85" (2pcs) for 20, 26 and 30 foot runways	\$ 5,993	\$ 4,255.35	\$ 4,075.55	\$ 3,985.64
OPVL16180		Extended length ramps ST4.660/ST4250, length 85" (2pcs) for 20, 26 and 30 foot runways, instead of standard ramps	\$ 690	\$ 489.81	\$ 469.11	\$ 458.76
41407151	34007930 4175/4250	Remote Control, Not UL Approved, 32' 10" cable	\$ 2,959	\$ 2,100.96	\$ 2,012.19	\$ 1,967.80
41407150	34007940 4175/4250	Remote Control, UL Approved, 32' 10" cable	\$ 5,378	\$ 3,818.47	\$ 3,657.13	\$ 3,576.46
42600895	42500895	Height limit switch (set) for ST4.300/ST4120 & ST4.500/ST4175 & ST4.660/ST4250	\$ 1,175	\$ 834.17	\$ 798.93	\$ 781.30
41599013		Set chemical anchors and shims for ST4.500/ST 4175	\$ 828	\$ 588.20	\$ 563.35	\$ 550.92
42599013		Set chemical anchors and shims for ST4.660/ST 4250	\$ 1,005	\$ 713.32	\$ 683.18	\$ 668.11
42639170	42539170	LED lighting set, UL approved for ST4.500/ST4175 & ST4.660/ST4250, 20' platform, 6 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 4,365	\$ 3,099.27	\$ 2,968.32	\$ 2,902.84
42619170	42519170	LED lighting set, UL approved for ST4.500/ST4175 & ST4.660/ST4250, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 5,343	\$ 3,793.35	\$ 3,633.06	\$ 3,552.92
42629170	42529170	LED lighting set, UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30' & 33' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 6,272	\$ 4,453.20	\$ 4,265.04	\$ 4,170.95
42649170	42549170	LED lighting set, UL approved for ST4.500/ST4175 & ST4.660/ST4250, 38' platform, 12 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 7,250	\$ 5,147.27	\$ 4,929.78	\$ 4,821.04
42619185	42519185	Optional additional power transformer for supply voltage ranges 400, 460 & 575	\$ 886	\$ 629.09	\$ 602.51	\$ 589.22

HEAVY DUTY SKYLIFT					
Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
Surface mounted version:					
Surface mounted version is equipped with a set multifunctional flexible approach ramps 77" + endstops.					
41422000	SKY .624 / 200 - 62,400 lbs, platform length 23'	\$ 169,098	\$ 120,059.62	\$ 114,986.68	\$ 112,450.21
41423000	SKY .624 / 200 - 62,400 lbs, platform length 26'	\$ 173,071	\$ 122,880.62	\$ 117,688.48	\$ 115,092.41
41424000	SKY .624 / 200 - 62,400 lbs, platform length 30'	\$ 177,551	\$ 126,061.33	\$ 120,734.79	\$ 118,071.52
41425000	SKY .624 / 200 - 62,400 lbs, platform length 33'	\$ 181,773	\$ 129,058.85	\$ 123,605.66	\$ 120,879.06
41426000	SKY .624 / 200 - 62,400 lbs, platform length 40'	\$ 193,649	\$ 137,490.76	\$ 131,681.30	\$ 128,776.56
41427000	SKY .624 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways)	\$ 207,545	\$ 147,357.05	\$ 141,130.70	\$ 138,017.52
41402000	SKY .780 / 250 - 78,000 lbs, platform length 23'	\$ 183,628	\$ 130,375.54	\$ 124,866.71	\$ 122,112.30
41403000	SKY .780 / 250 - 78,000 lbs, platform length 26'	\$ 186,516	\$ 132,426.06	\$ 126,830.60	\$ 124,032.86
41404000	SKY .780 / 250 - 78,000 lbs, platform length 30'	\$ 192,162	\$ 136,434.97	\$ 130,670.11	\$ 127,787.68
41405000	SKY .780 / 250 - 78,000 lbs, platform length 33'	\$ 194,986	\$ 138,439.98	\$ 132,590.40	\$ 129,665.61
41406000	SKY .780 / 250 - 78,000 lbs, platform length 40'	\$ 208,175	\$ 147,804.46	\$ 141,559.20	\$ 138,436.57
41407000	SKY .780 / 250 - 78,000 lbs, platform length 48' (with extensions on both sides of the runways)	\$ 223,499	\$ 158,684.35	\$ 151,979.38	\$ 148,626.89
Flush mounted version:					
Flush mounted version is equipped with 2 sets of hinged movable boards.					
41432000	SKY .624 / 200 - 62,400 lbs, platform length 23'	\$ 163,367	\$ 115,990.76	\$ 111,089.74	\$ 108,639.24
41433000	SKY .624 / 200 - 62,400 lbs, platform length 26'	\$ 167,677	\$ 119,050.46	\$ 114,020.15	\$ 111,505.00
41434000	SKY .624 / 200 - 62,400 lbs, platform length 30'	\$ 171,773	\$ 121,959.16	\$ 116,805.96	\$ 114,229.36
41435000	SKY .624 / 200 - 62,400 lbs, platform length 33'	\$ 176,084	\$ 125,019.96	\$ 119,737.43	\$ 117,096.16
41436000	SKY .624 / 200 - 62,400 lbs, platform length 40'	\$ 188,758	\$ 134,018.08	\$ 128,355.34	\$ 125,523.98
41437000	SKY .624 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways)	\$ 202,887	\$ 144,049.79	\$ 137,963.17	\$ 134,919.87
41412000	SKY .780 / 250 - 78,000 lbs, platform length 23'	\$ 177,176	\$ 125,794.88	\$ 120,479.60	\$ 117,821.96
41413000	SKY .780 / 250 - 78,000 lbs, platform length 26'	\$ 180,825	\$ 128,386.07	\$ 122,961.31	\$ 120,248.92
41414000	SKY .780 / 250 - 78,000 lbs, platform length 30'	\$ 186,428	\$ 132,363.89	\$ 126,771.05	\$ 123,974.63
41415000	SKY .780 / 250 - 78,000 lbs, platform length 33'	\$ 189,230	\$ 134,353.36	\$ 128,676.46	\$ 125,838.00
41416000	SKY .780 / 250 - 78,000 lbs, platform length 40'	\$ 202,377	\$ 143,687.86	\$ 137,616.54	\$ 134,580.89
41417000	SKY .780 / 250 - 78,000 lbs, platform length 48' (with extensions on both sides of the runways)	\$ 217,893	\$ 154,704.31	\$ 148,167.51	\$ 144,899.11
SKY.624BA	SKY .624 Buy America, additional price	\$ 17,120	\$ 12,155.38	\$ 11,641.77	\$ 11,384.97
SKY.780BA	SKY .780 Buy America, additional price	\$ 22,882	\$ 16,245.97	\$ 15,559.52	\$ 15,216.30
ACCESSORIES AND OPTIONS FOR SKYLIFT					
Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
41409110	LED lighting set, UL approved for SKYLIFT, 23' & 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 5,597	\$ 3,973.86	\$ 3,805.95	\$ 3,721.99
41409120	LED lighting set, UL approved for SKYLIFT, 30' & 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 6,568	\$ 4,663.57	\$ 4,466.52	\$ 4,367.99
41409130	LED lighting set, UL approved for SKYLIFT, 40' platform, 12 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 7,593	\$ 5,390.97	\$ 5,163.18	\$ 5,049.29
41409145	LED lighting set, UL approved for SKYLIFT, 48' platform, 14 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 9,211	\$ 6,539.74	\$ 6,263.41	\$ 6,125.25
41409135	LED lighting set, UL approved for SKYLIFT platform extension 19.2", 2 LED fixtures, brackets and cable set, 110-220V	\$ 1,621	\$ 1,151.05	\$ 1,102.41	\$ 1,078.09
41409150	Optional additional power transformer for supply voltage ranges 400, 460 & 575, for Maximum 12 LED lights	\$ 927	\$ 658.28	\$ 630.46	\$ 616.56
41409160	Second optional additional power transformer for supply voltage ranges 400, 460 & 575, for more than 12 LED lights	\$ 927	\$ 658.28	\$ 630.46	\$ 616.56
OPVL39100	Factory installation of light set on any length SKYLIFT	\$ 1,885	\$ 1,338.32	\$ 1,281.77	\$ 1,253.50
For reversed roll off protection on a Flush Mounted SKYLIFT:					
41310905	Set of 2 reversed roll off protection 1 LEFT & 1 RIGHT version (not suitable for mounting on an extension)	\$ 5,644	\$ 4,006.97	\$ 3,837.66	\$ 3,753.01
41310905-WB	Set of 2 reversed roll off protection 1 LEFT & 1 RIGHT version (not suitable for mounting on an extension) - Washbay	\$ 6,494	\$ 4,611.04	\$ 4,416.21	\$ 4,318.80
OPVL16190	Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps (not suitable for mounting on an extension)	\$ 2,041	\$ 1,449.09	\$ 1,387.86	\$ 1,357.24
OPVL16190-WB	Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps (not suitable for mounting on an extension) - Washbay	\$ 2,351	\$ 1,669.48	\$ 1,598.94	\$ 1,563.66
OPVL16191	Set of 2 reversed roll off protection instead of the end stops on a surface mounted SKYLIFT(not suitable for mounting on an extension)	\$ 3,924	\$ 2,786.27	\$ 2,668.54	\$ 2,609.67
OPVL16191-WB	Set of 2 reversed roll off protection instead of the end stops on a surface mounted SKYLIFT(not suitable for mounting on an extension) - Washbay	\$ 4,539	\$ 3,222.48	\$ 3,086.32	\$ 3,018.24
OPVL16200	Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps for a 14.5 mtr /48' SKYLIFT	\$ 2,041	\$ 1,449.09	\$ 1,387.86	\$ 1,357.24
OPVL16200-WB	Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps for a 14.5 mtr /48' SKYLIFT - Washbay	\$ 2,351	\$ 1,669.48	\$ 1,598.94	\$ 1,563.66
41300966	Set of 2 ramp spacers with chemical anchors to raise approach ramps to same height as the reversed roll off protections. Only for surface mounted lifts	\$ 2,030	\$ 1,441.09	\$ 1,380.20	\$ 1,349.76

ACCESSORIES AND OPTIONS FOR SKYLIFT

Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
42509020	Set short drive-on/off ramps , L = 510 mm / 20" (2 pcs)	\$ 3,038	\$ 2,157.04	\$ 2,065.90	\$ 2,020.33
OPVL15190	Set short drive-on/off ramps, instead of the standard multi flexible approach ramps	\$ (2,271)	\$ (1,612.38)	\$ (1,544.25)	\$ (1,510.19)
OPVL15190-WB	Set short drive-on/off ramps, instead of the standard multi flexible approach ramps - Washbay	\$ (3,702)	\$ (2,628.68)	\$ (2,517.61)	\$ (2,462.08)
OPVL15191	Set short drive-on/off ramps, instead of the standard stop plates	\$ 2,076	\$ 1,474.21	\$ 1,411.92	\$ 1,380.77
41300420	Set fixed, extra long, drive on/off ramps (2 pcs), L = 2660 mm / 104 3/4 "(2 pcs)	\$ 10,736	\$ 7,622.27	\$ 7,300.20	\$ 7,139.17
OPVL16185	Set, extra long, fixed drive-on/off ramps instead of the standard flexible approach ramps	\$ 727	\$ 516.14	\$ 494.34	\$ 483.43
OPVL47185	Set of 2 stop plates for flush mounted SKYLIFT instead of the standard set short drive-on/off ramps	No charge	No charge	No charge	No charge
41407151	Remote control with 32' 10" cable	\$ 2,959	\$ 2,100.63	\$ 2,011.87	\$ 1,967.49
41407153	Remote control with 82' cable	\$ 4,297	\$ 3,050.55	\$ 2,921.65	\$ 2,857.21
41407150	Remote control UL approved with 32' 10" cable	\$ 5,378	\$ 3,818.32	\$ 3,656.98	\$ 3,576.31
41407152	Remote wall control with 30' cable	\$ 3,072	\$ 2,180.80	\$ 2,088.65	\$ 2,042.58
OPVL34180	Intrinsic Barrier For SKY lift to allow surface mounted lift to be installed in flush infloor pit	\$ 6,832	\$ 4,850.85	\$ 4,645.88	\$ 4,543.40
OPVL37185	Stainless steel control box instead of standard painted	\$ 10,382	\$ 7,371.05	\$ 7,059.60	\$ 6,903.87
OPVL50185	Set of four stainless steel floor plates instead of standard hot dip galvanized	\$ 9,111	\$ 6,468.94	\$ 6,195.60	\$ 6,058.93
41409161	SKYLIFT circuit breaker & thermal overload kit, SKY200/250 - 208V/230V	\$ 489	\$ 347.05	\$ 332.39	\$ 325.06
41409162	SKYLIFT circuit breaker & thermal overload kit, SKY200/250 - 460V/575V	\$ 489	\$ 347.05	\$ 332.39	\$ 325.06
41409163	SKYLIFT circuit breaker & thermal overload kit, SKY200 - 575V	\$ 489	\$ 347.05	\$ 332.39	\$ 325.06
41409185	SKYLIFT additional E-stop on console	\$ 489	\$ 347.05	\$ 332.39	\$ 325.06
SKY575V	575 voltage power option when ordered from factory.	\$ 3,365	\$ 2,389.35	\$ 2,288.39	\$ 2,237.91
SKY WB-23	Wash bay model 23' (Galvanized runways and stainless steel control box)	\$ 38,434	\$ 27,288.29	\$ 26,135.27	\$ 25,558.75
SKY WB-26	Wash bay model 26' (Galvanized runways and stainless steel control box)	\$ 39,404	\$ 27,976.87	\$ 26,794.75	\$ 26,203.69
SKY WB-30	Wash bay model 30' (Galvanized runways and stainless steel control box)	\$ 40,372	\$ 28,664.30	\$ 27,453.13	\$ 26,847.55
SKY WB-33	Wash bay model 33' (Galvanized runways and stainless steel control box)	\$ 41,340	\$ 29,351.73	\$ 28,111.52	\$ 27,491.41
SKY WB-40	Wash bay model 40' (Galvanized runways and stainless steel control box)	\$ 43,668	\$ 31,004.08	\$ 29,694.05	\$ 29,039.03
SKY WB-48	Wash bay model 48' (Galvanized runways and stainless steel control box)	\$ 46,186	\$ 32,792.32	\$ 31,406.72	\$ 30,713.93
SKY GRW-23	Hot dip galvanized runways instead of painted 23'	\$ 15,295	\$ 10,859.37	\$ 10,400.52	\$ 10,171.10
SKY GRW-26	Hot dip galvanized runways instead of painted 26'	\$ 16,083	\$ 11,419.13	\$ 10,936.63	\$ 10,695.38
SKY GRW-30	Hot dip galvanized runways instead of painted 30'	\$ 16,872	\$ 11,978.89	\$ 11,472.74	\$ 11,219.67
SKY GRW-33	Hot dip galvanized runways instead of painted 33'	\$ 18,291	\$ 12,986.46	\$ 12,437.74	\$ 12,163.38
SKY GRW-40	Hot dip galvanized runways instead of painted 40'	\$ 19,710	\$ 13,994.03	\$ 13,402.73	\$ 13,107.09
SKY GRW-48	Hot dip galvanized runways instead of painted 48'	\$ 21,917	\$ 15,561.36	\$ 14,903.84	\$ 14,575.08
41400960	2 speed lowering, not in combination with synchronisation set	\$ 3,710	\$ 2,634.39	\$ 2,523.08	\$ 2,467.42
41409960	Park positioning system for Jacking Beam (Set), only one possible per lift	\$ 1,935	\$ 1,373.72	\$ 1,315.68	\$ 1,286.65
41400950	Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4"	\$ 15,403	\$ 10,936.10	\$ 10,474.01	\$ 10,242.97
41400950-WB	Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4" - Washbay	\$ 17,656	\$ 12,535.92	\$ 12,006.23	\$ 11,741.39
41400951	Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11"	\$ 18,758	\$ 13,318.13	\$ 12,755.39	\$ 12,474.02
41400951-WB	Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11" - Washbay	\$ 21,561	\$ 15,308.49	\$ 14,661.65	\$ 14,338.23
41400953	Synchronization set for connected versions SKYLIFT S.M., without bridge part	\$ 3,451	\$ 2,450.55	\$ 2,347.00	\$ 2,295.23
41410950	Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4"	\$ 15,403	\$ 10,936.10	\$ 10,474.01	\$ 10,242.97
41410950-WB	Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay	\$ 17,692	\$ 12,561.04	\$ 12,030.29	\$ 11,764.92
41410951	Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11"	\$ 18,758	\$ 13,318.13	\$ 12,755.39	\$ 12,474.02
41410951-WB	Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" - Washbay	\$ 21,561	\$ 15,308.49	\$ 14,661.65	\$ 14,338.23
41312955	Set automatic recess coverplates for SKY-FM, 23' (2 pcs)	\$ 26,443	\$ 18,774.19	\$ 17,980.92	\$ 17,584.28
41313955	Set automatic recess coverplates for SKY-FM, 26' (2 pcs)	\$ 32,387	\$ 22,994.70	\$ 22,023.09	\$ 21,537.29
41314955	Set automatic recess coverplates for SKY-FM, 30' (2 pcs)	\$ 38,331	\$ 27,215.21	\$ 26,065.27	\$ 25,490.30
41315955	Set automatic recess coverplates for SKY-FM, 33' (2 pcs)	\$ 44,276	\$ 31,435.72	\$ 30,107.45	\$ 29,443.32
41316955	Set automatic recess coverplates for SKY-FM, 40' (2 pcs)	\$ 56,166	\$ 39,877.89	\$ 38,192.90	\$ 37,350.41
41300448	Set multifunctional flexible approach ramps 77"	\$ 8,711	\$ 6,184.60	\$ 5,923.28	\$ 5,792.62
41300448-WB	Set multifunctional flexible approach ramps 77" - WashBay	\$ 10,017	\$ 7,111.83	\$ 6,811.33	\$ 6,661.08

ACCESSORIES AND OPTIONS FOR SKYLIFT					
Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
41300460	One piece middle section "C" length 19.75"	\$ 923	\$ 655.46	\$ 627.76	\$ 613.91
41300460-WB	One piece middle section "C" length 19.75" - WashBay	\$ 1,065	\$ 755.95	\$ 724.00	\$ 708.03
41300480	One piece middle section "C" length 10"	\$ 741	\$ 526.42	\$ 504.18	\$ 493.06
41300480-WB	One piece middle section "C" length 10" - WashBay	\$ 844	\$ 599.50	\$ 574.17	\$ 561.51
41300940	Platform Extension 4' (not for 48' version), (2 pcs)	\$ 9,412	\$ 6,682.47	\$ 6,400.12	\$ 6,258.94
41300940-WB	Platform Extension 4' (not for 48' version), (2 pcs) - WashBay	\$ 10,824	\$ 7,685.07	\$ 7,360.35	\$ 7,197.99
41310940	Platform Extension 4' (not for 48' version), (2 pcs), incl. reversed roll off protection	\$ 13,061	\$ 9,273.48	\$ 8,881.64	\$ 8,685.72
41310940-WB	Platform Extension 4' (not for 48' version), (2 pcs), incl. reversed roll off protection - WashBay	\$ 15,048	\$ 10,683.74	\$ 10,232.31	\$ 10,006.60
OPVLRAL07	Extra price for 1 different color	\$ 3,690	\$ 2,619.68	\$ 2,508.99	\$ 2,453.65
OPVLRAL07-2	Extra price for 2 different colors	\$ 5,787	\$ 4,108.65	\$ 3,935.04	\$ 3,848.24
41300990	Set chemical anchors and shims for SKYLIFT	\$ 1,369	\$ 971.77	\$ 930.71	\$ 910.18
41300992	Set chemical anchors and shims for SKYLIFT, special for Seismic regions incl extra anchors	\$ 2,059	\$ 1,461.65	\$ 1,399.89	\$ 1,369.01
39509105	Air installation kit for ST 4120, ST 4175, ST 4250 and SKYLIFT; with 11.5' spiral hose	\$ 497	\$ 352.85	\$ 337.94	\$ 330.49
39509100	Air kit for ST 4120, ST 4175, ST 4250 and SKYLIFT; with 8' air pipe, brackets and one outlet (Depending on length of lift, more than one kit may be needed)	\$ 674	\$ 478.46	\$ 458.24	\$ 448.14
OPVL39200	Factory installation of air kit on any length SKYLIFT, platform lengths up to 12 meter	\$ 1,640	\$ 1,164.30	\$ 1,115.11	\$ 1,090.51
61001022	Cleaner/assembly set for anti-skid aluminum diamond plate	\$ 433	\$ 307.17	\$ 294.20	\$ 287.71
66701106	Anti-skid, ALU diamond plate 23 3/5" x 49 1/5", 30' length platform lift requires a total of 14 plates, (Price per plate)	\$ 547	\$ 388.25	\$ 371.85	\$ 363.64
41302900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 7 mtr. / 23'	\$ 5,856	\$ 4,157.71	\$ 3,982.03	\$ 3,894.19
41303900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 8 mtr. / 26'	\$ 6,938	\$ 4,926.21	\$ 4,718.06	\$ 4,613.99
41304900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 9 mtr. / 30'	\$ 8,030	\$ 5,701.57	\$ 5,460.66	\$ 5,340.20
41305900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 10 mtr. / 33'	\$ 9,113	\$ 6,470.08	\$ 6,196.70	\$ 6,060.00
41306900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 12 mtr. / 40'	\$ 10,203	\$ 7,244.30	\$ 6,938.20	\$ 6,785.15
41307900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 14.5 mtr. / 48'. 4 plates for the extensions and a cleaner set are supplied separately.	\$ 12,368	\$ 8,781.31	\$ 8,410.27	\$ 8,224.75
OPVL44185	Stertil-Guard Anti-skid, applied at the factory for short platforms lengths up to 7 mtr. / 23'	\$ 4,471	\$ 3,174.52	\$ 3,040.38	\$ 2,973.32
OPVL45185	Stertil-Guard Anti-skid, applied at the factory for medium platforms lengths from 8 mtr. / 26' to 9 mtr. / 30'	\$ 5,980	\$ 4,245.63	\$ 4,066.24	\$ 3,976.54
OPVL46185	Stertil-Guard Anti-skid, applied at the factory for longer platforms lengths from 10 mtr. / 33' and longer	\$ 9,209	\$ 6,538.59	\$ 6,262.32	\$ 6,124.18
WP SKY	Wider Platforms 32.68" instead of 29.5"	On request	On request	On request	On request
OPVL31050	6.5' hydraulic hose extension to connect lift to control box	\$ 2,048	\$ 1,454.34	\$ 1,392.89	\$ 1,362.17
OPVL31051	6.5' hydraulic hose extension to connect lift to control box for WashBay	\$ 2,526	\$ 1,793.31	\$ 1,717.54	\$ 1,679.65
OPVL31060	13' hydraulic hose extension to connect lift to control box	\$ 4,095	\$ 2,907.65	\$ 2,784.79	\$ 2,723.36
OPVL31061	13' hydraulic hose extension to connect lift to control box for WashBay	\$ 4,541	\$ 3,223.81	\$ 3,087.59	\$ 3,019.48
OPVL31070	20' hydraulic hose extension to connect lift to control box	\$ 6,059	\$ 4,301.87	\$ 4,120.10	\$ 4,029.22
OPVL31071	20' hydraulic hose extension to connect lift to control box for WashBay	\$ 6,563	\$ 4,659.49	\$ 4,462.61	\$ 4,364.17
Tapeswitch Outer Only	Tapeswitch Outer Only, price per foot both runways	\$ 375	\$ 266.40	\$ 255.15	\$ 249.52
Tapeswitch Inner/Outer	Tapeswitch Inner and Outer, price per foot for both runways	\$ 476	\$ 337.93	\$ 323.65	\$ 316.51

ECO LIFTS						
Model Number	Old Model #	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
ECO60-00		60,000 lbs capacity with two fixed lifting units	\$ 174,033	\$ 123,563.23	\$ 118,342.24	\$ 115,731.75
ECO60-10		60,000 lbs capacity with 10 ft. (120") travel range	\$ 227,914	\$ 161,818.61	\$ 154,981.20	\$ 151,562.50
ECO60-13		60,000 lbs capacity with 13 ft. (156") travel range	\$ 236,304	\$ 167,775.57	\$ 160,686.46	\$ 157,141.91
ECO60-17		60,000 lbs capacity with 17 ft. (204") travel range	\$ 246,833	\$ 175,251.58	\$ 167,846.59	\$ 164,144.09
ECO 90M-10 90,000 lbs capacity, 1 fixed and 2 movable mechanism, (Price based on 10 ft travel front pit and 10 ft travel rear pit)			\$ 357,250	\$ 253,647.27	\$ 242,929.78	\$ 237,571.03
EL13		Increase box length from 10 ft. to 13 ft (156") in travel range, price per box	\$ 5,401	\$ 3,834.68	\$ 3,672.66	\$ 3,591.64
EL17		Increase box length from 10 ft. to 17 ft (204") in travel range, price per box	\$ 16,203	\$ 11,504.05	\$ 11,017.97	\$ 10,774.92
Q2200-00		Quick Turn (Shorter end of one moveable pit box to have Fixed and Moveable closer for tandem axles)	\$ 4,077	\$ 2,894.54	\$ 2,772.23	\$ 2,711.08
89930001	RBV050-00	Optional detachable wired remote control for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105 Note: Incl. remote control, 35 ft cable, military style quick disconnect	\$ 7,158	\$ 5,082.40	\$ 4,867.65	\$ 4,760.27
89910001		Automatic Wheel Base Positioning (AWBP) ECO 60	\$ 5,188	\$ 3,683.27	\$ 3,527.63	\$ 3,449.82
89910002		Automatic Wheel Base Positioning (AWBP) ECO 90	\$ 9,339	\$ 6,630.89	\$ 6,350.72	\$ 6,210.63
89010100	ST110-00	Adapter Cart ECO	\$ 2,959	\$ 2,101.24	\$ 2,012.45	\$ 1,968.06
89010101	AS100-00	Adapter Stand	\$ 2,675	\$ 1,899.04	\$ 1,818.80	\$ 1,778.68
Standard with lift: Extruded aluminum (hinged) for moveable mechanism, two each aluminum drop-in covers for fixed and moveable mechanism one 23.5" steel pit cover plate, one bridge bracket, one wall bracket and two end section covers for moveable box. All ECOLIFTS include comprehensive adapter package. At time of order specify Transit, School Bus or Truck Adapters.						
Optional Cover Plates for continuous pit:						
89020020		8.75" cover plate, price each	\$ 1,420	\$ 1,008.46	\$ 965.85	\$ 944.54
89020040		12" cover plate, price each	\$ 1,856	\$ 1,317.59	\$ 1,261.92	\$ 1,234.08
89020060		18" cover plate, price each	\$ 2,193	\$ 1,557.26	\$ 1,491.46	\$ 1,458.56
89020080		23.5" cover plate, price each	\$ 2,588	\$ 1,837.45	\$ 1,759.81	\$ 1,720.99
89020028	CW322	Additional wall mount bracket, price each	\$ 2,948	\$ 2,093.11	\$ 2,004.67	\$ 1,960.45
89020029	CB322	Additional bridge bracket, price each	\$ 1,911	\$ 1,356.96	\$ 1,299.62	\$ 1,270.96
575 Voltage		Additional charge for 575V 3 phase, 13 amp., includes thermal overload protection, Price is per lifting unit/motor	\$ 3,237	\$ 2,298.36	\$ 2,201.24	\$ 2,152.69
89920001		Factory Installed Circuit Breaker & Thermal Overload Kit ECO 60 / DIAMOND 64 / DIAMOND 70	\$ 1,975	\$ 1,402.18	\$ 1,342.93	\$ 1,313.31
89920002		Factory Installed Circuit Breaker & Thermal Overload Kit ECO 90 / DIAMOND 96 / DIAMOND 105	\$ 2,948	\$ 2,093.11	\$ 2,004.67	\$ 1,960.45
89930002	ECO-EHP	External Hand Pump Kit	\$ 4,966	\$ 3,525.95	\$ 3,376.96	\$ 3,302.47
Shims (Must be ordered with the lift to ship with lift):						
89000105	03112-01	FS1 0.063" thickness, price each	\$ 27	\$ 19.31	\$ 18.49	\$ 18.08
89000106	03112-02	FS2 0.125" thickness, price each	\$ 27	\$ 19.31	\$ 18.49	\$ 18.08
89000107	03112-03	FS4 0.250" thickness, price each	\$ 39	\$ 27.43	\$ 26.27	\$ 25.70
89000108	03112-04	FS8 0.500" thickness, price each	\$ 56	\$ 39.63	\$ 37.95	\$ 37.12
Hose		Add'l field installed hyd. hose over standard length provided (see ECO order form), price per ft. per hose	On request	On request	On request	On request
OPVL89001		Add'l pendant cable length over standard length provided, sold in 5' increments(see ECO order form), price per ft.	On request	On request	On request	On request
DIAMOND LIFTS						
Model Number		Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
DIAMOND 64 MODELS, CASSETTE						
DIAMOND 64-00		64,000 lbs capacity with two fixed lifting units, incl. cassettes	\$ 150,573	\$ 106,907.11	\$ 102,389.91	\$ 100,131.31
DIAMOND 64-10		64,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes	\$ 199,332	\$ 141,526.04	\$ 135,546.06	\$ 132,556.08
DIAMOND 64-13		64,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes	\$ 206,671	\$ 146,736.43	\$ 140,536.30	\$ 137,436.23
DIAMOND 64-17		64,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes	\$ 215,881	\$ 153,275.67	\$ 146,799.23	\$ 143,561.01
DIAMOND 64 MODELS, CASSETTE, CONTINUOUS RECESS						
DIAMOND 64CR-10		64,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes	\$ 243,700	\$ 173,026.82	\$ 165,715.83	\$ 162,060.33
DIAMOND 64CR-13		64,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes	\$ 249,823	\$ 177,374.28	\$ 169,879.59	\$ 166,132.25
DIAMOND 64CR-17		64,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes	\$ 261,994	\$ 186,015.62	\$ 178,155.80	\$ 174,225.89

DIAMOND LIFTS					
Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
DIAMOND 64 FRAME MODELS FOR CONCRETE PIT INSTALLATION					
DIAMOND 64F-00	64,000 lbs capacity with two fixed lifting units, with frames for concrete pit installation	\$ 117,638	\$ 83,522.68	\$ 79,993.56	\$ 78,228.99
DIAMOND 64F-10	64,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation	\$ 145,308	\$ 103,168.84	\$ 98,809.59	\$ 96,629.97
DIAMOND 64F-13	64,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation	\$ 151,556	\$ 107,604.89	\$ 103,058.21	\$ 100,784.86
DIAMOND 64F-17	64,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation	\$ 160,481	\$ 113,941.80	\$ 109,127.35	\$ 106,720.13
DFIFL-64F	Increased frame length, price per ft.	\$ 2,204	\$ 1,565.09	\$ 1,498.96	\$ 1,465.89
DFSF-64F	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$ 1,306	\$ 927.46	\$ 888.27	\$ 868.68
DIAMOND 64 FRAME MODELS FOR CONCRETE PIT INSTALLATION, CONTINUOUS RECESS					
DIAMOND 64FCR-10	64,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation	\$ 183,270	\$ 130,122.01	\$ 124,623.90	\$ 121,874.84
DIAMOND 64FCR-13	64,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation	\$ 194,372	\$ 138,004.32	\$ 132,173.15	\$ 129,257.57
DIAMOND 64FCR-17	64,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation	\$ 210,496	\$ 149,452.09	\$ 143,137.21	\$ 139,979.77
DFCRIFL-64FCR	Increased frame length, price per ft.	\$ 4,096	\$ 2,908.15	\$ 2,785.27	\$ 2,723.83
DFCRSF-64FCR	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$ 1,876	\$ 1,332.13	\$ 1,275.84	\$ 1,247.70
DIAMOND 70 MODELS, CASSETTE					
DIAMOND 70-10	70,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes	\$ 229,671	\$ 163,066.55	\$ 156,176.41	\$ 152,731.35
DIAMOND 70-13	70,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes	\$ 238,125	\$ 169,068.49	\$ 161,924.75	\$ 158,352.89
DIAMOND 70-17	70,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes	\$ 248,738	\$ 176,603.69	\$ 169,141.57	\$ 165,410.50
DIAMOND 70 MODELS, CASSETTE, CONTINUOUS RECESS					
DIAMOND 70CR-10	70,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes	\$ 288,457	\$ 204,804.31	\$ 196,150.61	\$ 191,823.76
DIAMOND 70CR-13	70,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes	\$ 296,019	\$ 210,173.29	\$ 201,292.73	\$ 196,852.45
DIAMOND 70CR-17	70,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes	\$ 310,397	\$ 220,381.90	\$ 211,069.99	\$ 206,414.03
DIAMOND 70 FRAME MODELS FOR CONCRETE PIT INSTALLATION					
DIAMOND 70F-00	70,000 lbs capacity with two fixed lifting units, with frames for concrete pit installation	\$ 131,504	\$ 93,368.18	\$ 89,423.05	\$ 87,450.48
DIAMOND 70F-10	70,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation	\$ 167,424	\$ 118,871.11	\$ 113,848.39	\$ 111,337.02
DIAMOND 70F-13	70,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation	\$ 174,622	\$ 123,981.97	\$ 118,743.30	\$ 116,123.96
DIAMOND 70F-17	70,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation	\$ 184,908	\$ 131,284.62	\$ 125,737.38	\$ 122,963.76
DFIFL-70F	Increased frame length, price per ft.	\$ 2,204	\$ 1,565.09	\$ 1,498.96	\$ 1,465.89
DFSF-70F	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$ 1,306	\$ 927.46	\$ 888.27	\$ 868.68
DIAMOND 70 FRAME MODELS FOR CONCRETE PIT INSTALLATION, CONTINUOUS RECESS					
DIAMOND 70FCR-10	70,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation	\$ 217,505	\$ 154,428.43	\$ 147,903.29	\$ 144,640.71
DIAMOND 70FCR-13	70,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation	\$ 230,027	\$ 163,319.13	\$ 156,418.32	\$ 152,967.92
DIAMOND 70FCR-17	70,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation	\$ 248,221	\$ 176,236.83	\$ 168,790.21	\$ 165,066.89
DFCRIFL-70FCR	Increased frame length, price per ft.	\$ 4,096	\$ 2,908.15	\$ 2,785.27	\$ 2,723.83
DFCRSF-70FCR	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$ 1,876	\$ 1,332.13	\$ 1,275.84	\$ 1,247.70
DIAMOND 96 MODELS, CASSETTE					
DIAMOND 96-10-10	96,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear)	\$ 312,450	\$ 221,839.80	\$ 212,466.29	\$ 207,779.53
DEL13-96	Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette	\$ 4,376	\$ 3,106.75	\$ 2,975.47	\$ 2,909.84
DEL17-96	Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette	\$ 13,097	\$ 9,299.10	\$ 8,906.18	\$ 8,709.72
DEL3.25QT	Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles)	No charge	No charge	No charge	No charge
DIAMOND 96 MODELS, CASSETTE, CONTINUOUS RECESS					
DIAMOND 96CR-10-10	96,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear)	\$ 409,511	\$ 290,752.81	\$ 278,467.48	\$ 272,324.82
DIAMOND 96CR-10-00	96,000 lbs capacity, 2 fixed & 1 movable cylinder, (10 ft travel for movable cylinder), incl. cassettes	On request	On request	On request	On request
DIAMOND 96CR-00-00	96,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes	On request	On request	On request	On request
DEL13-96CR	Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette	\$ 6,638	\$ 4,712.98	\$ 4,513.84	\$ 4,414.27
DEL17-96CR	Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette	\$ 19,944	\$ 14,160.24	\$ 13,561.92	\$ 13,262.76
DEL3.25QT	Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles)	No charge	No charge	No charge	No charge
DIAMOND 96 FRAME MODELS FOR CONCRETE PIT INSTALLATION					
DIAMOND 96F-10-10	96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front/rear)	\$ 214,989	\$ 152,642.19	\$ 146,192.52	\$ 142,967.69
DIAMOND 96F-10-00	96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder)	On request	On request	On request	On request
DIAMOND 96F-00-00	96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation	On request	On request	On request	On request
DFIFL-96F	Increased frame length, price per ft.	\$ 2,204	\$ 1,564.84	\$ 1,498.72	\$ 1,465.66
DFSF-96F	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$ 1,307	\$ 927.97	\$ 888.76	\$ 869.16

DIAMOND LIFTS						
Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets	
DIAMOND 96 FRAME MODELS FOR CONCRETE PIT INSTALLATION, CONTINUOUS RECESS						
DIAMOND 96FCR-10-10	96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear)	\$ 287,023	\$ 203,786.33	\$ 195,175.64	\$ 190,870.30	
DIAMOND 96FCR-10-00	96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder)	On request	On request	On request	On request	
DIAMOND 96FCR-00-00	96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation	On request	On request	On request	On request	
DFCRFL-96FCR	Increased frame length, price per ft.	\$ 4,095	\$ 2,907.45	\$ 2,784.60	\$ 2,723.18	
DFCRSF-96FCR	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$ 1,877	\$ 1,332.67	\$ 1,276.36	\$ 1,248.21	
DIAMOND 105 MODELS, CASSETTE						
DIAMOND 105-10-10	105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear)	\$ 360,005	\$ 255,603.55	\$ 244,803.40	\$ 239,403.33	
DIAMOND 105-10-00	105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes	On request	On request	On request	On request	
DIAMOND 105-00-00	105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes	On request	On request	On request	On request	
DEL13-105	Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette	\$ 4,763	\$ 3,381.73	\$ 3,238.84	\$ 3,167.40	
DEL17-105	Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette	\$ 13,842	\$ 9,827.82	\$ 9,412.56	\$ 9,204.93	
DEL3.25QT	Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles)	No charge	No charge	No charge	No charge	
DIAMOND 105 MODELS, CASSETTE, CONTINUOUS RECESS						
DIAMOND 105CR-10-10	105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear)	\$ 456,530	\$ 324,136.30	\$ 310,440.40	\$ 303,592.45	
DIAMOND 105CR-10-00	105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes	On request	On request	On request	On request	
DIAMOND 105CR-00-00	105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes	On request	On request	On request	On request	
DEL13-105CR	Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette	\$ 7,218	\$ 5,124.78	\$ 4,908.24	\$ 4,799.97	
DEL17-105CR	Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette	\$ 20,985	\$ 14,899.35	\$ 14,269.80	\$ 13,955.03	
DEL3.25QT	Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles)	No charge	No charge	No charge	No charge	
All DIAMOND LIFTS include comprehensive adapter package. At time of order specify Transit, School Bus or Truck Adapters						
89930001	RBV050-00	Optional detachable wired remote control for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$ 7,158	\$ 5,082.40	\$ 4,867.65	\$ 4,760.27
Note: Including remote control, 35 ft cable, military style quick disconnect						
89900050	BEACON-00	Red/Green stack light for HOME position for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$ 3,649	\$ 2,590.99	\$ 2,481.51	\$ 2,426.77
TWO SPEED-00		Two-speed lowering for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$ 3,745	\$ 2,659.06	\$ 2,546.71	\$ 2,490.53
89900010	F40-00	Festoon for remote control, 40 ft track, for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$ 8,966	\$ 6,365.70	\$ 6,096.73	\$ 5,962.24
89900020	F60-00	Festoon for remote control, 60 ft track, for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$ 12,546	\$ 8,907.91	\$ 8,531.52	\$ 8,343.33
89900030	T12312-00	Remote Control Bracket for use with festoon, for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$ 1,229	\$ 872.81	\$ 835.93	\$ 817.49
79900001		Automatic Wheel Base Positioning (AWBP) for Cassette with 1 moveable piston	\$ 5,188	\$ 3,683.27	\$ 3,527.63	\$ 3,449.82
79900002		Automatic Wheel Base Positioning (AWBP) for Cassette with 2 moveable pistons	\$ 9,339	\$ 6,630.89	\$ 6,350.72	\$ 6,210.63
79900005		Automatic Wheel Base Positioning (AWBP) for Frame with 1 moveable piston	\$ 5,188	\$ 3,683.27	\$ 3,527.63	\$ 3,449.82
79900006		Automatic Wheel Base Positioning (AWBP) for Frame with 2 moveable pistons	\$ 9,339	\$ 6,630.89	\$ 6,350.72	\$ 6,210.63
79900009		Automatic Wheel Base Positioning (AWBP) for CR Cassette with 1 moveable piston	\$ 5,188	\$ 3,683.27	\$ 3,527.63	\$ 3,449.82
79900010		Automatic Wheel Base Positioning (AWBP) for CR Cassette with 2 moveable pistons	\$ 9,339	\$ 6,630.89	\$ 6,350.72	\$ 6,210.63
575 Voltage		Additional charge for 575V 3 phase, 13 amp., includes thermal overload protection, Price is per lifting unit/motor	\$ 3,237	\$ 2,298.36	\$ 2,201.24	\$ 2,152.69
89920001		Factory Installed Circuit Breaker & Thermal Overload Kit ECO 60 / DIAMOND 64 / DIAMOND 70	\$ 1,975	\$ 1,402.18	\$ 1,342.93	\$ 1,313.31
89920002		Factory Installed Circuit Breaker & Thermal Overload Kit ECO 90 / DIAMOND 96 / DIAMOND 105	\$ 2,948	\$ 2,093.11	\$ 2,004.67	\$ 1,960.45
79990000		5 Gallons of Panolin Oil Biodegradable Oil	\$ 1,159	\$ 823.02	\$ 788.24	\$ 770.86
79990001	D662P-00	Assembly Sump Pump DIA64 / DIA70 / DIA96 / DIA105. One Sump Pump per cassette. Price is for each Sump Pump.	\$ 4,260	\$ 3,024.85	\$ 2,897.04	\$ 2,833.13
79010100	ST130-00	Adapter Cart Diamond	\$ 2,959	\$ 2,101.24	\$ 2,012.45	\$ 1,968.06
89010101	AS100-00	Adapter Stand	\$ 2,675	\$ 1,899.04	\$ 1,818.80	\$ 1,778.68
Adapter Kits (One kit included with purchase of lift):						
89001001		Transit Bus Adapter Package (2x89010002, 2x89010035 & 2x89010034)	\$ 4,408	\$ 3,129.51	\$ 2,997.27	\$ 2,931.16
89001002		School Bus & Truck Adapter Package (2x89010002, 2x89010015 & 2x89010022)	\$ 3,707	\$ 2,631.63	\$ 2,520.43	\$ 2,464.84
89001003		Universal Vehicle Adapter Package (2x89010001, 2x89010009 & 2x89010017)	\$ 2,977	\$ 2,113.43	\$ 2,024.13	\$ 1,979.48

DIAMOND AND ECO LIFT ADAPTERS							
Model Number	Old Model #	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets	
Pick-Up Adapters:							
89010001	A06122-00	Adapter 4" extension, price each	\$ 587	\$ 416.91	\$ 399.29	\$ 390.49	
89010002	A08122-00	Adapter 6" extension, price each	\$ 600	\$ 425.83	\$ 407.84	\$ 398.84	
89010003	A09222-00	Adapter Tall Vertical 9 x 3.7", price each	\$ 851	\$ 604.19	\$ 578.66	\$ 565.89	
89010004	A09222-00R1	Adapter Tall Vertical 9 x 4.23", price each	\$ 1,807	\$ 1,282.75	\$ 1,228.55	\$ 1,201.45	
89010005	A09222-00R2	Adapter Tall Vertical, centered, 9 x 4.23", price each	\$ 1,807	\$ 1,283.06	\$ 1,228.85	\$ 1,201.74	
89010006	A10122-00	Adapter 7" Extension, price each	\$ 681	\$ 483.79	\$ 463.35	\$ 453.13	
89010007	A11122-00	Adapter 9" extension, price each	\$ 700	\$ 497.17	\$ 476.16	\$ 465.66	
89010008	A15252-00	Adapter wide 14 x 11.77", price each	\$ 1,265	\$ 898.48	\$ 860.51	\$ 841.53	
89010009	A16122-00	Adapter Cradle 3.7 x 6", price each	\$ 342	\$ 243.01	\$ 232.74	\$ 227.61	
TBD	A17122-00	Adapter Wide Cradle 6" x 10", price each	\$ 1,610	\$ 1,142.79	\$ 1,094.51	\$ 1,070.36	
TBD	A17132-00	Adapter Flat Accessory 6" x 10"(use with A17122), price each	\$ 1,428	\$ 1,013.77	\$ 970.93	\$ 949.52	
89010010	A18122-00	Adapter Swivel Cradle 3.7 x 6", price each	\$ 372	\$ 264.19	\$ 253.03	\$ 247.45	
89010011	A20122-00	Adapter swivel cradle, 6"x6", price each	\$ 914	\$ 648.78	\$ 621.36	\$ 607.66	
89010012	A21122-00	Adapter vertical axle 9 x 3.7", price each	\$ 653	\$ 463.73	\$ 444.14	\$ 434.34	
89010013	A22122-00	Adapter Vertical Centered Low 3.7 x 4", price each	\$ 719	\$ 510.55	\$ 488.98	\$ 478.19	
89010014	A23122-00	Adapter vertical wider axle 9 x 7.7", price each	\$ 988	\$ 701.17	\$ 671.54	\$ 656.73	
89010015	A24122-00	Adapter vertical wider axle 9 x 6.2", price each	\$ 871	\$ 618.68	\$ 592.54	\$ 579.47	
89010016	A25122-00	Adapter low vertical 4 x 3.7", price each	\$ 617	\$ 438.09	\$ 419.58	\$ 410.32	
89010017	A26122-00	Adapter Low Vertical Wide 6.2 x 4", price each	\$ 746	\$ 529.50	\$ 507.13	\$ 495.94	
89010018	A27122-00	Adapter Front Orion 3.7 x 5.5", price each	\$ 617	\$ 438.09	\$ 419.58	\$ 410.32	
89010019	A28122-00	Adapter vertical low wide 6.2 x 4", price each	\$ 791	\$ 561.83	\$ 538.09	\$ 526.22	
89010020	A29122-00	Adapter vertical 3 x 7.8", price each	\$ 791	\$ 561.83	\$ 538.09	\$ 526.22	
89010021	A30122-00	Adapter Flip-Up, 8.6" x 6", price each	\$ 1,594	\$ 1,131.45	\$ 1,083.65	\$ 1,059.74	
89010022	A31122-00	Adapter Flat Top Block 3 x 6 x 2.75", price each	\$ 586	\$ 415.80	\$ 398.23	\$ 389.44	
89010023	A32122-00	Adapter Cradle Wide, 6 x 10" (use with A32132-00 or A32142-00), price each	\$ 1,082	\$ 768.05	\$ 735.60	\$ 719.37	
89010024	A32132-00	Adapter Flat Base, 6 x 10", price each	\$ 1,400	\$ 994.34	\$ 952.33	\$ 931.32	
89010025	A32142-00	Adapter Flat Base, 6 x 10", price each	\$ 1,400	\$ 994.34	\$ 952.33	\$ 931.32	
89010026	A32152-00	Adapter Centering Block, price each	\$ 1,427	\$ 1,013.29	\$ 970.48	\$ 949.07	
89010027	A33122-00	Adapter vertical wider axle 9 x 7.7" SP pin, price each	\$ 1,003	\$ 712.32	\$ 682.22	\$ 667.17	
89010028	A34122-00	Differential Adapter (only for DIAMOND LIFT)	\$ 4,891	\$ 3,472.40	\$ 3,325.68	\$ 3,252.31	
89010029	A35122-00	Adapter slant top block 3 x 6 x 3.12 (3/8 x 3/4 Bar), price each	\$ 713	\$ 506.09	\$ 484.71	\$ 474.01	
89010030	A38122-00	Adapter Vertical 6 x 7.9", price each	\$ 975	\$ 692.25	\$ 663.00	\$ 648.37	
89010031	A41122-00	Adapter Vertical Narrow 7.1 x 3.7", price each	\$ 700	\$ 497.17	\$ 476.16	\$ 465.66	
89010032	A43122-00	Adapter crown top block 3 x 6 x 3.12 (3/8 x 3/4 Bar), price each	\$ 593	\$ 421.37	\$ 403.57	\$ 394.66	
89010033	A45110-00	Adapter Rear Transit 6.5 x 13" x 8.4" (3/8 x 3" Bar), price each	\$ 791	\$ 561.83	\$ 538.09	\$ 526.22	
89010034	A50122-00	Adapter NOVA Rear 7.5 x 8.25", price each	\$ 958	\$ 679.99	\$ 651.26	\$ 636.89	
89010035	A51122-00	Adapter Rear Transit 7.5 x 8.25", price each	\$ 995	\$ 706.74	\$ 676.88	\$ 661.95	
89010036	A52122-00	Adapter New Flyer Rear 5 x 7.75", price each	\$ 958	\$ 679.99	\$ 651.26	\$ 636.89	
89010037	A53142-00	Cradle Adapter Weldment	\$ 374	\$ 265.31	\$ 254.10	\$ 248.49	
89010038	A56122-00	Adapter Vertical 0.75 x 4 x 9", price each	\$ 719	\$ 510.55	\$ 488.98	\$ 478.19	
89010039	A57122-00	Adapter Pocket 7.75" x 10", price each	\$ 1,032	\$ 732.38	\$ 701.43	\$ 685.96	
TBD	A67122-00	Adapter Cradle 6" x 6", price each	\$ 1,045	\$ 741.89	\$ 710.55	\$ 694.87	
TBD	A71112-00	Adapter Flat, 5" x 5", with pad, for Protera	\$ 1,519	\$ 1,078.28	\$ 1,032.72	\$ 1,009.94	

JACKING BEAMS FOR HEAVY DUTY LIFTS							
Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets		
The JB series is standard equipped with two cylinders. On request the JB series is also available with only one cylinder.							
The JB is standard equipped with two flat adapters and two 4" extensions.							
39617160	JB-80-2 air/hydraulic, capacity 17,600 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$ 16,621	\$ 11,800.88	\$ 11,302.26	\$ 11,052.94		
39617110	JB-80-2 air/hydraulic, capacity 17,600 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$ 16,621	\$ 11,800.88	\$ 11,302.26	\$ 11,052.94		
39617010	Set support arms for ST 4120	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35		
39615250	JB-120-2 air/hydraulic, capacity 26,400 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$ 16,621	\$ 11,800.88	\$ 11,302.26	\$ 11,052.94		
39615140	JB-120-2 air/hydraulic, capacity 26,400 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$ 16,621	\$ 11,800.88	\$ 11,302.26	\$ 11,052.94		
39615040	Set support arms for ST 4175 new style (for lifts manufactured from July 2015)	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35		

JACKING BEAMS FOR HEAVY DUTY LIFTS					
Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
39616030	Set support arms for SKY 200 & 250 and 4250 after June 2015	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39615025	Set support arms for low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters flush with platform)	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39616510	Set support arms for extra low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters 2" below platform)	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39616160	JB-160-2 air/hydraulic, capacity 35,200 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$ 18,328	\$ 13,013.09	\$ 12,463.24	\$ 12,188.32
39616110	JB-160-2 air/hydraulic, capacity 35,200 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$ 18,328	\$ 13,013.09	\$ 12,463.24	\$ 12,188.32
39616010	Set support arms for ST 4250 20'/26'/30' platforms	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39616020	Set support arms for ST 4250 33'/38' platforms	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39616030	Set support arms for SKY 200 & 250 and 4250 after June 2015	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39615025	Set support arms for low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters flush with platform)	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39616510	Set support arms for extra low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters 2" below platform)	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39618160	JB-200-2 air/hydraulic, capacity 44,000 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$ 18,328	\$ 13,013.09	\$ 12,463.24	\$ 12,188.32
39618110	JB-200-2 air/hydraulic, capacity 44,000 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$ 18,328	\$ 13,013.09	\$ 12,463.24	\$ 12,188.32
39616030	Set support arms for SKY 200 & 250 and 4250 after June 2015	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39615025	Set support arms for low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters flush with platform)	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39616510	Set support arms for extra low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters 2" below platform)	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
Options for JB-80-2 / JB-120-2 / JB-160-2 / JB-200-2:					
9114300	LB 20T differential beam allows use of both rams to lift at one point	\$ 735	\$ 521.85	\$ 499.80	\$ 488.78
5866600	T4-2 Crossbeam adapter, capacity 44,000 lbs., height 5.70", adjustable 7.80" - 29.50", only for tandem piston versions	\$ 1,762	\$ 1,250.95	\$ 1,198.09	\$ 1,171.66
5866055	T6-2 Crossbeam adapter, capacity 28,600 lbs., adjustable 28.54" - 48.23" with wheel, height 3.54", only for tandem piston versions	\$ 4,164	\$ 2,956.65	\$ 2,831.72	\$ 2,769.26
9114100	FG100 4" metal extension adapter, capacity 22,000 lbs.	\$ 90	\$ 64.11	\$ 61.40	\$ 60.05
9114200	FG200 8" metal extension adapter, capacity 22,000 lbs.	\$ 113	\$ 80.51	\$ 77.11	\$ 75.41
9112700	FW2 V-shape adapter, capacity 22,000 lbs., width 4.00"	\$ 114	\$ 81.26	\$ 77.83	\$ 76.11
9112710	FW2-130 V-shape adapter, capacity 13,200 lbs., width 5.125"	\$ 130	\$ 92.44	\$ 88.54	\$ 86.58
9113210	US U-saddle adapter, large model, capacity 22,000 lbs., width 4.00"	\$ 130	\$ 92.44	\$ 88.54	\$ 86.58
9113240	US-130 U-saddle adapter, capacity 13,200 lbs., width 5.125"	\$ 171	\$ 121.52	\$ 116.38	\$ 113.81
5836700	Trolley for JB-80-2 - JB-200-2	\$ 628	\$ 446.00	\$ 427.16	\$ 417.74
5866340	VB1 Wall bracket for storage of up to 4 adapters	\$ 71	\$ 50.69	\$ 48.55	\$ 47.48
5866380	VB2 Wall bracket for storage of up to 8 adapters	\$ 114	\$ 81.26	\$ 77.83	\$ 76.11
4311.70.91.00	Air-cleaning/greasing/reducing unit for jacking beams	\$ 1,241	\$ 881.08	\$ 843.85	\$ 825.24
Air kit - See accessories for SKYLIFTS					

AIR-HYDRAULIC PIT JACKS					
Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
5876410	MPJ-100-2S, frame 23.23" - 35.00", mechanical locks, tandem single stage pistons, without support arms, cap. 22,000 lbs., cylinder stroke 16.5"	\$ 11,918	\$ 8,461.79	\$ 8,104.25	\$ 7,925.48
5877410	MPJ-100-2W, frame 33.50" - 45.28", mechanical locks, tandem single stage pistons, without support arms, cap. 22,000 lbs., cylinder stroke 16.5"	\$ 11,918	\$ 8,461.79	\$ 8,104.25	\$ 7,925.48
5876415	MPJ-150-2S, frame 23.23" - 35.00", mechanical locks, tandem single stage pistons, without support arms, cap. 33,000 lbs., cylinder stroke 16.5"	\$ 13,158	\$ 9,341.83	\$ 8,947.11	\$ 8,749.74
5877415	MPJ-150-2W, frame 33.50" - 45.28", mechanical locks, tandem single stage pistons, without support arms, cap. 33,000 lbs., cylinder stroke 16.5"	\$ 13,158	\$ 9,341.83	\$ 8,947.11	\$ 8,749.74
5876420	MPJ-200-2S, frame 23.23" - 35.00", mechanical locks, tandem single stage pistons, without support arms, cap. 44,000 lbs., cylinder stroke 16.5"	\$ 14,186	\$ 10,071.74	\$ 9,646.17	\$ 9,433.39
5877420	MPJ-200-2W, frame 33.50" - 45.28", mechanical locks, tandem single stage pistons, without support arms, cap. 44,000 lbs., cylinder stroke 16.5"	\$ 14,186	\$ 10,071.74	\$ 9,646.17	\$ 9,433.39
The support arms have to be ordered separately from the pit jack.					
39630010	Set support arms for pit jacks (always fill out pit specification form and send with order)	\$ 1,298	\$ 921.58	\$ 882.64	\$ 863.17
5900000	FPJ-150 F, Floor moving air hydraulic pit jack, single ram, with telescopic fixed cylinder, capacity 33,000 lbs., height 36' 0.25" - 86' 0.875", platform 33' 0.25" x 39' 0.50"	\$ 13,779	\$ 9,783.09	\$ 9,369.72	\$ 9,163.04
5901500	FPJ-150 U, Floor moving air hydraulic pit jack, single ram, with telescopic and sideways movable cylinder, capacity 33,000 lbs., height 36' 0.25" - 86' 0.875", platform 33' 0.25" x 42' 0.25"	\$ 14,420	\$ 10,238.20	\$ 9,805.60	\$ 9,589.30
Options for air-hydraulic pit jacks:					
5867010	AB, Support bridge, capacity 44,000 lbs., usable in combination with various adapters	\$ 2,864	\$ 2,033.19	\$ 1,947.28	\$ 1,904.33
5867500	ABT, Variable Support bridge, capacity 33,000 lbs., usable in combination with various adapters	\$ 3,581	\$ 2,542.69	\$ 2,435.25	\$ 2,381.53
5866500	T4-1 Crossbeam adapter, capacity 44,000 lbs., height 4.00", adjustable 7.80" - 29.50", only for single piston versions	\$ 1,761	\$ 1,250.58	\$ 1,197.74	\$ 1,171.32
5866550	T4-1W Crossbeam adapter, capacity , capacity 44,000 lbs., height 5.70", adjustable 7.80" - 33.50", only for single piston versions	\$ 2,025	\$ 1,437.77	\$ 1,377.02	\$ 1,346.65

AIR-HYDRAULIC PIT JACKS					
Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
5866600	T4-2 Crossbeam adapter, capacity 44,000 lbs., height 5.70", adjustable 7.80" - 29.50", only for tandem piston versions	\$ 1,761	\$ 1,250.58	\$ 1,197.74	\$ 1,171.32
5866650	T4-2W Crossbeam adapter, capacity 44,000 lbs., height 5.70", adjustable 7.80" - 33.50", only for tandem piston versions	\$ 2,025	\$ 1,437.77	\$ 1,377.02	\$ 1,346.65
5866700	T5-1 Crossbeam adapter, capacity 33,000 lbs. to 25,300 lbs, height 4.74", adjustable 36" - 59", only for single piston versions	\$ 3,224	\$ 2,288.74	\$ 2,192.03	\$ 2,143.68
5866800	T5-2 Crossbeam adapter, capacity 33,000 lbs. to 25,300 lbs, height 4.74", adjustable 36" - 59", only for twin piston versions	\$ 3,224	\$ 2,288.74	\$ 2,192.03	\$ 2,143.68
5866050	T6-1 Crossbeam adapter, capacity 28,600 lbs., adjustable 28.54" - 48.23" with wheel, height 3.54", only for single pistons versions	\$ 4,164	\$ 2,956.36	\$ 2,831.44	\$ 2,768.98
5866000	T6-1W Crossbeam adapter, capacity 28,600 lbs., adjustable 39.37" - 63.00" with wheel, height 3.54", only for single pistons versions	\$ 4,402	\$ 3,125.66	\$ 2,993.59	\$ 2,927.55
5866055	T6-2 Crossbeam adapter, capacity 28,600 lbs., adjustable 28.54" - 48.23" with wheel, height 3.54", only for twin piston versions	\$ 4,164	\$ 2,956.36	\$ 2,831.44	\$ 2,768.98
5866010	T6-2 W Crossbeam adapter, capacity 28,600 lbs., adjustable 44.10" - 67.72" with wheel, height 3.54", only for twin ram versions	\$ 4,402	\$ 3,125.66	\$ 2,993.59	\$ 2,927.55
5900500	AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units)	\$ 1,790	\$ 1,271.21	\$ 1,217.50	\$ 1,190.64
9114100	FG100 4" metal extension adapter, capacity 22,000 lbs.	\$ 90	\$ 63.86	\$ 61.16	\$ 59.82
9114200	FG200 8" metal extension adapter, capacity 22,000 lbs.	\$ 113	\$ 80.26	\$ 76.87	\$ 75.17
9112700	FW2 V-shape adapter, capacity 22,000 lbs., width 4.00"	\$ 114	\$ 81.12	\$ 77.70	\$ 75.98
9112710	FW2-130 V-shape adapter, capacity 13,200 lbs., width 5.125"	\$ 130	\$ 92.34	\$ 88.44	\$ 86.49
9113210	US U-saddle adapter, large model, capacity 22,000 lbs., width 4.00"	\$ 130	\$ 92.34	\$ 88.44	\$ 86.49
9113240	US-130 U-saddle adapter, capacity 13,200 lbs., width 5.125"	\$ 171	\$ 121.68	\$ 116.54	\$ 113.97
5866340	VB1 Wall bracket for storage of up to 4 adapters	\$ 72	\$ 50.92	\$ 48.77	\$ 47.69
5866380	VB2 Wall bracket for storage of up to 8 adapters	\$ 114	\$ 81.12	\$ 77.70	\$ 75.98
9114300	LB 20T differential beam allows use of both rams to lift at one point	\$ 735	\$ 522.12	\$ 500.06	\$ 489.03
5863400	GR Extra handle	\$ 124	\$ 88.03	\$ 84.31	\$ 82.45

HYDRAULIC TRANSMISSION JACK					
Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
9085000	SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77"	\$ 836	\$ 593.75	\$ 568.66	\$ 556.12
9086500	SKVLt6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max	\$ 4,462	\$ 3,167.67	\$ 3,033.83	\$ 2,966.91
9065000	SKVLt12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max	\$ 3,448	\$ 2,448.39	\$ 2,344.94	\$ 2,293.21
Options for hydraulic transmission jacks:					
9058800	AS1 660 lbs. light duty gearbox saddle	\$ 1,003	\$ 711.98	\$ 681.90	\$ 666.86
5900500	AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units)	\$ 1,790	\$ 1,271.21	\$ 1,217.50	\$ 1,190.64
9059500	S Black steel universal adapter without rubber pad	\$ 58	\$ 41.42	\$ 39.67	\$ 38.80
3601400	GS1 Rubber cushion for black steel mount	\$ 50	\$ 35.38	\$ 33.89	\$ 33.14

WHEEL DOLLIES					
Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
6005000	WTA-500 1,100 lbs. capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23"	\$ 2,986	\$ 2,120.06	\$ 2,030.48	\$ 1,985.69
6007000	WTK 550 lbs. capacity crane assist arm for WDA-500 or WDA-500AP	\$ 351	\$ 249.21	\$ 238.68	\$ 233.42
6102300	WT-1500 NTB 3,300 lbs. capacity Wheel Dolly with 2 swivel casters with brake	\$ 7,079	\$ 5,026.09	\$ 4,813.72	\$ 4,707.54

AIR/HYDRAULIC FLOOR JACKS & ACCESSORIES					
Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
4480000	SKB-25-2 Portable 25/10T air/hydraulic jack	\$ 4,001	\$ 2,841.03	\$ 2,720.98	\$ 2,660.96
4487000	SBB Transport locking device and wall bracket (only for SKB-25)	\$ 338	\$ 239.92	\$ 229.78	\$ 224.71
4402000	F250 non-stackable adapter - extends the maximum height by 9.80" (B25-2 Only)	\$ 315	\$ 223.52	\$ 214.07	\$ 209.35
4563000	SK25-1 25T single-stage air/hydraulic floor jack for trucks/buses min collapsed height 7.10"	\$ 4,407	\$ 3,129.27	\$ 2,997.05	\$ 2,930.94
4560000	SK25-1H 25T single-stage air/hydraulic floor jack for high clearance vehicles, min. height 14.21"	\$ 5,444	\$ 3,865.42	\$ 3,702.09	\$ 3,620.43
4540000	SK25-2 25/10T 2-stage air/hydraulic floor jack, min. height 7.20"	\$ 4,321	\$ 3,068.00	\$ 2,938.36	\$ 2,873.55
4515000	SK40-4 40/27/16/10T 4-stage air/hydraulic jack for vehicles with extra low clearance, min. height of 3.90"	\$ 7,539	\$ 5,352.38	\$ 5,126.23	\$ 5,013.15
4520000	SK50-3 50/25/10T 3-stage air/hydraulic jack for vehicles with low clearance of 5.90"	\$ 6,243	\$ 4,432.42	\$ 4,245.13	\$ 4,151.49
4520020	SK65-1 65T Capacity air/hydraulic jack for ultra heavy-duty machinery, min. height 9.65"	\$ 6,380	\$ 4,529.57	\$ 4,338.18	\$ 4,242.48
4525000	SK65-1H 65T Capacity air/hydraulic jack for ultra heavy-duty machinery, long-stroke, min. height 16.65"	\$ 9,093	\$ 6,455.75	\$ 6,182.97	\$ 6,046.58
4402100	FW Round, black adapter with no rubber pad designed for lifting under bolts, differential gear etc.	\$ 198	\$ 140.67	\$ 134.73	\$ 131.75
6323100	FW1 Adapter for lifting under different types of axles	\$ 130	\$ 92.34	\$ 88.44	\$ 86.49

MANUAL FLOOR JACKS & ACCESSORIES

Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
3604500	SKMFJ100 Manual Floor Jack, 10T capacity, lifting. range 5.875" - 23"	\$ 3,157	\$ 2,241.24	\$ 2,146.54	\$ 2,099.19
3606500	SKMFJ120 Manual Floor Jack, 12T capacity, lifting. range 5.875" - 23"	\$ 3,485	\$ 2,474.25	\$ 2,369.70	\$ 2,317.43
3605500	SKG4 pneumatic tires for Manual Floor Jacks	\$ 370	\$ 262.35	\$ 251.27	\$ 245.73
3601700	SKFDK2 Height Extension, 4 in.	\$ 167	\$ 118.23	\$ 113.24	\$ 110.74

HEAVY DUTY SHOP CRANES

Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
2001000	SKWN20 4,400 lbs. HD Hydraulic workshop crane	\$ 5,752	\$ 4,083.92	\$ 3,911.36	\$ 3,825.08
2101000	SKWN25 5,500 lbs. HD Hydraulic workshop crane	\$ 6,754	\$ 4,795.34	\$ 4,592.72	\$ 4,491.41

AIRCRAFT APPLICATIONS

Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
4591000	SK25-2AP 25T Air/hydraulic aircraft jack	\$ 5,914	\$ 4,198.95	\$ 4,021.53	\$ 3,932.82
4593000	SK65-1AP 65T Air/hydraulic aircraft jack	\$ 7,999	\$ 5,679.53	\$ 5,439.55	\$ 5,319.56
4594000	SK65-1APH 65T, Air/hydraulic aircraft jack with extra long stroke	\$ 9,216	\$ 6,543.59	\$ 6,267.10	\$ 6,128.86
6005300	WTA-500AP 1,100 lbs, capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23", Aircraft Service	\$ 3,453	\$ 2,451.65	\$ 2,348.06	\$ 2,296.27
6007000	WTK 550 lbs. capacity crane assist arm for WDA-500 or WDA-500AP	\$ 351	\$ 249.00	\$ 238.48	\$ 233.22

COMMERCIAL WASTE OIL EQUIPMENT

Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
30120	SK30120 31 gallon HD waste oil drain with standard funnel	\$ 1,301	\$ 923.73	\$ 884.70	\$ 865.19
30370	SK30370 31 gallon waste oil drain with cantilever tray	\$ 1,705	\$ 1,210.41	\$ 1,159.27	\$ 1,133.69
30475	SK30475 18.5 gallon waste oil drain with wash basin	\$ 1,048	\$ 744.08	\$ 712.64	\$ 696.92
31210	SK31210 Low Profile Oil Drain for Platform Lifts and Pits, Adjustable Sliding Rods w. Casters (35.43" - 51.57"), 29 Gal. Capacity	\$ 874	\$ 620.54	\$ 594.32	\$ 581.21
31125	SK31125 Low profile waste oil drain, 33 gallon capacity	\$ 987	\$ 701.09	\$ 671.47	\$ 656.66
92000	SK92000 Portable wash down system	\$ 1,203	\$ 853.97	\$ 817.89	\$ 799.84

ALIGNMENT ACCESSORIES

Model Number	Description	List Price	29% for 1 Set	32% 2-7 Sets	33.5% 8-up Sets
CS-DT-069	Stertil Koni portable alignment kit with drive through feature (does NOT include turnplates)	\$ 5,089	\$ 3,613.13	\$ 3,460.47	\$ 3,384.13
CS-360	Stertil Koni portable alignment kit with wheel stop, drive on back off (does NOT include turnplates)	\$ 4,580	\$ 3,251.49	\$ 3,114.10	\$ 3,045.41
25-24-S	Stainless steel turnplates	\$ 4,427	\$ 3,143.00	\$ 3,010.20	\$ 2,943.79
WB-200-30	Deluxe Storage Cabinet for portable alignment kit	\$ 2,446	\$ 1,736.70	\$ 1,663.32	\$ 1,626.63
SKALIGN	Permanently installed, surface mounted alignment deck. Call for custom quote	On demand	On demand	On demand	On demand



Quote

Stertil-Koni USA, Inc.
200 Log Canoe Circle
Stevensville, MD 21666
T: 410.643.9001
F: 410.643.8901

Quote #	837
Date	10.04.2023
Expires	11.03.2023
RSM	Rawn Roman

Billing Address
Jackson County Public Works
JR DeGraffenreid
P.O. Box 160
Grain Valley, MO
64029
ddegraffenried@jacksongov.org
(816) 847-7093

Shipping Address
Jackson County Public Works
JR DeGraffenreid
34900 East Old Highway 40
Oak Grove, MO
64075
ddegraffenried@jacksongov.org
(816) 847-7093

Sourcewell Contract #: 013020-SKI

Item	Qty	Price	Discount	Total
ST-1085-2FWA	1.00	\$82,796.00	32.00%	\$56,301.28

Set of 4 Wireless Battery-Powered Mobile Lifts at 74,000 lbs. capacity, 24V DC, ebright control box on every column with synthetic fixed front wheels and adjustable forks

Comments
Sourcewell Member ID# 30910

Subtotal:	\$82,796.00
Discount:	(\$26,494.72)
Tax:	\$0.00
Shipping:	\$2,250.00
Total	\$58,551.28

Subcontract:


Local Distributor:

Quality Automotive Equipment & Service
Kenny Sheehy

kenny@qualityaes.com
(816) 946-2502

Terms and Conditions

1. Product availability and proposed delivery date provided ARO
2. Purchase Orders MUST be issued to Steril-Koni USA, Inc., not the Local Distributor
3. Please submit Purchase Orders to orders@steril-koni.com
4. Customer is responsible for paying sales tax, if any, when applicable.



Vehicle Lifts, with Garage and Fleet Maintenance Equipment

Contract Number: 013020-SKI

Maturity Date: April 13, 2024

Vehicle lift leader, Stertil-Koni, is the undisputed #1 in advanced, safe and dependable heavy duty vehicle lifting systems. From bus lifts to truck lifts, we do it all. Our world-class product range includes:

- **Mobile Column Lifts:** Capacities 14,000 up to 40,000 lbs. per column
- **SKYLIFT:** Platform lift, capacities from 62,400 up to 78,000 lbs.
- **Four Post:** Capacities of 30,000 up to 132,000 lbs.
- **Two Post:** Capacities of 16,000 and 30,000 lbs.
- **ECOLIFT:** In-ground scissor lift, capacities of 60,000 and 120,000 lbs.
- **DIAMOND LIFT:** Piston lift, capacities of 64,000 to 140,000 lbs.

Stertil-Koni has established a broad network of qualified sales and service distributors located all across North America to quickly respond to your needs.


This contract is for any agency that is a member of Sourcewell or authorized by Sourcewell to purchase or benefit from the aforementioned contract number 013020-SKI.

Pricing for Contract #013020-SKI offers Sourcewell participating agencies 29% off list price. Additional Volume Discounts available upon request.

Sourcewell 2022 Price List Edition 3
Effective Date May 1, 2022

Contact:

Kellie Hibble ~ Administrative Sales Manager
200 Log Canoe Circle ~ Stevensville, MD 21666
Toll: 800-336-6637 / Direct: 410.643.4434 / Email: kellie@Stertil-koni.com
www.stertil-koni.com





Solicitation Number: RFP#013020

CONTRACT

This Contract is between **Sourcewell**, 202 12th Street Northeast, P.O. Box 219, Staples, MN 56479 (Sourcewell) and **Stertil-Koni USA Inc.**, 200 Log Canoe Circle, Stevensville, MD 21666 (Vendor).

Sourcewell is a State of Minnesota local government agency and service cooperative created under the laws of the State of Minnesota (Minnesota Statutes Section 123A.21) that offers cooperative procurement solutions to its members. Participation is open to all levels of governmental entity, higher education, K-12 education, nonprofit, tribal government, and other public entities located in the United States and Canada.

Vendor desires to contract with Sourcewell to provide equipment, products, or services to Sourcewell and its Members (Members).

1. TERM OF CONTRACT

- A. **EFFECTIVE DATE.** This Contract is effective upon the date of the final signature below.
- B. **EXPIRATION DATE AND EXTENSION.** This Contract expires April 13, 2024, unless it is cancelled sooner pursuant to Article 24. This Contract may be extended up to one additional one-year period upon request of Sourcewell and with written agreement by Vendor.
- C. **SURVIVAL OF TERMS.** Articles 11 through 16 survive the expiration or cancellation of this Contract.

2. EQUIPMENT, PRODUCTS, OR SERVICES

- A. **EQUIPMENT, PRODUCTS, OR SERVICES.** Vendor will provide the Equipment, Products, or Services as stated in its Proposal submitted under the Solicitation Number listed above. Vendor's Equipment, Products, or Services Proposal (Proposal) is attached and incorporated into this Contract.

All Equipment and Products provided under this Contract must be new/current model. Vendor may offer close-out or refurbished Equipment or Products if they are clearly indicated in Vendor's product and pricing list. Unless agreed to by the Member in advance, Equipment or Products must be delivered as operational to the Member's site.

This Contract offers an indefinite quantity of sales, and while substantial volume is anticipated, sales and sales volume are not guaranteed.

B. **WARRANTY.** Vendor warrants that all Equipment, Products, and Services furnished are free from liens and encumbrances, and are free from defects in design, materials, and workmanship. In addition, Vendor warrants the Equipment, Products, and Services are suitable for and will perform in accordance with the ordinary use for which they are intended. Vendor's dealers and distributors must agree to assist the Member in reaching a resolution in any dispute over warranty terms with the manufacturer. Any manufacturer's warranty that is effective past the expiration of the Vendor's warranty will be passed on to the Member.

C. **DEALERS AND DISTRIBUTORS.** Upon Contract execution, Vendor will make available to Sourcewell a means to validate or authenticate Vendor's authorized Distributors/Dealers relative to the Equipment, Products, and Services related to this Contract. This list may be updated from time-to-time and is incorporated into this Contract by reference. It is the Vendor's responsibility to ensure Sourcewell receives the most current version of this list.

3. PRICING

All Equipment, Products, or Services under this Contract will be priced as stated in Vendor's Proposal.

Regardless of the payment method chosen by the Member, the total cost associated with any purchase option of the Equipment, Products, or Services must always be disclosed in the pricing quote to the applicable Member at the time of purchase.

When providing pricing quotes to Members, all pricing quoted must reflect a Member's total cost of acquisition. This means that the quoted cost is for delivered Equipment, Products, and Services that are operational for their intended purpose, and includes all costs to the Member's requested delivery location.

A. **SHIPPING AND SHIPPING COSTS.** All delivered Equipment and Products must be properly packaged. Damaged Equipment and Products may be rejected. If the damage is not readily apparent at the time of delivery, Vendor must permit the Equipment and Products to be returned within a reasonable time at no cost to Sourcewell or its Members. Members reserve the right to inspect the Equipment and Products at a reasonable time after delivery where circumstances or conditions prevent effective inspection of the Equipment and Products at the time of delivery.

Vendor must arrange for and pay for the return shipment on Equipment and Products that arrive in a defective or inoperable condition.

Sourcewell may declare the Vendor in breach of this Contract if the Vendor intentionally delivers substandard or inferior Equipment or Products. In the event of the delivery of nonconforming Equipment and Products, the Member will notify the Vendor as soon as possible and the Vendor will replace nonconforming Equipment and Products with conforming Equipment and Products that are acceptable to the Member.

B. **SALES TAX.** Each Member is responsible for supplying the Vendor with valid tax-exemption certification(s). When ordering, Members must indicate if it is a tax-exempt entity.

C. **HOT LIST PRICING.** At any time during this Contract, Vendor may offer a specific selection of Equipment, Products, or Services at discounts greater than those listed in the Contract. When Vendor determines it will offer Hot List Pricing, it must be submitted electronically to Sourcewell in a line-item format. Equipment, Products, or Services may be added or removed from the Hot List at any time through a Sourcewell Price and Product Change Form as defined in Article 4 below.

Hot List program and pricing may also be used to discount and liquidate close-out and discontinued Equipment and Products as long as those close-out and discontinued items are clearly identified as such. Current ordering process and administrative fees apply. Hot List Pricing must be published and made available to all Members.

4. PRODUCT AND PRICING CHANGE REQUESTS

Vendor may request Equipment, Product, or Service changes, additions, or deletions at any time. All requests must be made in writing by submitting a signed Sourcewell Price and Product Change Request Form to the assigned Sourcewell Contract Administrator. This form is available from the assigned Sourcewell Contract Administrator. At a minimum, the request must:

- Identify the applicable Sourcewell contract number
- Clearly specify the requested change
- Provide sufficient detail to justify the requested change
- Individually list all Equipment, Products, or Services affected by the requested change, along with the requested change (e.g., addition, deletion, price change)
- Include a complete restatement of pricing documentation in Microsoft Excel with the effective date of the modified pricing, or product addition or deletion. The new pricing restatement must include all Equipment, Products, and Services offered, even for those items where pricing remains unchanged.

A fully executed Sourcewell Price and Product Request Form will become an amendment to this Contract and be incorporated by reference.

5. MEMBERSHIP, CONTRACT ACCESS, AND MEMBER REQUIREMENTS

A. **MEMBERSHIP.** Membership in Sourcewell is open to public and nonprofit entities across the United States and Canada; such as municipal, state/province, K-12 and higher education, tribal government, and other public entities.

The benefits of this Contract should be available to all Members that can legally access the Equipment, Products, or Services under this Contract. A Member's authority to access this Contract is determined through its cooperative purchasing, interlocal, or joint powers laws. Any entity accessing benefits of this Contract will be considered a Service Member of Sourcewell during such time of access. Vendor understands that a Member's use of this Contract is at the Member's sole convenience and Members reserve the right to obtain like Equipment, Products, or Services from any other source.

Vendor is responsible for familiarizing its sales and service forces with Sourcewell membership requirements and documentation and will encourage potential members to join Sourcewell. Sourcewell reserves the right to add and remove Members to its roster during the term of this Contract.

B. **PUBLIC FACILITIES.** Vendor's employees may be required to perform work at government-owned facilities, including schools. Vendor's employees and agents must conduct themselves in a professional manner while on the premises, and in accordance with Member policies and procedures, and all applicable laws.

6. MEMBER ORDERING AND PURCHASE ORDERS

A. **PURCHASE ORDERS AND PAYMENT.** To access the contracted Equipment, Products, or Services under this Contract, Member must clearly indicate to Vendor that it intends to access this Contract; however, order flow and procedure will be developed jointly between Sourcewell and Vendor. Typically a Member will issue a purchase order directly to Vendor. Members may use their own forms for purchase orders, but it should clearly note the applicable Sourcewell contract number. Members will be solely responsible for payment and Sourcewell will have no liability for any unpaid invoice of any Member.

B. **ADDITIONAL TERMS AND CONDITIONS.** Additional terms and conditions to a purchase order may be negotiated between a Member and Vendor, such as job or industry-specific requirements, legal requirements (such as affirmative action or immigration status requirements), or specific local policy requirements. Any negotiated additional terms and conditions must never be less favorable to the Member than what is contained in Vendor's Proposal.

C. **PERFORMANCE BOND.** If requested by a Member, Vendor will provide a performance bond that meets the requirements set forth in the Member's purchase order.

D. SPECIALIZED SERVICE REQUIREMENTS. In the event that the Member requires service or specialized performance requirements (such as e-commerce specifications, specialized delivery requirements, or other specifications and requirements) not addressed in this Contract, the Member and the Vendor may enter into a separate, standalone agreement, apart from this Contract. Sourcewell, including its agents and employees, will not be made a party to a claim for breach of such agreement.

E. TERMINATION OF PURCHASE ORDERS. Members may terminate a purchase order, in whole or in part, immediately upon notice to Vendor in the event of any of the following events:

1. The Member fails to receive funding or appropriation from its governing body at levels sufficient to pay for the goods to be purchased;
2. Federal or state laws or regulations prohibit the purchase or change the Member's requirements; or
3. Vendor commits any material breach of this Contract or the additional terms agreed to between the Vendor and a Member.

F. GOVERNING LAW AND VENUE. The governing law and venue for any action related to a Member's purchase order will be determined by the Member making the purchase.

7. CUSTOMER SERVICE

A. PRIMARY ACCOUNT REPRESENTATIVE. Vendor will assign an Account Representative to Sourcewell for this Contract and must provide prompt notice to Sourcewell if that person is changed. The Account Representative will be responsible for:

- Maintenance and management of this Contract;
- Timely response to all Sourcewell and Member inquiries; and
- Business reviews to Sourcewell and Members, if applicable.

B. BUSINESS REVIEWS. Vendor must perform a minimum of one business review with Sourcewell per contract year. The business review will cover sales to members, pricing and contract terms, administrative fees, supply issues, customer issues, and any other necessary information.

8. REPORT ON CONTRACT SALES ACTIVITY AND ADMINISTRATIVE FEE PAYMENT

A. CONTRACT SALES ACTIVITY REPORT. Each calendar quarter, Vendor must provide a contract sales activity report (Report) to the Sourcewell Contract Administrator assigned to this Contract. A Report must be provided regardless of the number or amount of sales during that quarter (i.e., if there are no sales, Vendor must submit a report indicating no sales were made).

The Report must contain the following fields:

- Customer Name (e.g., City of Staples Highway Department);
- Customer Physical Street Address;
- Customer City;
- Customer State;
- Customer Zip Code;
- Customer Contact Name;
- Customer Contact Email Address;
- Customer Contact Telephone Number;
- Sourcewell Assigned Entity/Member Number;
- Item Purchased Description;
- Item Purchased Price;
- Sourcewell Administrative Fee Applied; and
- Date Purchase was invoiced/sale was recognized as revenue by Vendor.

B. ADMINISTRATIVE FEE. In consideration for the support and services provided by Sourcewell, the Vendor will pay an administrative fee to Sourcewell on all Equipment, Products, and Services provided to Members. The Vendor will submit a check payable to Sourcewell for the percentage of administrative fee stated in the Proposal multiplied by the total sales of all Equipment, Products, and Services purchased by Members under this Contract during each calendar quarter. Payments should note the Sourcewell-assigned contract number in the memo and must be mailed to the address above "Attn: Accounts Receivable." Payments must be received no later than forty-five (45) calendar days after the end of each calendar quarter.

Vendor agrees to cooperate with Sourcewell in auditing transactions under this Contract to ensure that the administrative fee is paid on all items purchased under this Contract.

In the event the Vendor is delinquent in any undisputed administrative fees, Sourcewell reserves the right to cancel this Contract and reject any proposal submitted by the Vendor in any subsequent solicitation. In the event this Contract is cancelled by either party prior to the Contract's expiration date, the administrative fee payment will be due no more than thirty (30) days from the cancellation date.

9. AUTHORIZED REPRESENTATIVE

Sourcewell's Authorized Representative is its Chief Procurement Officer.

Vendor's Authorized Representative is the person named in the Vendor's Proposal. If Vendor's Authorized Representative changes at any time during this Contract, Vendor must promptly notify Sourcewell in writing.

10. ASSIGNMENT, AMENDMENTS, WAIVER, AND CONTRACT COMPLETE

- A. **ASSIGNMENT.** Neither the Vendor nor Sourcewell may assign or transfer any rights or obligations under this Contract without the prior consent of the parties and a fully executed assignment agreement. Such consent will not be unreasonably withheld.
- B. **AMENDMENTS.** Any amendment to this Contract must be in writing and will not be effective until it has been fully executed by the parties.
- C. **FEDERAL TRANSIT ADMINISTRATION.** Sourcewell reserves the right to amend this Contract to include requirements relating to any subsequent changes affecting the use of inter-governmental cooperative purchasing agreements by FTA grant recipients.
- D. **WAIVER.** If either party fails to enforce any provision of this Contract, that failure does not waive the provision or the right to enforce it.
- E. **CONTRACT COMPLETE.** This Contract contains all negotiations and agreements between Sourcewell and Vendor. No other understanding regarding this Contract, whether written or oral, may be used to bind either party.
- F. **RELATIONSHIP OF THE PARTIES.** The relationship of the parties is one of independent contractors, each free to exercise judgment and discretion with regard to the conduct of their respective businesses. This Contract does not create a partnership, joint venture, master-servant, principal-agent, or any other relationship.

11. LIABILITY

Vendor must indemnify, save, and hold Sourcewell and its Members, including their agents and employees, harmless from any claims or causes of action, including attorneys' fees, arising out of the performance of this Contract by the Vendor or its agents or employees; this indemnification includes injury or death to person(s) or property alleged to have been caused by some defect in the Equipment, Products, or Services under this Contract to the extent the Equipment, Product, or Service has been used according to its specifications.

12. AUDITS

Sourcewell reserves the right to review the books, records, documents, and accounting procedures and practices of the Vendor relevant to this Contract for a minimum of six (6) years from the end of this Contract. This clause extends to Members as it relates to business conducted by that Member under this Contract.

13. GOVERNMENT DATA PRACTICES

Vendor and Sourcewell must comply with the Minnesota Government Data Practices Act, Minnesota Statutes Chapter 13, as it applies to all data provided by or provided to Sourcewell under this Contract and as it applies to all data created, collected, received, stored, used, maintained, or disseminated by the Vendor under this Contract.

If the Vendor receives a request to release the data referred to in this article, the Vendor must immediately notify Sourcewell and Sourcewell will assist with how the Vendor should respond to the request.

14. INTELLECTUAL PROPERTY

As applicable, Vendor agrees to indemnify and hold harmless Sourcewell and its Members against any and all suits, claims, judgments, and costs instituted or recovered against Sourcewell or Members by any person on account of the use of any Equipment or Products by Sourcewell or its Members supplied by Vendor in violation of applicable patent or copyright laws.

15. PUBLICITY, MARKETING, AND ENDORSEMENT

A. **PUBLICITY.** Any publicity regarding the subject matter of this Contract must not be released without prior written approval from the Authorized Representatives. Publicity includes notices, informational pamphlets, press releases, research, reports, signs, and similar public notices prepared by or for the Vendor individually or jointly with others, or any subcontractors, with respect to the program, publications, or services provided resulting from this Contract.

B. **MARKETING.** Any direct advertising, marketing, or offers with Members must be approved by Sourcewell. Materials should be sent to the Sourcewell Contract Administrator assigned to this Contract.

C. **ENDORSEMENT.** The Vendor must not claim that Sourcewell endorses its Equipment, Products, or Services.

16. GOVERNING LAW, JURISDICTION, AND VENUE

Minnesota law governs this Contract. Venue for all legal proceedings out of this Contract, or its breach, must be in the appropriate state court in Todd County or federal court in Fergus Falls, Minnesota.

17. FORCE MAJEURE

Neither party to this Contract will be held responsible for delay or default caused by acts of God or other conditions that are beyond that party's reasonable control. A party defaulting under this provision must provide the other party prompt written notice of the default.

18. SEVERABILITY

If any provision of this Contract is found to be illegal, unenforceable, or void then both Sourcewell and Vendor will be relieved of all obligations arising under such provisions. If the remainder of this Contract is capable of performance, it will not be affected by such declaration or finding and must be fully performed.

19. PERFORMANCE, DEFAULT, AND REMEDIES

A. **PERFORMANCE.** During the term of this Contract, the parties will monitor performance and address unresolved contract issues as follows:

1. *Notification.* The parties must promptly notify each other of any known dispute and work in good faith to resolve such dispute within a reasonable period of time. If necessary, Sourcewell and the Vendor will jointly develop a short briefing document that describes the issue(s), relevant impact, and positions of both parties.
2. *Escalation.* If parties are unable to resolve the issue in a timely manner, as specified above, either Sourcewell or Vendor may escalate the resolution of the issue to a higher level of management. The Vendor will have thirty (30) calendar days to cure an outstanding issue.
3. *Performance while Dispute is Pending.* Notwithstanding the existence of a dispute, the Vendor must continue without delay to carry out all of its responsibilities under the Contract that are not affected by the dispute. If the Vendor fails to continue without delay to perform its responsibilities under the Contract, in the accomplishment of all undisputed work, any additional costs incurred by Sourcewell and/or its Members as a result of such failure to proceed will be borne by the Vendor.

B. **DEFAULT AND REMEDIES.** Either of the following constitutes cause to declare this Contract, or any Member order under this Contract, in default:

1. Nonperformance of contractual requirements, or
2. A material breach of any term or condition of this Contract.

Written notice of default and a reasonable opportunity to cure must be issued by the party claiming default. Time allowed for cure will not diminish or eliminate any liability for liquidated or other damages. If the default remains after the opportunity for cure, the non-defaulting party may:

- Exercise any remedy provided by law or equity, or
- Terminate the Contract or any portion thereof, including any orders issued against the Contract.

20. INSURANCE

A. REQUIREMENTS. At its own expense, Vendor must maintain insurance policy(ies) in effect at all times during the performance of this Contract with insurance company(ies) licensed or authorized to do business in the State of Minnesota having an "AM BEST" rating of A- or better, with coverage and limits of insurance not less than the following:

1. *Workers' Compensation and Employer's Liability.*

Workers' Compensation: As required by any applicable law or regulation.

Employer's Liability Insurance: must be provided in amounts not less than listed below:

Minimum limits:

\$500,000 each accident for bodily injury by accident

\$500,000 policy limit for bodily injury by disease

\$500,000 each employee for bodily injury by disease

2. *Commercial General Liability Insurance.* Vendor will maintain insurance covering its operations, with coverage on an occurrence basis, and must be subject to terms no less broad than the Insurance Services Office ("ISO") Commercial General Liability Form CG0001 (2001 or newer edition). At a minimum, coverage must include liability arising from premises, operations, bodily injury and property damage, independent contractors, products-completed operations including construction defect, contractual liability, blanket contractual liability, and personal injury and advertising injury. All required limits, terms and conditions of coverage must be maintained during the term of this Contract.

Minimum Limits:

\$1,000,000 each occurrence Bodily Injury and Property Damage

\$1,000,000 Personal and Advertising Injury

\$2,000,000 aggregate for Products-Completed operations

\$2,000,000 general aggregate

3. *Commercial Automobile Liability Insurance.* During the term of this Contract, Vendor will maintain insurance covering all owned, hired, and non-owned automobiles in limits of liability not less than indicated below. The coverage must be subject to terms no less broad than ISO Business Auto Coverage Form CA 0001 (2010 edition or newer).

Minimum Limits:

\$1,000,000 each accident, combined single limit

4. *Umbrella Insurance.* During the term of this Contract, Vendor will maintain umbrella coverage over Workers' Compensation, Commercial General Liability, and Commercial Automobile.

Minimum Limits:
\$2,000,000

5. *Professional/Technical, Errors and Omissions, and/or Miscellaneous Liability.* During the term of this Contract, Vendor will maintain coverage for all claims the Vendor may become legally obligated to pay resulting from any actual or alleged negligent act, error, or omission related to Vendor's professional services required under this Contract.

Minimum Limits:
\$2,000,000 per claim or event
\$2,000,000 – annual aggregate

6. *Network Security and Privacy Liability Insurance.* During the term of this Contract, Vendor will maintain coverage for network security and privacy liability. The coverage may be endorsed on another form of liability coverage or written on a standalone policy. The insurance must cover claims which may arise from failure of Vendor's security resulting in, but not limited to, computer attacks, unauthorized access, disclosure of not public data – including but not limited to, confidential or private information, transmission of a computer virus, or denial of service.

Minimum limits:
\$2,000,000 per occurrence
\$2,000,000 annual aggregate

Failure of Vendor to maintain the required insurance will constitute a material breach entitling Sourcewell to immediately terminate this Contract for default.

B. **CERTIFICATES OF INSURANCE.** Prior to commencing under this Contract, Vendor must furnish to Sourcewell a certificate of insurance, as evidence of the insurance required under this Contract. Prior to expiration of the policy(ies), renewal certificates must be mailed to Sourcewell, 202 12th Street Northeast, P.O. Box 219, Staples, MN 56479 or sent to the Sourcewell Contract Administrator assigned to this Contract. The certificates must be signed by a person authorized by the insurer(s) to bind coverage on their behalf. All policies must include there will be no cancellation, suspension, non-renewal, or reduction of coverage without thirty (30) days' prior written notice to the Vendor.

Upon request, Vendor must provide to Sourcewell copies of applicable policies and endorsements, within ten (10) days of a request. Failure to request certificates of insurance by Sourcewell, or failure of Vendor to provide certificates of insurance, in no way limits or relieves Vendor of its duties and responsibilities in this Contract.

C. **ADDITIONAL INSURED ENDORSEMENT AND PRIMARY AND NON-CONTRIBUTORY INSURANCE CLAUSE.** Vendor agrees to name Sourcewell and its Members, including their officers, agents, and employees, as an additional insured under the Vendor's commercial general liability insurance policy with respect to liability arising out of activities, "operations," or

“work” performed by or on behalf of Vendor, and products and completed operations of Vendor. The policy provision(s) or endorsement(s) must further provide that coverage is primary and not excess over or contributory with any other valid, applicable, and collectible insurance or self-insurance in force for the additional insureds.

D. **WAIVER OF SUBROGATION.** Vendor waives and must require (by endorsement or otherwise) all its insurers to waive subrogation rights against Sourcewell and other additional insureds for losses paid under the insurance policies required by this Contract or other insurance applicable to the Vendor or its subcontractors. The waiver must apply to all deductibles and/or self-insured retentions applicable to the required or any other insurance maintained by the Vendor or its subcontractors. Where permitted by law, Vendor must require similar written express waivers of subrogation and insurance clauses from each of its subcontractors.

E. **UMBRELLA/EXCESS LIABILITY.** The limits required by this Contract can be met by either providing a primary policy or in combination with umbrella/excess liability policy(ies).

F. **SELF-INSURED RETENTIONS.** Any self-insured retention in excess of \$10,000 is subject to Sourcewell’s approval.

21. COMPLIANCE

A. **LAWS AND REGULATIONS.** All Equipment, Products, or Services provided under this Contract must comply fully with applicable federal laws and regulations, and with the laws in the states and provinces in which the Equipment, Products, or Services are sold.

B. **LICENSES.** Vendor must maintain a valid status on all required federal, state, and local licenses, bonds, and permits required for the operation of the business that the Vendor conducts with Sourcewell and Members.

22. BANKRUPTCY, DEBARMENT, OR SUSPENSION CERTIFICATION

Vendor certifies and warrants that it is not in bankruptcy or that it has previously disclosed in writing certain information to Sourcewell related to bankruptcy actions. If at any time during this Contract Vendor declares bankruptcy, Vendor must immediately notify Sourcewell in writing.

Vendor certifies and warrants that neither it nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from programs operated by the State of Minnesota, the United States federal government, or any Member. Vendor certifies and warrants that neither it nor its principals have been convicted of a criminal offense related to the subject matter of this Contract. Vendor further warrants that it will provide immediate written notice to Sourcewell if this certification changes at any time.

23. PROVISIONS FOR NON-UNITED STATES FEDERAL ENTITY PROCUREMENTS UNDER UNITED STATES FEDERAL AWARDS OR OTHER AWARDS

Members that use United States federal grant or FEMA funds to purchase goods or services from this Contract may be subject to additional requirements including the procurement standards of the Uniform Administrative Requirements, Cost Principles and Audit Requirements for Federal Awards, 2 C.F.R. § 200. Members may also require additional requirements based on specific funding specifications. Within this Article, all references to “federal” should be interpreted to mean the United States federal government. The following list only applies when a Member accesses Vendor’s Equipment, Products, or Services with United States federal funds.

A. **EQUAL EMPLOYMENT OPPORTUNITY.** Except as otherwise provided under 41 C.F.R. § 60, all contracts that meet the definition of “federally assisted construction contract” in 41 C.F.R. § 60-1.3 must include the equal opportunity clause provided under 41 C.F.R. § 60-1.4(b), in accordance with Executive Order 11246, “Equal Employment Opportunity” (30 FR 12319, 12935, 3 C.F.R. §, 1964-1965 Comp., p. 339), as amended by Executive Order 11375, “Amending Executive Order 11246 Relating to Equal Employment Opportunity,” and implementing regulations at 41 C.F.R. § 60, “Office of Federal Contract Compliance Programs, Equal Employment Opportunity, Department of Labor.” The equal opportunity clause is incorporated herein by reference.

B. **DAVIS-BACON ACT, AS AMENDED (40 U.S.C. § 3141-3148).** When required by federal program legislation, all prime construction contracts in excess of \$2,000 awarded by non-federal entities must include a provision for compliance with the Davis-Bacon Act (40 U.S.C. § 3141-3144, and 3146-3148) as supplemented by Department of Labor regulations (29 C.F.R. § 5, “Labor Standards Provisions Applicable to Contracts Covering Federally Financed and Assisted Construction”). In accordance with the statute, contractors must be required to pay wages to laborers and mechanics at a rate not less than the prevailing wages specified in a wage determination made by the Secretary of Labor. In addition, contractors must be required to pay wages not less than once a week. The non-federal entity must place a copy of the current prevailing wage determination issued by the Department of Labor in each solicitation. The decision to award a contract or subcontract must be conditioned upon the acceptance of the wage determination. The non-federal entity must report all suspected or reported violations to the federal awarding agency. The contracts must also include a provision for compliance with the Copeland “Anti-Kickback” Act (40 U.S.C. § 3145), as supplemented by Department of Labor regulations (29 C.F.R. § 3, “Contractors and Subcontractors on Public Building or Public Work Financed in Whole or in Part by Loans or Grants from the United States”). The Act provides that each contractor or subrecipient must be prohibited from inducing, by any means, any person employed in the construction, completion, or repair of public work, to give up any part of the compensation to which he or she is otherwise entitled. The non-federal entity must report all suspected or reported violations to the federal awarding agency. Vendor must be in compliance with all applicable Davis-Bacon Act provisions.

C. **CONTRACT WORK HOURS AND SAFETY STANDARDS ACT (40 U.S.C. § 3701-3708).** Where applicable, all contracts awarded by the non-federal entity in excess of \$100,000 that involve the employment of mechanics or laborers must include a provision for compliance with 40 U.S.C. § 3702 and 3704, as supplemented by Department of Labor regulations (29 C.F.R. § 5). Under 40 U.S.C. § 3702 of the Act, each contractor must be required to compute the wages of every mechanic and laborer on the basis of a standard work week of 40 hours. Work in excess of the standard work week is permissible provided that the worker is compensated at a rate of not less than one and a half times the basic rate of pay for all hours worked in excess of 40 hours in the work week. The requirements of 40 U.S.C. § 3704 are applicable to construction work and provide that no laborer or mechanic must be required to work in surroundings or under working conditions which are unsanitary, hazardous or dangerous. These requirements do not apply to the purchases of supplies or materials or articles ordinarily available on the open market, or contracts for transportation or transmission of intelligence. This provision is hereby incorporated by reference into this Contract. Vendor certifies that during the term of an award for all contracts by Sourcewell resulting from this procurement process, Vendor must comply with applicable requirements as referenced above.

D. **RIGHTS TO INVENTIONS MADE UNDER A CONTRACT OR AGREEMENT.** If the federal award meets the definition of "funding agreement" under 37 C.F.R. § 401.2(a) and the recipient or subrecipient wishes to enter into a contract with a small business firm or nonprofit organization regarding the substitution of parties, assignment or performance of experimental, developmental, or research work under that "funding agreement," the recipient or subrecipient must comply with the requirements of 37 C.F.R. § 401, "Rights to Inventions Made by Nonprofit Organizations and Small Business Firms Under Government Grants, Contracts and Cooperative Agreements," and any implementing regulations issued by the awarding agency. Vendor certifies that during the term of an award for all contracts by Sourcewell resulting from this procurement process, Vendor must comply with applicable requirements as referenced above.

E. **CLEAN AIR ACT (42 U.S.C. § 7401-7671Q.) AND THE FEDERAL WATER POLLUTION CONTROL ACT (33 U.S.C. § 1251-1387).** Contracts and subgrants of amounts in excess of \$150,000 require the non-federal award to agree to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act (42 U.S.C. § 7401- 7671q) and the Federal Water Pollution Control Act as amended (33 U.S.C. § 1251- 1387). Violations must be reported to the Federal awarding agency and the Regional Office of the Environmental Protection Agency (EPA). Vendor certifies that during the term of this Contract will comply with applicable requirements as referenced above.

F. **DEBARMENT AND SUSPENSION (EXECUTIVE ORDERS 12549 AND 12689).** A contract award (see 2 C.F.R. § 180.220) must not be made to parties listed on the government wide exclusions in the System for Award Management (SAM), in accordance with the OMB guidelines at 2 C.F.R. §180 that implement Executive Orders 12549 (3 C.F.R. § 1986 Comp., p. 189) and 12689 (3 C.F.R. § 1989 Comp., p. 235), "Debarment and Suspension." SAM Exclusions contains the names of parties debarred, suspended, or otherwise excluded by agencies, as well as parties declared ineligible under statutory or regulatory authority other than Executive Order 12549. Vendor

certifies that neither it nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation by any federal department or agency.

G. BYRD ANTI-LOBBYING AMENDMENT, AS AMENDED (31 U.S.C. § 1352). Vendors must file any required certifications. Vendors must not have used federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of Congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining any federal contract, grant, or any other award covered by 31 U.S.C. § 1352. Vendors must disclose any lobbying with non-federal funds that takes place in connection with obtaining any federal award. Such disclosures are forwarded from tier to tier up to the non-federal award. Vendors must file all certifications and disclosures required by, and otherwise comply with, the Byrd Anti-Lobbying Amendment (31 U.S.C. § 1352).

H. RECORD RETENTION REQUIREMENTS. To the extent applicable, Vendor must comply with the record retention requirements detailed in 2 C.F.R. § 200.333. The Vendor further certifies that it will retain all records as required by 2 C.F.R. § 200.333 for a period of three (3) years after grantees or subgrantees submit final expenditure reports or quarterly or annual financial reports, as applicable, and all other pending matters are closed.

I. ENERGY POLICY AND CONSERVATION ACT COMPLIANCE. To the extent applicable, Vendor must comply with the mandatory standards and policies relating to energy efficiency which are contained in the state energy conservation plan issued in compliance with the Energy Policy and Conservation Act.

J. BUY AMERICAN PROVISIONS COMPLIANCE. To the extent applicable, Vendor must comply with all applicable provisions of the Buy American Act. Purchases made in accordance with the Buy American Act must follow the applicable procurement rules calling for free and open competition.

K. ACCESS TO RECORDS (2 C.F.R. § 200.336). Vendor agrees that duly authorized representatives of a federal agency must have access to any books, documents, papers and records of Vendor that are directly pertinent to Vendor's discharge of its obligations under this Contract for the purpose of making audits, examinations, excerpts, and transcriptions. The right also includes timely and reasonable access to Vendor's personnel for the purpose of interview and discussion relating to such documents.

L. PROCUREMENT OF RECOVERED MATERIALS (2 C.F.R. § 200.322). A non-federal entity that is a state agency or agency of a political subdivision of a state and its contractors must comply with Section 6002 of the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act. The requirements of Section 6002 include procuring only items designated in guidelines of the Environmental Protection Agency (EPA) at 40 C.F.R. § 247 that contain the highest percentage of recovered materials practicable, consistent with maintaining a

satisfactory level of competition, where the purchase price of the item exceeds \$10,000 or the value of the quantity acquired during the preceding fiscal year exceeded \$10,000; procuring solid waste management services in a manner that maximizes energy and resource recovery; and establishing an affirmative procurement program for procurement of recovered materials identified in the EPA guidelines.

24. CANCELLATION

Sourcewell or Vendor may cancel this Contract at any time, with or without cause, upon sixty (60) days' written notice to the other party. However, Sourcewell may cancel this Contract immediately upon discovery of a material defect in any certification made in Vendor's Proposal. Termination of this Contract does not relieve either party of financial, product, or service obligations incurred or accrued prior to termination.

Sourcewell

DocuSigned by:
By: Jeremy Schwartz
C0FD2A138D06489...
Jeremy Schwartz
Title: Director of Operations &
Procurement/CPO

Date: 4/11/2020 | 6:48 AM CDT

Stertil-Koni USA Inc.

DocuSigned by:
By: Jean DellAmore
5063AB5C115C4C9...
Jean DellAmore
Title: President

Date: 4/10/2020 | 9:06 AM PDT

Approved:
DocuSigned by:
By: Chad Coauette
7E4288F817A64CC...
Chad Coauette
Title: Executive Director/CEO

Date: 4/11/2020 | 6:28 PM CDT

RFP 013020 - Vehicle Lifts, with Garage and Fleet Maintenance Equipment

Vendor Details

Company Name: Stertil-Koni USA, Inc.
Address: 200 Log Canoe Circle
Stevensville, MD 21666
Contact: Kellie Boehm
Email: kellie@sterdil-koni.com
Phone: 410-643-4434 106
Fax: 410-643-8901
HST#: 52-2010741

Submission Details

Created On: Tuesday December 17, 2019 09:55:33
Submitted On: Thursday January 30, 2020 11:15:09
Submitted By: Kellie Boehm
Email: kellie@sterdil-koni.com
Transaction #: b4fd0289-5c80-4535-ace9-7a32d3177a3a
Submitter's IP Address: 24.145.93.156

Bid Number: RFP 013020

Vendor Name: Stertil-Koni USA, Inc.

Specifications

Table 1: Proposer Identity & Authorized Representatives

General Instructions (applies to all Tables) Sourcewell prefers a brief but thorough response to each question. Please do not merely attach additional documents to your response without also providing a substantive response. Do not leave answers blank; mark "NA" if the question does not apply to you (preferably with an explanation).

Line Item	Question	Response *
1	Proposer Legal Name (and applicable d/b/a, if any):	Stertil-Koni USA, Inc.
2	Proposer Address:	200 Log Canoe Circle Stevensville, MD 21666
3	Proposer website address:	https://stertil-koni.com/
4	Proposer's Authorized Representative (name, title, address, email address & phone) (The representative must have authority to sign the "Proposer's Assurance of Compliance" on behalf of the Proposer and, in the event of award, will be expected to execute the resulting contract):	Jean DellAmore, President 200 Log Canoe Circle, Stevensville, MD 21666 jdellamore@stertil-koni.com - 410.643.9001
5	Proposer's primary contact for this proposal (name, title, address, email address & phone):	Kellie Boehm, Administrative Sales Manager 200 Log Canoe Circle, Stevensville, MD 21666 kellie@stertil-koni.com - 410.643.4434
6	Proposer's other contacts for this proposal, if any (name, title, address, email address & phone):	Peter Bowers, Sales Support 200 Log Canoe Circle, Stevensville, MD 21666 peter@stertil-koni.com - 410.643.9001

Table 2: Company Information and Financial Strength

Line Item	Question	Response *
7	Provide a brief history of your company, including your company's core values, business philosophy, and industry longevity related to the requested equipment, products or services.	<p>Stertil-Koni USA (SK) was established in January 1997 in the state of Maryland. SK is a wholly-owned subsidiary of Stertil Enterprises (SE) which is a Delaware-based corporation; and, SE has two entities: SK and Stertil ALM, the latter of which is the manufacturing and production arm of the company. SK is responsible for all sales and marketing of Stertil-Koni products in North America and Stertil ALM is responsible for all manufacturing.</p> <p>The core value of SK is to provide the most advanced and safest heavy-duty vehicle lifting products in the industry. Clearly, the lifting systems that SK produces and sells in the transportation industry enable mechanics and users to quickly and efficiently lift their heavy-duty trucks, buses, military vehicles, municipals service vehicles and more for service and repair. Given the magnitude of the task, Stertil-Koni has an essential responsibility to ensure that our lifts always perform in a safe and efficient manner. When anyone is standing under a vehicle that weighs more than 50,000 lbs., safety is paramount and the obsession with safety and performance drives our company. Moreover, Stertil-Koni is fully devoted to continuously advancing our hardware and software designs to deliver the very best in customer usability, functionality, and safety in all of the heavy-duty vehicle lifting products that we provide.</p>
8	Provide a detailed description of the products and services that you are offering in your proposal.	<p>Stertil-Koni USA is the sales and marketing arm of a manufacturer that specializes in heavy-duty lifting solutions. These lifting solutions are designed and manufactured at one of our two manufacturing locations -- Streator, Illinois and Northern Holland. With our emphasis on only heavy-duty lifts, Stertil-Koni can offer our customers the most innovative solutions to fully meet all their lifting needs. We call this approach "Freedom of Choice." It is our commitment to provide customers with the highest quality, most advanced and safest heavy duty lifting systems on the market. Stertil-Koni lifts, with capacities ranging from 16,000 lbs. to more than 100,000 lbs., offer the appropriate lift for all applications. Along with a complete line of heavy-duty lifting solutions, Stertil-Koni offers complementary shop equipment for a majority of auxiliary service.</p>

Bid Number: RFP 013020

Vendor Name: Stertil-Koni USA, Inc.

9	What are your company's expectations in the event of an award?	<p>As the leader in the field of heavy-duty vehicle lifting systems, and a recognized marketing powerhouse in the transportation servicing field, Stertil-Koni takes great pride in its sense of focus, dedication to customer service, and ongoing readiness to perform at the highest levels of excellence. Therefore, well before an award has been made to Stertil-Koni to provide vehicle lifting systems and service via the Sourcewell contract, our company will already have in place a comprehensive plan to communicate and leverage this exciting news to our employees, sales representatives, distributors across North America, colleagues around the world, as well as existing customers, leads, and prospects.</p> <p>More specifically, in the near-term, it is our expectation that concurrent with the award, Stertil-Koni will "hit the ground running" – that very same day – to the benefit of Sourcewell, our distributors, our customers, and Stertil-Koni.</p> <p>Further, within a relatively short time span following the contract award, it is our expectation that Sourcewell will become an integral contracting vehicle by which our dedicated distributor network will inspire Stertil-Koni end-users to acquire our exceptional, award-winning (and in certain instances, U.S. and Canadian patented) lifting systems.</p> <p>Longer-term, we fully anticipate that Sourcewell will accrue the benefits of having awarded this contract to Stertil-Koni by virtue of our exceptional product line, recognized sales, and marketing prowess – all combined with our company's highly professional support and reporting expertise.</p> <p>Stertil-Koni has become the world leader in heavy-duty lifting applications in the United States and Canada. There is no other lift company that focuses exclusively on the heavy-duty customer generally defined as the ability to lift vehicles over 16,000 lbs. Over the last 23 years, we have developed a very focused distributor base strategically located throughout the United States and Canada. Where we think we can best promote the Sourcewell concept is with the 3,300 Transit agencies strategically located in North America. Generally speaking, Transit agencies buy heavy-duty lifting equipment at relatively high dollar volumes and the SOURCEWELL concept is particularly well suited to promote the purchase of these products.</p> <p>The focus and specialization on the part of Stertil Koni (SK) to the heavy-duty industry are specific and purposeful. For and to the benefit of SOURCEWELL the average sale of SK products begins at approximately \$250,000. Therefore, the value of the equipment sold to municipalities and private corporations represents a high-dollar value. The benefits to SOURCEWELL are obvious since the attendant fee is based on a particular dollar value. Other competitors focus on light-duty lifts with corresponding lower retail values. It is not unknown or unusual for SK to engage in multi-million contracts with individual SOURCEWELL users. This benefits both SK and SOURCEWELL.</p> <p>In addition, SK is launching a new PRODUCT SHOP EQUIPMENT line of very specialized heavy-duty shop equipment products used by end-users to work on their vehicles. Mechanics utilize lifts to raise vehicles but then require transmission jacks and wheel dollies to remove components from those vehicles. This is the type of specialized equipment that SK is introducing in 2020 and will be part of the scope hopefully offered through SOURCEWELL. This will increase the overall numbers and will extend the outreach of these offerings to potentially thousands of more users.</p>
10	Demonstrate your financial strength and stability with meaningful data. This could include such items as financial statements, SEC filings, credit and bond ratings, letters of credit, and detailed reference letters. Upload supporting documents (as applicable) in the document upload section of your response.	<p>To demonstrate Stertil-Koni USA's financial strength and stability, we have attached the company's Balance Sheet, Statement of Income, and The Independent Accountant's Review Report for the period 2015-2019 (Attachments 1, 2, 3).</p> <p>Some highlights from the five-year period 2015 -- 2019 include:</p> <ul style="list-style-type: none"> - Revenues have grown from \$36.6 Million in 2015 to \$63.8 Million in 2019. - Profit before tax has grown from \$3.2 Million in 2015 to \$5.4 Million in 2019. - Equity and Equity Ratio have grown from \$7.0 Million (39%) in 2015 to \$14.2 Million (59%) in 2019.
11	What is your US market share for the solutions that you are proposing?	<p>November Market Share Numbers 2019</p> <p>MOBILES: 37%</p> <p>SKYLIFTS: 53%</p> <p>DIAMOND LIFTS: 38%</p> <p>ECOLIFT: 77%</p>

12	What is your Canadian market share, if any?	Stertil-Koni is a member of the Automotive Lift Institute (ALI). The ALI organization provides overall market share or market penetration numbers and we know from the statistical evidence that the Canadian market represents approximately 18% of the total. Within that 18% distribution, it is estimated that Stertil-Koni has overwhelming market share penetration figures amounting to what we believe is about 62% market penetration. We are able to determine these numbers through careful analysis of reported lifts among all ALI members. We also can reasonably estimate market share based on the total number of known projects and the percentage of an acquisition on the part of Stertil-Koni. We also feel that the Canadian market is a great opportunity for SOURCEWELL inasmuch as most or we should say the vast majority of previous Canadian sales have not utilized SOURCEWELL funding or participation.
13	Has your business ever petitioned for bankruptcy protection? If so, explain in detail.	No. Stertil-Koni has never petitioned for bankruptcy protection.
14	How is your organization best described: is it a manufacturer, a distributor/dealer/reseller, or a service provider? Answer whichever question (either a) or b) just below) best applies to your organization. a) If your company is best described as a distributor/dealer/reseller (or similar entity), provide your written authorization to act as a distributor/dealer/reseller for the manufacturer of the products proposed in this RFP. If applicable, is your dealer network independent or company owned? b) If your company is best described as a manufacturer or service provider, describe your relationship with your sales and service force and with your dealer network in delivering the products and services proposed in this RFP. Are these individuals your employees, or the employees of a third party?	Stertil-Koni (SK) is best described as a distributor/dealer/reseller for a manufacturer of the products/ equipment and related services being proposed. a) Stertil-Koni is the sales and marketing arm of the parent company we represent, Stertil Group B.V. Stertil-Koni is also the sales and marketing arm of the U.S. manufacturing company, Stertil ALM. Please find attached evidence of SK authorization as a re-seller of equipment from Stertil B.V. and Stertil ALM (Attachments 4,5). b) Not applicable: Stertil-Koni is not best described as a manufacturer. Rather, we could best be described as a member of the Stertil Group BV family of companies with a mandate to provide sales and service through an independent network of 30 exclusive distributors that operate in the U.S., Canada, and the Caribbean. These dealers are all independent third-party entities and represent the SK products in the heavy-duty vehicle lifting product marketplace on an exclusive basis in their specific territories.
15	If applicable, provide a detailed explanation outlining the licenses and certifications that are both required to be held, and actually held, by your organization (including third parties and subcontractors that you use) in pursuit of the business contemplated by this RFP.	Stertil-Koni USA, Inc. is incorporated in the State of Maryland. We have attached the Good Standing Certificate as of May 20, 2015, issued by the State of Maryland, Department of Assessment and Taxation (Attachment 6). Stertil-Koni USA's FEIN # is 52-2010741. Our line of business does not require any additional specific licenses or certifications. That said, Stertil-Koni is a member of Automotive Lift Institute (ALI), our industry's highly regarded independent watchdog and Stertil-Koni is proud to have the greatest number of heavy-duty lifting systems that are ALI/ETL Certified. By way of further background, ALI's mission is to promote the safe design, construction, installation, inspection, and use of vehicle lifts. Please see attached information about ALI (Attachment 7) as well as documentation showing all of Stertil-Koni's lift models and accessories that are certified by ALI (Attachment 8).
16	Provide all "Suspension or Debarment" information that has applied to your organization during the past ten years.	Not applicable: Stertil-Koni has not been the subject of "Suspension or Disbarment."
17	Within this RFP category there may be subcategories of solutions. List subcategory titles that best describe your products and services.	Stertil-Koni's product line can best be described as heavy-duty vehicle lifting systems, shop equipment, hoists, related accessories and ongoing fleet servicing equipment for government, municipalities and education entities.

Table 3: Industry Recognition & Marketplace Success

Line Item	Question	Response *
18	Describe any relevant industry awards or recognition that your company has received in the past five years	<p>Stertil-Koni has won a number of key awards for its product engineering. In addition, the company has been awarded multiple patents by the United States Patent and Trademark Office (USPTO) and the Canadian Patent Office for its products.</p> <p>Industry recognition</p> <ul style="list-style-type: none"> • First lift company to be ISO 9001 certified • First lift manufacturer to offer certified mobile lifting columns utilizing wireless communications • First lift manufacturer to offer certified mobile lifting columns which incorporate active energy retrieval system (AERS) • Stertil-Koni has the largest number of ALI/ETL certified heavy-duty vehicle lifts registered with our industry's independent watchdog, the Automotive Lift Institute (ALI). • Recipient of the prestigious Innovation Award from Professional Tool and Equipment for the development of the EARTHLIFT, the industry's first "green" mobile column lift. EARTHLIFT has components that are 98% recyclable, use bio-degradable fluid, feature batteries that are 100% recyclable and employ an Active Energy Retrieval System to deliver 35% more lifting cycles at maximum load. • Only lift manufacturer to offer certified 4 post lifting system with a lifting capacity of 66,000 lbs. • Only lift manufacturer to offer certified platform lifting system (SKYLIFT) that can be extended with certified platform extensions at 49 inches each • Only lift manufacturer with 4 post lifts, without cross beams (ST4175 & ST4250), in capacities in excess of 50,000 lbs. • Market leader in sales of certified heavy-duty mobile lifting columns • Market leader in the total number of certified heavy-duty vehicle lifts • Only vehicle lift manufacturer that concentrates solely on the heavy-duty lift market, with lifting capacities starting at 16,000 lbs.
19	What percentage of your sales are to the governmental sector in the past three years	Stertil-Koni built its reputation and sales based on municipal or government sales. From our inception in 1997 to 2010 the percentage of sales to the governmental sector was 81%. However, since 2011 Stertil-Koni began an active campaign to even out sales between government and the private sector. As a result of these efforts between 2011 and 2019 our government sector represented 68% with 32% trending toward the private sector. In terms of a particular direction, 20% of that 32% is focused on national accounts such as United Airlines, Southwest Airlines, Penske, and Ryder trucks.
20	What percentage of your sales are to the education sector in the past three years	The education sector is relatively underrepresented at Stertil-Koni and represents approximately 4% of sales. This is an area where we hope and expect that Sourcewell availability can help us increase market share. The majority of sales within that 4% is devoted to School Districts.
21	List any state or cooperative purchasing contracts that you hold. What is the annual sales volume for each of these contracts over the past three years?	<p>CMAS: 2017-\$41,017 / 2018-\$120,672 / 2019-\$230,590</p> <p>NASPO: 2017-\$3,508,747 / 2018-\$4,392,441 / 2019-\$6,611,540</p> <p>Sourcewell: 2017-\$3,150,826 / 2018-\$5,196,142 / 2019-\$6,231,635</p> <p>TXMAS: 2017-\$230,120 / 2018-\$307,007 / 2019-\$219,814</p>
22	List any GSA contracts that you hold. What is the annual sales volume for each of these contracts over the past three years?	GSA: 2017-\$659,132 / 2018-\$1,177,562 / 2019-\$1,016,313

Table 4: References/Testimonials

Line Item 23. Supply reference information from three customers who are eligible for Sourcewell membership.

Entity Name *	Contact Name *	Phone Number *
Metropolitan Transit Council	Bill Beck	612.349.7338
Tri-Met	Karen Powell	503.962.2460
WMATA	Rob Herd	202.962.2680

Bid Number: RFP 013020

Vendor Name: Stertil-Koni USA, Inc.

Table 5: Top Five Government or Education Customers

Line Item 24. Provide a list of your top five government, education, or non-profit customers (entity name is optional), including entlty type, the state or province the entity is located in, scope of the project(s), size of transaction(s), and dollar volumes from the past three years.

Entity Name	Entity Type *	State / Province *	Scope of Work *	Size of Transactions *	Dollar Volume Past Three Years *	
WMATA	Government	District of Columbia - DC	Vehicle Lift Supply	\$5,000,00 +	\$5,000,000 +	*
Tri-Met	Government	Oregon - OR	Vehicle Lift Supply	\$395,000 \$1,605,000	\$2,000,000 +	*
MTC	Government	Minnesota - MN	Vehicle Lift Supply	\$276,000 \$421,000 \$803,000	\$1,500,000	*
New Jersey Transit	Government	New Jersey - NJ	Vehicle Lift Supply	\$151,000 \$642,000 \$207,000	\$1,000,000	*
Houston Metro	Government	Texas - TX	Vehicle Lift Supply	\$2,100,000 \$813,000 \$87,000	\$3,000,000	*

Describe your use of technology and digital data (e.g., social media, metadata usage) to enhance marketing effectiveness.

Stertil-Koni embraces advanced technology and the use of the Internet as key tools in providing world-class, ongoing marketing activities. Further, these elements will be a cornerstone of our dedicated efforts to ensure broad contract awareness in the U.S. and Canada upon an award from Sourcewell.

What follows below is greater detail regarding Stertil-Koni's use of technology to enhance marketing effectiveness.

Use of Technology:

Stertil-Koni employs the latest technology on multiple fronts to provide world-class marketing. We will leverage our expertise and apply it to enhance our marketing effectiveness in conjunction with an award from Sourcewell -- all to ensure national (and international) contract awareness. Examples include:

- a. **CRM System:** Stertil-Koni utilizes a custom-built, web-based customer relationship management (CRM) system that is updated daily to track all bids, leads, projects, trade shows, customer interactions, customer feedback, distributor activities, sales and more. This is all part of our ongoing management approach that we describe in two simple words: "Measurement Matters." The result? Top management and sales representatives can track in real-time all active deals, leads, and trade show activity across the U.S. and Canada to increase our "closing rate" and ensure the highest levels of customer satisfaction.
 - b. **Enterprise Software:** Stertil-Koni uses a powerful enterprise software system from SAP to closely track inventory, product shipments, sales, warranty claims, and financial results to further ensure the superior reviews in terms of customer support and satisfaction. All Sourcewell-related sales are also tracked in our digital record-keeping system.
 - c. **Real-time Communications Systems:** Stertil-Koni utilizes the latest technologies to provide real-time communications with our sales team, distributors and customers, including: a 24/7 customer hotline, smart phones, iPads, laptop computers, website updates, email communications, eBlasts, blog, password-protected extranet and social media.
 - d. **Google Analytics:** Website tracking and performance is reviewed daily and Stertil-Koni continuously strives to boost our website visibility, unique visitor count, page views, time-on-site and Search Engine Optimization (SEO).
 - e. **Constant Contact Email Marketing:** Stertil-Koni uses a proprietary, opt-in contact list of more than 35,00 individuals -- grown organically over the past 24 years -- to deliver weekly product, contract, and service updates that are in turn monitored for "Opens" and "Click-through" rates." Performance, in terms of messaging and imagery, is evaluated continuously, and we modify our techniques to enhance customer "Opens," "Click-Throughs," and information requests.
 - f. **Vimeo and YouTube:** Stertil-Koni maintains a company "channel" on our website that features 37 videos. Company marketing and product videos are distributed regularly via two of the most broadly used video delivery systems -- YouTube and Vimeo.
 - g. **Video Conferencing:** Stertil-Koni regularly uses WebEx, Skype, GoToMeeting and join.me.
- Use of the Internet**
Communicating via the Internet is also fundamental to Stertil-Koni's marketing focus, including:
- i) **Website:** www.Stertil-Koni.com
 - ii) **Blog:** www.VehicleLiftConnection.com
 - iii) **Social Media** -- Facebook, Twitter, Instagram, LinkedIn
 - iv) **Email "Blasts" and Tracking:** Constant Contact
 - v) **Extranet:** 24/7 access for distributors and sales personnel to obtain specifications, drawings, manuals, brochures and latest product updates
 - vi) **CRM System:** Zoho
 - vii) **Video Conferencing:** WebEx, Skype, GoToMeeting, join.me

34	In your view, what is Sourcewell's role in promoting contracts arising out of this RFP? How will you integrate a Sourcewell-awarded contract into your sales process?	<p>Stertil-Koni is proud to have extensive experience working in partnership with Sourcewell in terms of promoting our existing Contract #061015-SKI. Looking ahead, Sourcewell will also have a key role in promoting a new contract arising out of this RFP, with highlights as follows:</p> <ul style="list-style-type: none"> • Sourcewell literature and graphics to be displayed at Stertil-Koni's extensive trade show schedule of events (+100 trade shows per year); • Sourcewell executive to participate at Stertil-Koni's Annual Distributor Meeting -- our single most important sales event of the year -- and make a major presentation to all our key leadership and sales personnel regarding the tremendous opportunities afforded by the Sourcewell contract; • Sourcewell to issue its own press release announcing that Stertil-Koni has been awarded a contract for "Vehicle Lifts, with Garage and Fleet Maintenance Equipment." <p>For our part, Stertil-Koni will integrate a Sourcewell-awarded contract into our sales process with details below:</p> <ul style="list-style-type: none"> • Immediately upon the contract award, SK will contact all employees and distributors with news of the award, and that same day, initiate our high-impact marketing campaign. • Sales personnel will be the first to be targeted. Hence, our campaign, emphasizing the contract award, will instantly reach Stertil-Koni's in-house sales personnel, totaling 13 top professionals located strategically across North America as well as our entire distributor network, totaling 30 distributor companies and approximately 100 salespeople in the U.S. and Canada. • It is our firm commitment that each Stertil-Koni sales representative and distributor will receive pertinent and timely information about the Sourcewell award and pricing within 24 hours of contract award, with ongoing briefings and follow-up. • Stertil-Koni website will feature news of the contract award on our homepage (please see sample on the attached graphic). • A Stertil-Koni press release will announce the contract award, to be distributed via PR Newswire to our extensive media contact list. • Sourcewell will receive prominent placement on our website's "How to Buy" page (please see attached example). • Stertil-Koni will deliver an eBlast to our opt-in list of +35,000 via Constant Contact (sample attached) and continue to inform this key audience regarding the opportunity to purchase our lifting systems, shop equipment, and accessories via the Sourcewell contract. • Trade show presence in terms of Sourcewell literature and banners (sample attached). • Sourcewell presentation, by a senior Sourcewell executive, at the Stertil-Koni Annual Distributor Meeting. • Stertil-Koni Marketing will design and run select banner ads in key industry trade publications (sample attached).
35	Are your products or services available through an e-procurement ordering process? If so, describe your e-procurement system and how governmental and educational customers have used it.	<p>At the current time, market forces have shown -- and Stertil-Koni concurs -- that the company's heavy duty vehicle lifting systems are not yet applicable for an E-procurement process, particularly given the complexity of the systems and the consultative manner in which they are evaluated and sold.</p> <p>That said, Stertil-Koni does make every effort to achieve and expand its online visibility for its full range of products, accessories and service.</p> <p>Our entire product line, range of comprehensive shop equipment and accessories are available online at www.Stertil-Koi.com with product detail available as follows:</p> <ul style="list-style-type: none"> • Stertil-Koni Product Catalog; and • Stertil-Koni Shop Equipment and Accessories.

Table 8: Value-Added Attributes

Line Item	Question	Response *
-----------	----------	------------

36	Describe any product, equipment, maintenance, or operator training programs that you offer to Sourcewell Members. Include details, such as whether training is standard or optional, who provides training, and any costs that apply.	<p>All equipment provided by Stertil-Koni and our network of dedicated distributors includes equipment setup and operational training as standard. At any time after the initial sales, the Stertil-Koni group can provide additional operator training. Further, training material is always available in print, web and video formats. Also, when requested by the end-user, Stertil-Koni will additionally provide maintenance training on our equipment and accessories.</p> <p>In addition, SK holds regular, ongoing sales and product training meetings at multiple locations around the U.S. At those meetings, equipment maintenance, and training is conducted and evaluated in detail.</p>
37	Describe any technological advances that your proposed products or services offer.	<p>Stertil-Koni is the recognized innovation leader in the heavy-duty vehicle lift industry. Stertil-Koni holds numerous patents in the United States and Canada for our lifting methods, engineering design, and support systems. Many of the products offered by Stertil-Koni are unique and are not available from other manufacturers. For example, Stertil-Koni was the first manufacturer to offer a green lifting solution for mobile lifting columns and now offers a control system – called eBright Smart Control System – that incorporates a 7-inch, full-color touch screen, much like a computer tablet, for human/machine interface.</p> <p>This solution puts all the operations of the vehicle lift directly at the fingertips of the person who needs the information most – the busy technician on the shop floor. Further, future updates can be provided via software downloads; performance tracking is captured in a “black box” environment; and, the touch-screen interface is quick, easy-to-use and intuitive. Please note that the eBright Smart Control System is ALI/ETL certified and unmatched in the industry.</p> <p>Highlights of what the eBright Smart Control System will be capable of include:</p> <ul style="list-style-type: none"> • A high resolution, brightly illuminated, full-color, a 7-inch screen • Touch screen control, even when the technician is wearing gloves • Owner/user-configurable options, including choice of language and personalized ID key to protect against unauthorized use • Presentation of all relevant information at a glance • Up to 16 mobile columns fully synchronized in a single set. <p>Modeled on the conceptual benefits of today's computer tablets, features of the eBright Smart Control system will include such vital data as maintenance notifications, programmable lifting-height settings, tracking of specific operations, information codes and even the operator manual.</p> <p>Because Stertil-Koni always puts the customer first – and views the delivery of data to our end users as a key support element, further distinguishing our product line – the eBright Smart Control System will be fully integrated into all of SK's heavy-duty lifting systems within the next 1-3 years (depending on model).</p>
38	Describe any "green" initiatives that relate to your company or to your products or services, and include a list of the certifying agency for each.	<p>At Stertil-Koni, the leader in heavy-duty vehicle lifts, we've taken green technology to new heights in both mobile column lifts and in-ground lifts. Our highly regarded EARTHLIFT is the first hydraulic green mobile column lift in the industry. Its columns are made with components that are 98% recyclable and the Active Energy Retrieval System (AERS) allows operators to achieve 50% more lifting cycles at maximum lifting load. What's more, the on-screen display highlights the AERS system, enabling the operator to see savings in real-time. EARTHLIFT also uses a closed hydraulic system that contains bio-degradable fluid and the batteries are 100% recyclable.</p> <p>Many maintenance facilities also utilize in-ground lifts. That's why Stertil-Koni pioneered with the introduction of our U.S. - and Canadian-patented ECOLIFT, with lifting capacity up to 90,000 lbs. It is the industry's original ultra-shallow, full-rise in-ground axle engaging lift. In addition, ECOLIFT uniquely combines high pressure, low volume hydraulics and only requires 3.5 gallons of fluid per scissor – and the hydraulics and electrical components are contained in a free-standing console above ground for easy access. This lift ensures sizeable cost savings on construction and installation and can be utilized in existing workshop pits and even at locations with high water tables.</p> <p>Stertil-Koni also recently introduced the DIAMONDLIFT, an in-ground telescopic piston lift setting new standards in heavy-duty lifting. Each piston uses less than five gallons of biodegradable hydraulic fluid. Plus, all DIAMONDLIFT cassettes are fully self-contained thanks to Stertil-Koni's exclusive DiamondGuard coating. This unique compound ensures that hazardous shop fluids do not enter the environment. In that way, soil contamination is not a concern.</p>

42	Identify your ability and willingness to provide your products and services to Sourcewell member agencies in Canada.	<p>Canada is the 9th largest economy in the world based on a nominal GDP basis (current prices, U.S. dollars) and the 14th largest based on GDP (Purchasing Power Parity). Since the 2008 global financial crisis, the Canadian economy has re-emerged as one of the strongest and most advanced business climates in the world. The Importance of Canadian sales to Stertil-Koni is extremely significant. In 2014, the sales from Canadian customers represented 21% of total SK sales, coming primarily from the strong economies of Alberta and Ontario. In fact, two of the top five Stertil-Koni distributors are located in, and service Canada. Therefore, Canada is an important and vital part of Stertil-Koni's total operation.</p> <p>Historically, Canadians have devoted significant money and resources to refurbish maintenance shops and on a proportional basis, have modernized their vehicle maintenance operations at a quicker pace than comparable American counterparts. To that degree, Stertil Koni is seeing a spirited effort toward overall lift replacement and refurbishments of municipal shops throughout Canada. Stertil-Koni's representation in Canada is deep and meaningful. We enjoy two primary distributors.</p> <p>a. Westvac, situated in Edmonton Alberta services British Columbia where they have a brick and mortar office as well as Alberta and Manitoba.</p> <p>b. Novaquip, the other distributor, sells and services Stertil Koni products in Ontario, Quebec, and Newfoundland. Novaquip has done substantial business with the Toronto Transit Commission (TTC), one of the largest transit operations in the world and is currently involved in the refurbishments of approximately 130 in-ground lifts throughout the 7+ TTC garages. This on-going project will last many more years and Novaquip is at the heart of the upgrades for these maintenance depots.</p> <p>Stertil-Koni is focused on improving and growing sales from Canadian customers and given their cultural and geographical proximity to the U.S., we believe that Sourcewell can play a significant role in enhancing those overall efforts.</p> <p>It is also important to stress that as a global company, Stertil-Koni has sister operations in a number of key countries worldwide, notably: The Netherlands, Germany, Italy, France, the U.K. and Ireland, Turkey, Poland, and China.</p>
----	--	---

Table 9: Warranty

Describe in detail your manufacturer warranty program, including conditions and requirements to qualify, claims procedure, and overall structure. You may upload representative samples of your warranty materials (if applicable) in the document upload section of your response in addition to responding to the questions below.

Line Item	Question	Response *
43	Do your warranties cover all products, parts, and labor?	All of our products are covered by our warranty. Our standard warranty is 1-year labor, 2 years parts, and 5 years parts only on hydraulic cylinders used in our mobile lifting columns and a lifetime parts-only warranty on nylon guide rollers used in SK lifting products that utilize such rollers. (Attachment 11)
44	Do your warranties impose usage restrictions or other limitations that adversely affect coverage?	We do have two instances where the warranty is limited (a) This warranty does not apply where equipment has been damaged due to abnormal wear, misuse, overloading, accident (including shipping), improper maintenance, alteration, improper fluid maintenance, or other causes "not the result of defective materials or workmanship." (b) Stertil-Koni lifting equipment must be installed and serviced by Stertil-Koni factory trained and Stertil-Koni factory-authorized service technicians. Stertil-Koni lifting equipment not installed and serviced by Stertil-Koni factory trained and Stertil-Koni factory-authorized service technicians will result in a voided warranty.
45	Do your warranties cover the expense of technicians' travel time and mileage to perform warranty repairs?	Yes, under the one (1) year labor timeframe of our warranty. Past the one (1) year, technicians' travel and time are billable.
46	Are there any geographic regions of the United States (and Canada, if applicable) for which you cannot provide a certified technician to perform warranty repairs? How will Sourcewell Members in these regions be provided service for warranty repair?	Not applicable: Stertil-Koni covers all geographic regions of the U.S. Warranty service is handled through our network of distributors. Each distributor has an assigned geographic area they are responsible to cover. See attachment 10 for the distributor listing.
47	Will you cover warranty service for items made by other manufacturers that are part of your proposal, or are these warranties issues typically passed on to the original equipment manufacturer?	Yes. All of our products are covered by our standard warranty - 1-year labor, 2 years parts.
48	What are your proposed exchange and return programs and policies?	The advanced heavy-duty lifting systems and related products offered by Stertil-Koni to Sourcewell members are provided after the completion of a comprehensive consultative sales process. Stertil-Koni, and our network of dedicated distributors, pride ourselves on the level of interaction we have with our customers to ensure the end-user gets the specific equipment to fit his or her needs. As such, Stertil-Koni has not experienced the need to take the product back as returned. But, rest assured that customer satisfaction is the controlling principle at Stertil-Koni; and, if we could not satisfy the customer, we would gladly allow the product to be returned with no penalties. If a product needed to be exchanged due to a problem that could not be remedied in the field, Stertil-Koni would exchange this product for an identical product and provide shipping both ways for the exchanged product.
49	Describe any service contract options for the items included in your proposal.	Because the type of equipment that Stertil-Koni sells (with the exception of mobiles) requires an installation phase or several installation phases there are various options for both installation and post-sale service requirements that are performed by our distributors. Such options are generally speaking specifically given the particular equipment and demands and needs of the customer. As such, they are generally individualized approaches suited to the particular needs and requirements of individual customers. Obviously Sourcewell would benefit from such options.

Table 10: Payment Terms and Financing Options

Line Item	Question	Response *
50	What are your payment terms (e.g., net 10, net 30)?	Stertil-Koni's payment terms are Net 30
51	Do you provide leasing or financing options, especially those options that schools and governmental entities may need to use in order to make certain acquisitions?	Not applicable: Stertil-Koni does not have a leasing plan or financing options available at this time.
52	Briefly describe your proposed order process. Include enough detail to support your ability to report quarterly sales to Sourcewell as described in the Contract template. For example, indicate whether your dealer network is included in your response and whether each dealer (or some other entity) will process the Sourcewell Members' purchase orders.	<p>The Dealer Network (Stertil-Koni's distributors) will be instrumental in the overall success of the Sourcewell / Stertil-Koni USA partnership and as such they will be very involved in the sales and order processing procedure.</p> <p>As it relates to the specific ordering process, we require that purchase orders from Sourcewell Members be issued to Stertil-Koni USA, rather than the Dealer Network. Of course, the distributors will be the main source of sales and the principal contact point with a Sourcewell Member as it relates to product demonstrations, setup and training, and regular customer service questions.</p> <p>That said, when it comes to issuing a purchase order, our distributors will know that the purchase order process is centralized. A centralized ordering point is also how the Stertil-Koni GSA contract is set up, and that procedure has worked extremely well. In fact, over the 10 years, we have held the GSA contract, all parties involved have had a very good experience with this arrangement.</p> <p>There are two main reasons why we recommend a centralized ordering point:</p> <p>a) Consistency, accuracy and contract compliance. All of our distributors are independent third parties. As such, it would be virtually impossible for Stertil-Koni USA to guarantee contract compliance as it relates to pricing, discounts, and other terms and conditions if we don't see each purchase order. Thus, the only way Stertil-Koni USA can guarantee 100% compliance is by processing all orders directly.</p> <p>b) Reporting: Centralizing all purchase orders through Stertil-Koni USA will also ensure that all sales are included in calculating and payment of the administrative fee to Sourcewell.</p> <p>We want to emphasize that one of Stertil-Koni USA's great strengths lies within our highly customer-oriented Dealer Network. Even though the purchasing process is centralized, all Sourcewell Members will receive the same level of service and follow up as if they placed their purchase orders locally.</p> <p>Therefore, Stertil-Koni USA requires that all purchase orders from Sourcewell Members shall be issued to Stertil-Koni USA, Inc. by:</p> <p>E-mail: orders@sterdil-koni.com Mail: Stertil-Koni USA, Inc., 200 Log Canoe Circle, Stevensville, MD 21666 Fax: +1 410-643-8901</p>
53	Do you accept the P-card procurement and payment process? If so, is there any additional cost to Sourcewell Members for using this process?	No. At the current time, Stertil-Koni does not accept the P-card and payment process. However, we are open to exploring the opportunity.

Table 11: Pricing and Delivery

Provide detailed pricing information in the questions that follow below. Keep in mind that reasonable price and product adjustments can be made during the term of an awarded Contract as described in the RFP, the template Contract, and the Sourcewell Price and Product Change Request Form.

Line Item	Question	Response *
-----------	----------	------------

Bid Number: RFP 013020

Vendor Name: Stertil-Koni USA, Inc.

54	Describe your pricing model (e.g., line-item discounts or product-category discounts). Provide detailed pricing data (including standard or list pricing and the Sourcewell discounted price) on all of the items that you want Sourcewell to consider as part of your RFP response. If applicable, provide a SKU for each item in your proposal. Upload your pricing materials (if applicable) in the document upload section of your response.	<p>Stertil-Koni publishes and regularly updates a price list that contains all items that will be offered to Sourcewell members. At the same time, there are a limited number of Open Market items, such as product installation for fixed lifts, which are not found on the published price list but are negotiated with, and agreed upon in partnership with the end-user before consummation of the sale. The Purchase Order for an item of this type is always directed to Stertil-Koni.</p> <p>Canada: On request, Stertil-Koni USA, Inc. will provide quotes in Canadian Dollars that will remain valid for 30 days.</p>
55	Quantify the pricing discount represented by the pricing proposal in this response. For example, if the pricing in your response represents a percentage discount from MSRP or list, state the percentage or percentage range.	<p>Stertil-Koni is pleased to be provided with this opportunity by Sourcewell. We realize the value of purchasing contracts and look forward to a favorable outcome in our proposal to Sourcewell. Stertil-Koni intends to offer Sourcewell a very favorable discount off the list price as displayed in our published price list. The discounts on Stertil-Koni lifting systems will be as follows:</p> <p>For the purchase of 1 lifting system: 29% off list price For the purchase of 2-7 lifting systems: 32% off list price For the purchase of 8 or more lifting systems: 33.5% off list price</p>
56	Describe any quantity or volume discounts or rebate programs that you offer.	<p>For the purchase of 1 lifting system: 29% off list price For the purchase of 2-7 lifting systems: 32% off list price For the purchase of 8 or more lifting systems: 33.5% off list price</p>
57	Propose a method of facilitating "sourced" products or related services, which may be referred to as "open market" items or "nonstandard options". For example, you may supply such items "at cost" or "at cost plus a percentage," or you may supply a quote for each such request.	<p>All Stertil-Koni lifting system products will be offered as part of the Sourcewell contract. With regard to "Open Market" items as they relate to Stertil-Koni, these typically would be for infrastructure repairs associated with fixed machinery (i.e., in-ground lifting systems, two-post, four-post and platform lifts).</p> <p>In those instances:</p> <ol style="list-style-type: none"> Strategy: The Sourcewell member will work with the Stertil-Koni distributor in the member's territory to establish a fair and reasonable price for the Open Market item/s. Process: Stertil-Koni's distributor will alert Stertil-Koni to the request and communicate the details to the Sourcewell member and Stertil-Koni. Specific Method: The Sourcewell member will add the agreed-upon Open Market item on the PO, which is submitted directly to Stertil-Koni.
58	Identify any element of the total cost of acquisition that is NOT included in the pricing submitted with your response. This includes all additional charges associated with a purchase that are not directly identified as freight or shipping charges. For example, list costs for items like pre-delivery inspection, installation, set up, mandatory training, or initial inspection. Identify any parties that impose such costs and their relationship to the Proposer.	<p>Total "Costs of Acquisition" charges not included in "Pricing" submitted in the Stertil-Koni proposal are:</p> <ol style="list-style-type: none"> Installation of fixed equipment lifting systems (e.g., in-ground piston and scissor lifts, platform lifts, two-post and four-post lifts): These costs are Open Market costs to be agreed upon between the Sourcewell member and the Stertil-Koni distributor. Freight: FOB Stevensville
59	If freight, delivery, or shipping is an additional cost to the Sourcewell Member, describe in detail the complete freight, shipping, and delivery program.	<p>All shipping and delivery is FOB Stevensville, at cost.</p> <p>By way of further background, Stertil-Koni has a dedicated Logistics Department at the company's headquarters in Stevensville, Maryland, that works with numerous, high-quality shipping companies throughout the United States and Canada.</p> <p>With the unique shape, weight and transportation considerations of our equipment, Stertil-Koni has developed a very responsive transportation network. We have very competitive rates with all our carriers and have an outstanding record of less than 0.1% in freight damage using our methods.</p> <p>In sum, Stertil-Koni does not markup freight charges, only invoicing for exact charges for equipment shipments.</p>
60	Specifically describe freight, shipping, and delivery terms or programs available for Alaska, Hawaii, Canada, or any offshore delivery.	<p>Stertil Koni products offered to Sourcewell members are priced FOB Stertil-Koni in Stevensville, Maryland. As such, the original expense to ship product to the user is paid by the user at the time of sale. This includes all locations. In accordance with the exchange and return policy stated above, and to ensure radical customer service, Stertil Koni would provide for shipping as needed to return or exchange a product that did not satisfy the end-user (at SK expense).</p>

61	Describe any unique distribution and/or delivery methods or options offered in your proposal.	As previously described delivery of equipment outside the continental US generally will require the use of containerized vessels to various ports. For example, we provide ECOLIFT's to San Juan Puerto Rico and those lifts can only be provided by including them in a sealed container which is a unique delivery method. 95% of the time our equipment can be included on common carriers.
----	---	--

Table 12: Pricing Offered

Line Item	The Pricing Offered in this Proposal is: *	Comments
62	b. the same as the Proposer typically offers to GPOs, cooperative procurement organizations, or state purchasing departments.	29% off list price. See attachment number 11

Table 13: Audit and Administrative Fee

Line Item	Question	Response *
63	Specifically describe any self-audit process or program that you plan to employ to verify compliance with your proposed Contract with Sourcewell. This process includes ensuring that Sourcewell Members obtain the proper pricing, that the Vendor reports all sales under the Contract each quarter, and that the Vendor remits the proper administrative fee to Sourcewell.	<p>In order to ensure contract compliance and proactively avoid potential errors, Steril-Koni has established procedures and systems in place. These procedures and systems were driven in part to fully comply with existing purchasing contracts, such as Steril-Koni USA's GSA schedule. Regarding the order processing side of the business, we have multiple checkpoints in place.</p> <p>a) The purchase orders from Sourcewell customers will be reviewed by two different members of the staff.</p> <p>b) All customer purchase orders are also checked for pricing, discount, and all other terms and conditions before the order is entered into the SAP system. We have implemented this order entry review process to catch pricing and discount anomalies prior to the order being inputted into our system.</p> <p>c) Finally, we check the invoice for pricing and discount compliance before the invoice is sent to the customer. Consequently, if there should be an error in the original quote, an error in the purchase order from the Sourcewell customer, or an incorrect order entry input on Steril-Koni USA's end, it will be discovered in our billing department before we create the invoice.</p> <p>Regarding sales reporting to Sourcewell and contract fees payable to Sourcewell, we will "tag" all sales arriving from the Sourcewell contract with a special code in SAP. The tagging will be done in the Order Entry Department. This process will not be unique to Sourcewell but is part of all order entries. This is also the same procedure and system we are currently using for GSA sales and contract fee reporting. A recent GSA audit confirmed that the procedures and systems we have in place are working very well. The GSA auditor was very pleased with the audit, the procedures, and systems in place at Steril-Koni USA.</p>
64	Identify a proposed administrative fee that you will pay to Sourcewell for facilitating, managing, and promoting the Sourcewell Contract in the event that you are awarded a Contract. This fee is typically calculated as a percentage of Vendor's sales under the Contract or as a per-unit fee; it is not a line-item addition to the Member's cost of goods. (See the RFP and template Contract for additional details.)	Steril-Koni proposes an administrative fee, payable to Sourcewell for contract facilitation, management, and promotion of the Sourcewell contract, of 1.75%

Table 14: Industry Specific Questions

Line Item	Question	Response *
65	If you are awarded a contract, provide a few examples of internal metrics that will be tracked to measure whether you are having success with the contract.	Because Stertil Koni is an ISO-9001 based company we apply the principles of ISO 9001 in everything we do. We have very sophisticated order entry systems that ensure that the customer is receiving the applicable equipment. We have an elaborate set of criteria that compare order attribution, with ordering confirmation and subsequently delivery parameters. We have a Smith School (University of Maryland) graduate on our staff. Smith School has one of the best highly rated acquisition programs in the United States and we take education and training on the part of our personnel very seriously. Many measures of control are integrated into all of the trackings that we perform. In addition, we have post-audit processes in place that are approved by Ernst and Young one of the foremost auditing firms in the world.
66	Identify any certification(s) that your business or the products included in your proposal have attained or received.	As previously mentioned, SK's products are virtually all ALI (third party certified) approved which means that the customer receives products that are UL, NEC, NFPA, and OSHA certified. We are also moving into the area of shop equipment and while it has not yet taken place all such equipment shall be PACE certified as well.
67	Describe the ability to adapt your products through modification or replacement to address obsolescence resulting from advances in technology.	Generally speaking, Stertil Koni makes every effort to foresee and anticipate product obsolescence in the design of our equipment. For example, Stertil Koni will be introducing a new generation of mobile lifts in 2021 which will include features unheard of and extremely forward-thinking. Rather than leave the thousands of customers with pre-existing technology we will make sure that the new generation mobile is compatible with older models from a software perspective.
68	For installation, repair, maintenance or warranty services included in your proposal, describe the training and/or certifications held or received by your service force.	Stertil Koni is a member of the Automotive Lift Institute (ALI) as such we promote and support the ALI inspector certification program. Our SK factory service people are ALI inspector certified as are a great majority of our distributors. Therefore, certification is an important component of the SK service network.
69	Describe your capabilities as it relates to the serviceability of the products included in your proposal (parts availability, response times, technical support, etc.).	SK maintains a minimum of \$1 million in spare parts for all of the products that we sell and service. SK uses a very sophisticated program called Velogix which ensures continued spare parts availability and assured delivery dates. In addition, SK employs many full-time service personnel that are continually working with our dedicated distributor base and provide training. For example, we are conducting 2 service schools in 2020 that ensure that our distributors have the latest training and technical information available.

Table 15: Exceptions to Terms, Conditions, or Specifications Form

Line Item 70. **NOTICE:** To identify any exception, or to request any modification, to the Sourcewell template Contract terms, conditions, or specifications, a Proposer must submit the exception or requested modification on the **Exceptions to Terms, Conditions, or Specifications Form** immediately below. The contract section, the specific text addressed by the exception or requested modification, and the proposed modification must be identified in detail. Proposer's exceptions and proposed modifications are subject to review and approval of Sourcewell and will not automatically be included in the contract.

Contract Section	Term, Condition, or Specification	Exception or Proposed Modification

Documents

Ensure your submission document(s) conforms to the following:

1. Documents in PDF format are preferred. Documents in Word, Excel, or compatible formats may also be provided.
2. Documents should NOT have a security password, as Sourcewell may not be able to open the file. It is your sole responsibility to ensure that the uploaded document(s) are not either defective, corrupted or blank and that the documents can be opened and viewed by Sourcewell.
3. Sourcewell may reject any response where any document(s) cannot be opened and viewed by Sourcewell.
4. If you need to upload more than one (1) document for a single item, you should combine the documents into one zipped file. If the

Bid Number: RFP 013020

Vendor Name: Stertil-Koni USA, Inc.

zipped file contains more than one (1) document, ensure each document is named, in relation to the submission format item responding to. For example, if responding to the Marketing Plan category save the document as "Marketing Plan."

PROPOSER ASSURANCE OF COMPLIANCE

PROPOSER'S AFFIDAVIT

The undersigned, authorized representative of the entity submitting the foregoing proposal (the "Proposer"), swears that the following statements are true to the best of his or her knowledge.

1. The Proposer is submitting its proposal under its true and correct name, the Proposer has been properly originated and legally exists in good standing in its state of residence, the Proposer possesses, or will possess before delivering any products and related services, all applicable licenses necessary for such delivery to Sourcewell member agencies. The undersigned affirms that he or she is authorized to act on behalf of, and to legally bind the Proposer to the terms in this Contract.
2. The Proposer, or any person representing the Proposer, has not directly or indirectly entered into any agreement or arrangement with any other vendor or supplier, any official or employee of Sourcewell, or any person, firm, or corporation under contract with Sourcewell, in an effort to influence the pricing, terms, or conditions relating to this RFP in any way that adversely affects the free and open competition for a Contract award under this RFP.
3. The contents of the Proposer's proposal have not been communicated by the Proposer or its employees or agents to any person not an employee or agent of the Proposer and will not be communicated to any such persons prior to the official opening of the proposals.
4. The Proposer has examined and understands the terms, conditions, scope, contract opportunity, specifications request, and other documents in this solicitation and affirms that any and all exceptions have been noted and included with the Proposer's Proposal.
5. The Proposer will, if awarded a Contract, provide to Sourcewell Members the /products and services in accordance with the terms, conditions, and scope of this RFP, with the Proposer-offered specifications, and with the other documents in this solicitation.
6. The Proposer agrees to deliver products and services through valid contracts, purchase orders, or means that are acceptable to Sourcewell Members. Unless otherwise agreed to, the Proposer must provide only new and first-quality products and related services to Sourcewell Members under an awarded Contract.
7. The Proposer will comply with all applicable provisions of federal, state, and local laws, regulations, rules, and orders.
8. The Proposer understands that Sourcewell will reject RFP proposals that are marked "confidential" (or "nonpublic," etc.), either substantially or in their entirety. Under Minnesota Statute §13.591, Subd. 4, all proposals are considered nonpublic data until the evaluation is complete and a Contract is awarded. At that point, proposals generally become public data. Minnesota Statute §13.37 permits only certain narrowly defined data to be considered a "trade secret," and thus nonpublic data under Minnesota's Data Practices Act.

The Proposer understands that it is the Proposer's duty to protect information that it considers nonpublic, and it agrees to defend and indemnify Sourcewell for reasonable measures that Sourcewell takes to uphold such a data designation.

☒ By checking this box I acknowledge that I am bound by the terms of the Proposer's Affidavit, have the legal authority to submit this Proposal on behalf of the Proposer, and that this electronic acknowledgment has the same legal effect, validity, and enforceability as if I had hand signed the Proposal. This signature will not be denied such legal effect, validity, or enforceability solely because an electronic signature or electronic record was used in its formation. - Kellie Boehm, Administrative Sales Manager, Steril-Koni USA, Inc.

The Proposer declares that there is an actual or potential Conflict of Interest relating to the preparation of its submission, and/or the Proposer foresees an actual or potential Conflict of Interest in performing the contractual obligations contemplated in the bid.

☐ Yes ☐ No

Bid Number: RFP 013020

Vendor Name: Steril-Koni USA, Inc.

AMENDMENT #1
TO
CONTRACT #013020-SKI

THIS AMENDMENT is by and between **Sourcewell** and **Stertil-Koni USA Inc.** (Vendor).

Vendor has a Sourcewell Contract for Vehicle Lifts, with Garage and Fleet Maintenance Equipment relating to the provision of services by Vendor and to Sourcewell and its Members (Original Agreement).

The parties agree that certain terms within the Original Agreement will be updated and amended and only to the extent as hereunder provided.

IN CONSIDERATION OF the mutual covenants and agreements described in this Amendment, the parties agree as follows:

1. This Amendment is effective upon the date of the last signature below.
2. Section 20. Insurance, Subsection A. Requirements, Item 6 Network Security and Privacy Liability Insurance of the Original Agreement is modified to reduce the minimum limits required from \$2,000,000 to now \$1,000,000 per occurrence and annual aggregate.

Remainder of this page intentionally left blank.

Except as amended by this Amendment, the Original Agreement remains in full force and effect.

Sourcewell

Stertil-Koni USA Inc.

DocuSigned by:
By: Jeremy Schwartz
Authorized Signature

DocuSigned by:
By: Kellie Boehm
Authorized Signature

Jeremy Schwartz
Name – Printed

Kellie Boehm
Name – Printed

Title: Director of Operations & Procurement/CPO

Title: Administrative Sales Manager

Date: 1/25/2021 | 2:43 PM CST

Date: 1/25/2021 | 1:08 PM CST

Sourcewell-APPROVED:

DocuSigned by:
By: Chad Coquette
Authorized Signature

Chad Coquette
Name – Printed

Title: Executive Director/CEO

Date: 1/25/2021 | 2:51 PM CST