

Request for Legislative Action

Res. #21293
Sponsor: Charlie Franklin
Date: June 5, 2023

Completed by County Counselor's Office			
Action Requested:	Resolution	Res.Ord No.:	21293
Sponsor(s):	Charlie Franklin	Legislature Meeting Date:	6/5/2023

Introduction
Action Items: ['Authorize']
Project/Title:
Authorizing the purchase of one (1) single axle dump truck with snow equipment package and hydraulics, dump bed, and front plow assembly for use by the Parks + Rec department in the amount of \$197,134 under the terms and conditions of an existing competitively bid contract.

Request Summary
<p>Pursuant to Section 1030.4 of the Jackson County Code, Parks + Rec and the Purchasing Department recommend the purchase of one (1) 2024 International HV507 single axle dump truck with snow equipment package, hydraulics, dump bed, and front plow assembly at a cost of \$197,134. The truck would be purchased under the terms and conditions of Sourcewell Contract No. 080818-VCM, a competitively bid government contract and the order would be filled by Viking-Cives Midwest of Morely, Missouri.</p> <p>This truck is critical to Parks + Rec functions and will be used to replace a 1998 single axle dump truck that is beyond reasonable repair. The new dump truck will be used to clear and treat key park roads and parking lots for ice and snow in Fleming Park, e.g. two Marinas, Missouri Town, Park Administration, Ranger/Rec offices. It will also be used for projects on the eastern side of the park system, e.g. gravel parking lot repair, trail work and campground projects.</p> <p>Funding is available within the Department's approved 2023 budget, Account 003-1010-58130 (Trucks) for this purchase.</p> <p>The Sourcewell Contract and quote are attached for your review and reference.</p>

Contact Information			
Department:	Parks + Rec	Submitted Date:	5/12/2023
Name:	Brian Nowotny	Email:	BPNowotny@jacksongov.org
Title:	Deputy Director, Parks + Rec	Phone:	816-503-4803

Budget Information	
Amount authorized by this legislation this fiscal year:	\$197,134
Amount previously authorized this fiscal year:	\$ 0
Total amount authorized after this legislative action:	\$197,134
Is it transferring fund?	No

Request for Legislative Action

Single Source Funding:			
Fund:	Department:	Line Item Account:	Amount:
003 (Park Fund)	1010 (Parks - Fleet Replacement)	58130 (Trucks)	\$197,134

Prior Legislation	
Prior Ordinances	
Ordinance:	Ordinance date:
Prior Resolution	
Resolution:	Resolution date:

Purchasing	
Does this RLA include the purchase or lease of supplies, materials, equipment or services?	Yes
Chapter 10 Justification:	Fixed Price Contract
Core 4 Tax Clearance Completed:	Not Applicable
Certificate of Foreign Corporation Received:	Not Applicable
Have all required attachments been included in this RLA?	Yes

Compliance	
Certificate of Compliance	
In Compliance	
Minority, Women and Veteran Owned Business Program	
Goals Not Applicable for following reason: Contract is with another government agency	
MBE:	.00%
WBE:	.00%
VBE:	.00%
Prevailing Wage	
Not Applicable	

Fiscal Information
<ul style="list-style-type: none"> Funds sufficient for this appropriation and/or transfer are available from the source indicated on the budget information tab.

Request for Legislative Action

History

Submitted by Parks + Rec requestor: Brian Nowotny on 5/12/2023. Comments:

Approved by Department Approver Susan I. Kinnaman on 5/12/2023 1:48:59 PM. Comments:

Approved by Purchasing Office Approver Barbara J. Casamento on 5/15/2023 10:35:42 AM. Comments:

Approved by Compliance Office Approver Jaime Guillen on 5/15/2023 12:44:36 PM. Comments:

Approved by Budget Office Approver David B. Moyer on 5/15/2023 1:05:47 PM. Comments:

Approved by Executive Office Approver Sylvania Stevenson on 5/17/2023 9:28:34 AM. Comments:

Approved by Counselor's Office Approver Jamesia Manning on 6/1/2023 11:46:19 AM. Comments:

Fiscal Note:

This expenditure was included in the Annual Budget.

PC# _____

Date: May 15, 2023

RES # 21293
eRLA ID #: 923

<u>Org Code/Description</u>	<u>Object Code/Description</u>	<u>Not to Exceed</u>
-----------------------------	--------------------------------	----------------------

003	Park Fund	
------------	------------------	--

1010	Parks - Fleet Replacement	58130 Trucks	\$ 197,134
------	---------------------------	--------------	------------

APPROVED
By David Moyer at 12:58 pm, May 15, 2023

\$ 197,134

Budget Office

Prepared For:
JACKSON COUNTY PARKS & RE
John Johnson
22807 SW Woods Chapel Rd.
Blue Springs, MO 64015-9799
(816)881 - 3261
Reference ID: Parks

Presented By:
RUSH TRK CTR OF MO
Howard J Gentry
7700 NE 38TH ST.
KANSAS CITY MO 641619456
816-455-1833

Model Profile
2024 HV507 SFA (HV507)

AXLE CONFIG:	4X2
APPLICATION:	Front Plow with spreader
MISSION:	Requested GVWR: 35000. Calc. GVWR: 39000. Calc. GCWR: 80000 Calc. Start / Grade Ability: 32.70% / 2.94% @ 55 MPH Calc. Geared Speed: 73.5 MPH
DIMENSION:	Wheelbase: 161.00, CA: 86.00, Axle to Frame: 65.00
ENGINE, DIESEL:	{Cummins L9 300} EPA 2021, 300HP @ 2200 RPM, 860 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 3000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-16-143A} Wide Track, I-Beam Type, 16,000-lb Capacity
AXLE, REAR, SINGLE:	{Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential, 200 Wheel Ends Gear Ratio: 5.63
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 315/80R22.5 Load Range L HAU 3 WT (CONTINENTAL), 480 rev/mile, 68 MPH, All-Position
TIRE, REAR:	(4) 11R22.5 Load Range G HDR2+ (CONTINENTAL), 491 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, SINGLE:	23,500-lb Capacity, Vari-Rate Springs
PAINT:	Cab schematic 100WK Location 1: 9219, Winter White (Std) Chassis schematic N/A

Description

Base Chassis, Model HV507 SFA with 161.00 Wheelbase, 86.00 CA, and 65.00 Axle to Frame.

TOW HOOK, FRONT (2) Frame Mounted

TOW HOOK, REAR (2)

AXLE CONFIGURATION {Navistar} 4x2

FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.437" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL

BUMPER, FRONT Omit Item

FRAME EXTENSION, FRONT Integral; 20" In Front of Grille

WHEELBASE RANGE 146" (370cm) Through and Including 195" (495cm)

AXLE, FRONT NON-DRIVING {Meritor MFS-16-143A} Wide Track, I-Beam Type, 16,000-lb Capacity

SPRINGS, FRONT AUXILIARY Rubber

SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 16,000-lb Capacity, with Shock Absorbers

BRAKE SYSTEM, AIR Dual System for Straight Truck Applications

TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck

DRAIN VALVE {Berg} with Pull Chain, for Air Tank

AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System

AIR DRYER {Bendix AD-IP} with Heater

BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqrIn Spring Brake

BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqrIn

BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake

SLACK ADJUSTERS, FRONT {Gunitite} Automatic

SLACK ADJUSTERS, REAR {Gunitite} Automatic

AIR COMPRESSOR {Cummins} 18.7 CFM

AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab

AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Right Rail, Back of Cab, Perpendicular to Rail

DUST SHIELDS, FRONT BRAKE for Air Cam Brakes

DUST SHIELDS, REAR BRAKE for Air Cam Brakes

BRAKES, REAR {Meritor 16.5X7 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle

BRAKES, FRONT {Meritor 16.5X6 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 6", 23,000-lb Capacity

STEERING COLUMN Tilting

STEERING WHEEL 4-Spoke; 18" Dia., Black

STEERING GEAR (2) {Sheppard M100/M80} Dual Power

DRIVELINE SYSTEM {Dana Spicer} 1710, for 4x2/6x2

AFTERTREATMENT COVER Aluminum

Description

EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab

TAIL PIPE (1) Turnback Type

MUFFLER/TAIL PIPE GUARD (1) Bright Stainless Steel

EXHAUST HEIGHT 10'

ELECTRICAL SYSTEM 12-Volt, Standard Equipment

CIGAR LIGHTER Includes Ash Cup

ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount

ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Separate Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake accommodation package with Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket

BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud

2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab

SPEAKERS (2) 6.5" Dual Cone Mounted in Doors

ANTENNA for Increased Roof Clearance Applications

RADIO AM/FM/WB/Clock/USB Input/Auxiliary Input

BACK-UP ALARM Electric, 102 dBA

AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications

TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch

HORN, ELECTRIC Disc Style

BATTERY BOX Steel, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab

TURN SIGNALS, FRONT Dual Face, LED, Amber/Red, Mounted on Top of Fender, Used with Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors

WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time

SOLENOID, AIR for Customer Use; Provides (6) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only with Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position

SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished Back of Cab Light

CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade

TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights

HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on

COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side

INDICATOR, LOW COOLANT LEVEL with Audible Alarm

ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, with Ignition "OFF" and any Door Opened

STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start

CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses

Description

HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord

HEADLIGHTS Halogen

LOGOS EXTERIOR Model Badges

LOGOS EXTERIOR, ENGINE Badges

INSULATION, UNDER HOOD for Sound Abatement

GRILLE Stationary, Chrome

INSULATION, SPLASH PANELS for Sound Abatement

BUG SCREEN Mounted Behind Grille

FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV

PAINT SCHEMATIC, PT-1 Single Color, Design 100

PAINT TYPE Base Coat/Clear Coat, 1-2 Tone

COMMUNICATIONS MODULE Telematics Device with Over the Air Programming; Includes Five Year Data Plan and International 360

CUSTOMER IDENTITY for Sourcewell

PROMOTIONAL PACKAGE Government Silver Package

SAFETY TRIANGLES

CLUTCH Omit Item (Clutch & Control)

ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection

BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISL/L9 Engines

PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted

ENGINE, DIESEL {Cummins L9 300} EPA 2021, 300HP @ 2200 RPM, 860 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max)

FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed

RADIATOR Aluminum, Cross Flow, Front to Back System, 1228 SqIn, with 1167 SqIn Charge Air Cooler

AIR CLEANER Dual Element, with Integral Snow Valve and In-Cab Control

EMISSION, CALENDAR YEAR {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2023

THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel

ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use

ENGINE CONTROL, REMOTE MOUNTED No Provision for Remote Mounted Engine Control

CARB IDLE COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations

CARB EMISSION WARR COMPLIANCE Federal, Does Not Comply with CARB Emission Warranty

TRANSMISSION, AUTOMATIC {Allison 3000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway

OIL COOLER, TRANSMISSION {Modine} Water to Oil Type

SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, S1 Performance in Primary and Fixed Programming in Secondary

TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission

Description

TRANSMISSION OIL Synthetic; 29 thru 42 Pints

ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223

NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released

TRANSMISSION TCM LOCATION Located Inside Cab

PTO LOCATION Dual, Customer Intends to Install PTO at Left and/or Right Side of Transmission

AXLE, REAR, SINGLE {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential, 200 Wheel Ends . Gear Ratio: 5.63

SUSPENSION, REAR, SINGLE 23,500-lb Capacity, Vari-Rate Springs

SPRINGS, REAR AUXILIARY Multileaf; 4,500-lb Capacity

DEF TANK 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab

FUEL/WATER SEPARATOR {Racor 400 Series} 12 VDC Electric Heater, Includes Pre-Heater, with Primer Pump, Includes Water-in-Fuel Sensor, Mounted on Engine

FUEL TANK Top Draw, Non-Polished Aluminum, 26" Dia, 70 US Gal (265L), Mounted Left Side, Under Cab

CAB Conventional, Day Cab

AIR CONDITIONER with Integral Heater and Defroster

GAUGE CLUSTER Base Level; English with English Electronic Speedometer

GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission

GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} Mounted in Instrument Panel

IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster

SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust

SEAT, PASSENGER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Adjust

GRAB HANDLE, EXTERIOR (2) Chrome, for Cab Entry, (1) Towel Bar Type, with Anti-Slip Rubber Inserts Mounted Left Side at B-Pillar, (1) Towel Bar Type Mounted Right Side on Vertical Exhaust

MIRRORS (2) C-Loop, Power Adjust, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width

SEAT BELT All Orange; 1 to 3

CAB INTERIOR TRIM Classic, for Day Cab

MONITOR, TIRE PRESSURE Omit

ARM REST, RIGHT, DRIVER SEAT

ARM REST, LEFT, PASSENGER SEAT

WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature

FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood

CAB REAR SUSPENSION Air Bag Type

INSTRUMENT PANEL Flat Panel

Description

ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab

WHEELS, FRONT {Accuride 29039} DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Non-Standard Offset, with .5" Thick Disc

WHEELS, REAR {Accuride 29169} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs

WHEEL GUARDS, FRONT {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel

WHEEL GUARDS, REAR {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels

BDY INTG, REMOTE POWER MODULE Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total; Includes 1 Switch Pack with Latched Switches

BDY INTG, PTO ACCOMMODATION for (3) Latched Rocker Switches, (1) PTO Switch, (2) Generic Switches to Control (3) 30 amp relays, with Programmable Interlocks, for Body Builder Hook up in the Engine Compartment Left Side, Recommended for Automatic Transmissions

(4) TIRE, REAR 11R22.5 Load Range G HDR2+ (CONTINENTAL), 491 rev/mile, 75 MPH, Drive

(2) TIRE, FRONT 315/80R22.5 Load Range L HAU 3 WT (CONTINENTAL), 480 rev/mile, 68 MPH, All-Position

Services Section:

WARRANTY Standard for HV507, HV50B, HV607 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A

Set engine parameters 2023

This proposal is subject to production availability and material surcharges.

int

pk MD

(US DOLLAR)

Description

Price

Net Sales Price:

\$98,662.00

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without
Seller's Authorized Signature

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.



22956 Hwy 61
 PO Box 295
 Morley, MO 63767
 Phone: 573-262-3545
 Fax: 573-262-3369

Quote

Quote #	Date
169973	04/28/23

Customer		
JACKSON COUNTY PARKS & RECREATION ***EMAIL INVOICES*** 22807 SW WOODS CHAPEL ROAD		
BLUE SPRNGS	MO	64015

Ship To		
JACKSON COUNTY PARKS & RECREATION 22807 SW WOODS CHAPEL ROAD		
BLUE SPRNGS	MO	64015

Customer PO	Terms	Sales Rep	Lead Time	Ship Via	FOB	VIN
	NET 30	DALE	04/28/23			

Item	Description	Ordered	UOM	Price Per	Total Price
SOURCEWELL	Sourcewell Contract # 080818-VCM Customer member # (50994) Item sold (SW-TK0100, SW-TK0554, SW-CH0400, NJ2500)	1.00	EA	0.00	0.00
SW-CH0400	Single axle truck for 10' body packages, 2024 International HV507 - MSRP list price is shown, International chassis proposal is subject to production availability and future material surcharges	1.00	EA	139,080.46	139,080.46
NJ2500	Discounted chassis price at 25% off MSRP is \$104,310.34 Option to modify package with 25% off MSRP, variations from contract chassis include: - Transmission - Horsepower - Tire size - Cab to axle length Final price is \$98,662	1.00	EA	-40,418.46	-40,418.46
SW-TK0100	10' Single axle pkg with air controls Custom plow frame with 4" X 10" DA cylinder. LED plow lights with heated lenses & mounting brackets. 41R12 full trip power reverse plow. 10' SS dump body with CS90 DA hoist. Whelen Emergency light pkg 3 light rear, cab shield, mount front power load cover. 3/4" pintle plate with 45 Ton pintle hook. Central hyd system, piston pump, valve tank combo, valves for dump, reversible plow, spreader manifold, pneumatic actuators, basic spreader control. 10' stainless steel dual auger spreader with screens and hold downs.	1.00	EA	128,346.92	128,346.92
NJ2500	Discounted equipment price at 25% off MSRP is \$96,260.19	1.00	EA	-29,874.92	-29,874.92



22956 Hwy 61
 PO Box 295
 Morley, MO 63767
 Phone: 573-262-3545
 Fax: 573-262-3369

Quote

Quote #	Date
169973	04/28/23

Customer			
JACKSON COUNTY PARKS & RECREATION			
EMAIL INVOICES			
22807 SW WOODS CHAPEL ROAD			
BLUE SPRNGS	MO	64015	

Ship To			
JACKSON COUNTY PARKS & RECREATION			
22807 SW WOODS CHAPEL ROAD			
BLUE SPRNGS	MO	64015	

Customer PO	Terms	Sales Rep	Lead Time	Ship Via	FOB	VIN
	NET 30	DALE	04/28/23			

Item	Description	Ordered	UOM	Price Per	Total Price
------	-------------	---------	-----	-----------	-------------

Option to modify package with 25% off MSRP, variations from contract equipment are listed below

Final price is \$98,472.00

S7060	3" x 10" SA lift cylinder	1.00	EA	0.00	0.00
S7020-1	MoDOT bumper hitch with bolt on 12" channel bumper ends	1.00	EA	0.00	0.00
S7312	MoDOT swivel for MW plow w/ drop bars and hardware	1.00	EA	0.00	0.00
46636AU	MWSL30R10 Plow assembly with push frame, A-frame, two-chain lift, deflector and plow markers (no swivel or cutting edge)	1.00	EA	0.00	0.00
S7276	1.5" x 10" x 120.5" Rubber edge with slotted holes and cover bar	1.00	EA	0.00	0.00
SALES	Viking 11' Corten steel municipal dump body that includes doghouse and cab shield corners - less hoist, load cover, LED warning lights, tension hoop, auxiliary hydraulic connections and installation	1.00	EA	0.00	0.00
	- Western Style crossmemberless design				
	- Corten material				
	- 36" side height				
	- 36" tailgate height				
	- 1/4" AR450 floor				
	- Pullout ladder with grab handle				
	- Fully welded and dirt-shedding				
	- 1/4" Corten trapezoid style, fully enclosed long sills (no splices)				
	- Horizontal bracing sloped and fully welded				
	- Driver's side hydraulic lines to rear for spreader hookup				
	- Flush-mount tailgate				
	- Painted black				
MSRP2260	Hoist package for Viking platform or single axle dump body for installation on clean frame	1.00	EA	0.00	0.00



22956 Hwy 61
 PO Box 295
 Morley, MO 63767
 Phone: 573-262-3545
 Fax: 573-262-3369

Quote

Quote #	Date
169973	04/28/23

Customer		
JACKSON COUNTY PARKS & RECREATION		
EMAIL INVOICES		
22807 SW WOODS CHAPEL ROAD		
BLUE SPRNGS	MO	64015

Ship To		
JACKSON COUNTY PARKS & RECREATION		
22807 SW WOODS CHAPEL ROAD		
BLUE SPRNGS	MO	64015

Customer PO	Terms	Sales Rep	Lead Time	Ship Via	FOB	VIN
	NET 30	DALE	04/28/23			

Item	Description	Ordered	UOM	Price Per	Total Price
MSRP2310	Load cover with asphalt tarp for 10' body	1.00	EA	0.00	0.00
MSRP2450	Bolt-on Corten asphalt lip - 11"	1.00	EA	0.00	0.00
MSRP3010	Hydraulic system for Jackson County, which includes: <ul style="list-style-type: none"> - Force America hydraulic system - Front-mount pump - Stainless steel reservoir - Floor-mounted Ultra arm with joysticks - 5100EX spreader controller - Granular feedback - Valve sections for DA hoist with downside relief, SA plow lift with power float, DA plow angle, auger, spinner 	1.00	EA	0.00	0.00
MSRP3190	Snow and ice hydraulic install kit (includes hoses, fittings and hardware)	1.00	EA	0.00	0.00
SALES	10' Viking-Cives VCM-C-10-82-50 201SS drag chain spreader <ul style="list-style-type: none"> - 10 gauge and 12 gauge 201 2B stainless steel resists harsh winter conditions - 50:1 gearbox allows various spreading materials, including salt, sand, and mixes - 2" drive shaft and idler shaft with 8 tooth sprockets - 3/4" poly floor - Top screen breaks up material to prevent damage - Tailgate latch bar - Does not include tailgate 	1.00	EA	0.00	0.00
MSRP5135	Viking municipal lighting package	1.00	EA	0.00	0.00
MSRP5193	LED heated plow light	1.00	EA	0.00	0.00
MSRP6115	VCM supplied 7-wire pigtail - RV style	1.00	EA	0.00	0.00
MSRP6150	PH30 pintle hook with D-rings and plate	1.00	EA	0.00	0.00



22956 Hwy 61
 PO Box 295
 Morley, MO 63767
 Phone: 573-262-3545
 Fax: 573-262-3369

Quote

Quote #	Date
169973	04/28/23

Customer			
JACKSON COUNTY PARKS & RECREATION			
EMAIL INVOICES			
22807 SW WOODS CHAPEL ROAD			
BLUE SPRNGS	MO	64015	

Ship To			
JACKSON COUNTY PARKS & RECREATION			
22807 SW WOODS CHAPEL ROAD			
BLUE SPRNGS	MO	64015	

Customer PO	Terms	Sales Rep	Lead Time	Ship Via	FOB	VIN
	NET 30	DALE	04/28/23			

Item	Description	Ordered	UOM	Price Per	Total Price
MSRP6225	Pintle hitch install kit	1.00	EA	0.00	0.00
MSRP9100	Single axle install kit (includes miscellaneous electrical components and hardware)	1.00	EA	0.00	0.00
MSRP9140	Mud flap kit (includes front anti-sails and rear removable pin brackets)	1.00	EA	0.00	0.00

Prepared By: Chris
 Memo: SOURCEWELL
 QUOTE IS VALID FOR 30 DAYS

Sub-Total	197,134.00
Shipping	0.000
Discount	0.00
Taxes	0.00
Total	197,134.00

Customer must fill out the information below before the order can be processed.

Accepted by: _____ Date: _____ P.O.#: _____

*Quoted price does not include any applicable taxes.
 *Terms are Due Upon Receipt unless prior credit
 *Terms for established accounts, NET 30 days
 *Please note if chassis is furnished, it is as a convenience and terms are Net Due on Receipt of Chassis