REQUEST FOR LEGISLATIVE ACTION

Completed by County Counselor's Office: Res/Qrd No.: 19264

Sponsor(s): Tony Miller
Date: September 26, 2016

| SUBJECT | Action Requested |
|------------------------------|---|
| | ☐ Resolution |
| | Ordinance |
| | |
| | Project/Title: Authorizing the Lease of Golf Carts, Beverage Cart, Range Picker and Accessories for the Parks + |
| | Rec Department to E-Z-Go Division of Textron Inc. of Augusta, GA under the terms and conditions set forth in |
| | the National IPA contract No. 130795, an existing government contract with financing carried by PNC |
| DVID GET | Equipment Finance, LLC of Cincinnati, Ohio, effective January 1, 2017. |
| BUDGET | |
| INFORMATION To be completed | Amount authorized by this legislation this fiscal year: |
| By Requesting | Amount previously authorized this fiscal year: |
| Department and | Total amount authorized after this legislative action: |
| Finance | Amount budgeted for this item * (including transfers): Source of funding (name of fund) and account code number: |
| | 300-1666-56790 Park Fund, Fred Arbanas Golf Course, Other Contractual Services |
| | Total |
| | * If account includes additional funds for other expenses, total budgeted in the account is: \$ |
| | |
| | NOTE: This lease will become effective January 1, 2017; therefore, there is no budget impact in 2016. The |
| | new lease will be a Forty-Eight Month Lease; Monthly Payment Amount \$3,983; Annual Amount \$47,796; |
| | Forty-Eight month total cost \$191,184 subject to appropriation of annual budget. |
| | |
| | OTHER FINANCIAL INFORMATION: |
| | OTHER FINANCIAL INFORMATION: |
| | ☐ No budget impact (no fiscal note required) |
| | Term and Supply Contract (funds approved in the annual budget); estimated value and use of contract: |
| | Department: Estimated Use: \$ |
| | |
| | Prior Year Budget (if applicable): \$43,017.00 |
| DDIOD | Prior Year Actual Amount Spent (if applicable): \$43,017.00 |
| PRIOR LEGISLATION | Prior ordinances and (date): Prior resolutions and (date): |
| CONTACT | Prior resolutions and (date): |
| INFORMATION | RLA drafted by (name, title, & phone): Jessica Johnson, Senior Buyer, 816-881-3465 |
| REQUEST | tent drafted by (flame, title, & phone). Jessica Johnson, Semoi Buyer, 810-881-3403 |
| SUMMARY | The Parks + Rec Department requires a contract for the leasing of 68 golf carts, 1 beverage cart, 1 range picker |
| | and accessories for use at the Fred Arbanas Golf Course. |
| | |
| | Pursuant to Section 1030.4 of the Jackson County Code, the Director of Finance and Purchasing recommends the |
| | lease of golf carts, beverage cart, range picker and accessories for the Fred Arbanas Golf Course from E-Z-Go |
| | Division of Textron Inc of Augusta, GA under the terms and conditions of the National IPA Contract No. |
| | 130795, an existing government contract in the amount of \$191,184.00 with financing carried by PNC |
| | Equipment Finance, LLC of Cincinnati, Ohio. |
| | The Director of Finance and Purchasing recommends the purchase be made under this contract due to the higher |
| | volume discounts offered to larger government entities and/or buying groups. |
| | volume discounts offered to larger government entities and/or ouying groups. |
| CLEARANCE | |
| | Tax Clearance Completed (Purchasing & Department) N/A |
| | Business License Verified (Purchasing & Department) N/A |
| | Chapter 6 Compliance - Affirmative Action/Prevailing Wage (County Auditor's Office) |
| ATTACHMENTS | A Memorandum from Bob McMillin of the Parks + Rec Department: the quote from F-Z-Go Division of |

| | Textron Co of Augusta, GA; the pertinent pages of the National IPA Contract | |
|--------|---|---------------|
| REVIEW | Department Director: | Date: 9-16-16 |
| | Finance (Budget Approval): | Date: |
| | If applicable Mahy Kasmum | 9/9/16 |
| | Division Manager: | Date: |
| | Many Jow Brown | 9/21/16 |
| | County Counselor's Office: | Date: |
| | | |

This expenditure was included in the annual budget. Funds for this were encumbered from the Fund in . There is a balance otherwise unencumbered to the credit of the appropriation to which the expenditure is chargeable and there is a cash balance otherwise unencumbered in the treasury to the credit of the fund from which payment is to be made each sufficient to provide for the obligation herein authorized. Funds sufficient for this expenditure will be/were appropriated by Ordinance # Funds sufficient for this appropriation are available from the source indicated below. Account Number: Account Title: Amount Not to Exceed: This award is made on a need basis and does not obligate Jackson County to pay any specific amount. The availability of funds for specific purchases will, of necessity, be determined as each using agency places its order. This legislative action does not impact the County financially and does not require Finance/Budget approval.

Fiscal Information (to be verified by Budget Office in Finance Department)



Res. 19264

22807 Woods Chapel Road Blue Springs, Missouri 64015 MakeYourDayHere.com

Michele Newman, Director (816) 503-4800 Fax: (816) 795-1234

MEMORANDUM

TO:

Jessica Johnson, Purchasing Department

FROM:

Bob McMillin, Parks + Rec

DATE:

September 14, 2016

Re:

Lease of Golf Carts

The Parks + Rec Department request a four year lease of 68 E-Z-GO golf carts, 1 beverage cart and 1 range picker cart with accessories through National IPA Contract No. 130795 as utilizing this existing Government contract offers higher volume discounts. The total four year lease will be carried by PNC Equipment Finance and will not exceed \$191,184.00

For the last 30 years the golf course has leased golf carts & utility vehicles for our service to the golf patrons. The current four year cart lease ends December 31, 2016. In 2015 the golf cart revenue was \$234,886.



PREPARED FOR:

Fred Arbanas GC Under Terms NIPA Contract 130795







August 29, 2016

Bob McMillan Fred Arbanas GC Under Terms NIPA Contract 130795 11100 View High Drive Kansas City, Kansas 64134

Dear Bob.

E-Z-GO® is honored to prepare this exclusive proposal for Fred Arbanas GC Under Terms NIPA Contract 130795 and its members. Since 1954, E-Z-GO has pioneered the golf car industry with its innovative, reliable and durable vehicles. E-Z-GO is committed to providing its customers with vehicle solutions that exceed expectations and perform to the demands of their facilities.

E-Z-GO and Cushman® vehicles are manufactured in our globally recognized, award-winning facility in Augusta, GA. Whether you choose the TXT® or RXV® golf car, you can expect proven reliability and the industry's latest innovations. Cushman utility and hospitality vehicles are available in electric, gas and diesel models, and are purpose-built to tackle all of your operation's maintenance and hospitality needs.

But the E-Z-GO advantage goes beyond our products. When you choose E-Z-GO, you gain access to a level of service and support unsurpassed in the industry, through the largest fleet of factory direct service technicians, our strong network of factory-owned branch locations and authorized distributors.

E-Z-GO is dedicated to advancing the game of golf and the industry that is the engine behind it. We are a Platinum Corporate Advantage partner of the Club Managers Association of America, a silver partner with the Golf Course Superintendent Association of America, and provide support to numerous regional and local association chapters and events throughout the world of golf.

Our reputation for quality, performance and customer service has made us fortunate to enjoy the company of some of the most famous facilities in golf, from Pebble Beach Resorts, Bandon Dunes Golf Resort, and Pinehurst Resort.

As you review the enclosed materials, please do not hesitate to contact me with additional questions. I look forward to hearing from you soon, and to serving you at Fred Arbanas GC Under Terms NIPA Contract 130795.

With sincere appreciation,

George Hobbs Sr. Sales Rep T: (913) 515-9877 · F: (706) 792-2079 ghobbs@textron.com







OUR HISTORY

During the hot summer of 1954, in a cramped one-room machine shop in Augusta, two brothers founded E-Z-GO from a simple belief that they could build a better golf car, to better meet the needs of the customer.

From those humble beginnings, E-Z-GO has grown into a global leader in the golf industry and light transportation, building many thousands of vehicles each year from its global headquarters in Augusta, which has been recognized as one of the top 10 manufacturing facilities in North America by Industry Week magazine. E-Z-GO manufactures multiple, extensive lines of vehicles, including golf cars, utility vehicles, personnel carriers, refreshment vehicles and is able to customize any vehicle to your unique requirements.

E-Z-GO is a renowned leader in electric-vehicle technology, from our revolutionary RXV, with its exclusive AC Drive technology and automatically applied parking brake, to our newly redesigned TXT golf car, with innovative TruCourse™ Technology and a host of features designed to enhance the on-course experience for the golfer. Our Cushman line of utility vehicles offers a range of models with varying payloads and powertrains to handle any job on your course --upholding the tradition of a brand that has been recognized for more than a century for its rugged, reliable and versatile work machines.

E-Z-GO became part of Textron Inc. (NYSE: TXT) in 1960. This global, multi-industry company leverages its global network of aircraft, defense, industrial and finance businesses to provide customers with innovative solutions and services. Textron is known around the world for its powerful brands such as Bell Helicopter, Cessna Aircraft Company, Jacobsen, Kautex, Lycoming, E-Z-GO, Greenlee, and Textron Systems.

Today, E-Z-GO still has that single belief – that it exists to build vehicles and services that exceed the expectations of the customer. It is the drive to sustain and improve that position – to offer an unparalleled combination of world-class products, advanced technology, manufacturing expertise, and extraordinary service – that leads E-Z-GO to cover new ground.





Pricing August 29, 2016

Fred Arbanas GC Under Terms NIPA Contract 130795

| QTY | MODEL | YEAR | TERMS | PRICE | EXTENDED PRICE |
|-----|----------------|--------------|----------------|----------|----------------|
| 68 | TXT Gas | 2017 | TCF 48 Mth FMV | \$54.00 | \$3,672.00 |
| 1 | Hauler 1200X G | 2016 (Bev | TCF 48 Mth FMV | \$136.00 | \$136.00 |
| 1 | Hauler 1200 G | 2017 (Range) | TCF 48 Mth FMV | \$175.00 | \$175.00 |

| INCLUDED ACCESSORIES | | | | | |
|----------------------|-------------------|-------------------------|-------------|--|--|
| Color: TBD | Sun Canopy Top | Windshield Fold-Down | Custom Logo | | |
| Numbers | Ball Cage (Range) | Use Existing Bev Insert | | | |

Any change to the accessory list must be obtained in writing at least 45 days prior to production date.

TRADE INFORMATION

| MANUFACTURER | QTY | MODEL | YEAR | TRADE AMOUNT |
|--------------|-----|---------------|------|---------------|
| E-Z-GO | 68 | TXT G | 2013 | Current Lease |
| Cushman | 2 | Hauler 1200 G | 2013 | Current Lease |

| 1.1 | - A | CE. | | 00 | | B/I | DE | TAI | |
|-----|------------|-----|----|----|----|-----|----|-----|-----|
| ᆸ | ᇠ | 3E | rĸ | UG | KΑ | IVI | DΕ | IAI | _ 5 |

Payment schedule:

48 Month FMV Lease

Payment months:

January - December

Delivery:

January 2017

First pay:

January 15, 2017

CURRENT LEASE CONDITIONS

Upon acceptance of this proposal, Fred Arbanas GC Under Terms NIPA Contract 130795's current lease schedule(s) 170272000 and 170270000 will be terminated after the October 2016 payment has been made provided the lease is current and in good standing.

SPECIAL CONSIDERATIONS

E-Z-GO at its discretion reserves the right to offer an early fleet roll option. Fred Arbanas GC Under Terms NIPA Contract 130795 must enter into a new lease or purchase agreement with E-Z-GO and the existing lease must be current and in good standing.

Hauler 1200X G for Beverage Unit will have top and windshield

No payment due in November and December on your current lease. New lease begins January 15 2017.

Quote using your current leasing company PNC

NOTE: Prices quoted above are those currently in effect and are guaranteed subject to acceptance within 45 days of the date of this proposal. Applicable state taxes, local taxes, and insurance are not included. Lease rates may change if alternate financing is required. Payment schedule(s) does not include any finance, documentation, or initiation fees that may be included with the first payment. All lease cars and trades must be in running condition and a fleet inspection will be performed prior to pick up. It is the club's responsibility to either repair damages noted or pay for the repairs to be completed. All electric cars must have a working charger. All pricing and trade values are contingent upon management approval.

| Fred Arbanas GC Under Terms NIPA Contract 130795 | E-Z-GO Division of Textron Inc. |
|--|---------------------------------|
| Accepted by: | Accepted by: |
| Title: | Title: |
| Date: | Date: |





Limited Warranty Terms and Conditions - RXV and TXT Fleet Vehicles

The E-Z-GO Division of Textron Inc. ("Company") provides that any new Model Year 2016 E-Z-GO RXV Fleet and TXT Fleet gasoline or electric vehicle (the "Vehicles") and/or battery charger purchased from E-Z-GO, an E-Z-GO affiliate, or an authorized E-Z-GO dealer or distributor, or leased from a leasing company approved by E-Z-GO, shall be free from defects in material or workmanship under normal use and service (the "Limited Warranty"). This Limited Warranty with respect only to parts and labor is extended to the Original Retail Purchaser or the Original Retail Lessee ("Purchaser") for defects reported to E-Z-GO no later than the following warranty periods for the Vehicle parts and components set forth below (the "Warranty Period"):

| Part or Component | Warranty Period |
|---|---|
| FRAME | LIFETIME |
| SUSPENSION - Steering Gearbox, steering column, shocks and leaf springs | 4 years |
| MAJOR ELECTRONICS – Electric motor, solid state speed controller and battery charger | 4 years |
| DEEP CYCLE BATTERY – TXT ELECTRIC MODELS: | |
| Standard Battery | Earlier of 4 years or 23,500 amp hours* |
| Standard Battery with optional water fill system | Earlier of 4 years or 25,000 amp hours* |
| DEEP CYCLE BATTERY – RXV ELECTRIC MODELS: | Earlier of 4 years or 25,000 amp hours* |
| PEDAL GROUP - Pedal assemblies, brake assemblies, brake cables and motor brake | 4 years |
| SEATS - Seat bottom, seat back and hip restraints | 4 years |
| CANOPY SYSTEM - Canopy and canopy struts | 4 years |
| POWERTRAIN – Gasoline engine, gasoline axle, engine air intake and exhaust system | 4 years |
| POWERTRAIN – Electric axle | 3 years |
| BODY GROUP – Front and rear cowls, side panels and instrument panel | 3 years |
| OTHER ELECTRICAL COMPONENTS – Solenoid, limit switches, starter generator, voltage regulator, F&R | 2 vonts |
| switch, charger cord and charger receptacle | 3 years |
| ALL REMAINING COMPONENTS - All options and accessories supplied by E-Z-GO, and all components not specified elsewhere | 2 years |
| | |

^{*} Added electrical components not part of original Vehicle drive system equipment that consume equal to or more than .4 amps shall reduce the amp hour battery warranty by fifteen percent (15%). Added electrical components not part of original Vehicle drive system equipment that consume less than .4 amps shall reduce the amp hour battery warranty by ten percent (10%). See reverse for other battery warranty limitations, conditions and exceptions.

The Warranty Period for all parts and components of the Vehicle other than Deep Cycle Batteries shall commence on the date of delivery to the Purchaser's location or the date on which the Vehicle is placed in Purchaser-requested storage. The Warranty Period for Deep Cycle Batteries shall commence on the earliest of the date: (a) of Vehicle delivery to the Purchaser's location, (b) on which the Vehicle is placed in Purchaser-requested storage or (c) that is one (1) year from the date of sale or lease of the Vehicle by E-Z-GO to an authorized E-Z-GO dealer or distributor. Parts repaired or replaced under this Limited Warranty are warranted for the remainder of the length of the Warranty Period. This Limited Warranty applies only to the Purchaser and not to any subsequent purchaser or lessee without the prior written approval of the Customer Care / Warranty Department.

EXCLUSIONS: Specifically **EXCLUDED** from this Limited Warranty are:

- routine maintenance items, normal wear and tear, cosmetic deterioration or electrical components damaged as a result of fluctuations in electric current;
- damage to or deterioration of a Vehicle, part or battery charger resulting from inadequate maintenance, neglect, abuse, accident or collision:
- damage resulting from installation or use of parts or accessories not approved by Company, including but not limited to subsequent
 failures of the Vehicle, other parts or the battery charger due to the installation and/or use of parts and accessories not approved by
 Company;
- warranty repairs made by other than a Company branch or an authorized and qualified Dealer designee. Warranty repairs by other than a Company branch or an authorized and qualified Dealer or designee shall void the Limited Warranty;
- damage or loss resulting from acts of nature, vandalism, theft, war or other events over which Company has no control;
- any and all expenses incurred in transporting the Vehicle to and from the Company or an authorized and qualified Dealer, distributor or designee for warranty service or in performing field warranty service; and
- any and all expenses, fees or duties incurred relative to inbound freight, importation, or customs.

THIS LIMITED WARRANTY MAY BE VOIDED OR LIMITED AT THE SOLE DISCRETION OF E-Z-GO IF THE VEHICLE AND/OR BATTERY CHARGER:

- shows indications that routine maintenance was not performed per the Owner's Manual, including but not limited to rotation of fleet, proper tire
 inflation, lack of charging, inadequate battery watering, use of contaminated water, loose battery hold downs, corroded battery cables and loose
 battery terminals:
- lacks an adequate number of operating battery chargers, uses unapproved battery chargers or uses extension cords with battery chargers;
- is fueled with unleaded gasoline containing more than 10% ethanol, E85 ethanol fuel or other non-recommended fuels, contaminated gasoline or other non-recommended lubricants;
- shows indications that the speed governor was adjusted or modified to permit the Vehicle to operate beyond E-Z-GO specifications;
- shows indications it has been altered or modified in any way from E-Z-GO specifications, including but not limited to alterations to the speed braking system, electrical system, passenger capacity or seating;
- has non-Company approved electrical accessories or electrical energy consuming devices installed on a gasoline powered Vehicle without installation
 of a heavy duty 12V battery; or
- is equipped with non-standard tires not approved by Company.

USE OF NON-APPROVED E-Z-GO PARTS AND ACCESSORIES: THIS LIMITED WARRANTY IS VOID WITH RESPECT TO ANY PROPERTY DAMAGE OR ADDITIONAL ENERGY CONSUMPTION ARISING FROM OR RELATED TO PARTS OR ACCESSORIES NOT MANUFACTURED OR AUTHORIZED BY E-Z-GO, OR WHICH WERE NOT INSTALLED BY E-Z-GO, ITS DEALERS OR DISTRIBUTORS, INCLUDING BUT NOT LIMITED TO GPS SYSTEMS, COOLING AND HEATING SYSTEMS, COMMUNICATION SYSTEMS, INFORMATION SYSTEMS, OR OTHER FORMS OF ENERGY CONSUMING DEVICES WIRED DIRECTLY OR INDIRECTLY TO THE VEHICLE BATTERIES.

REMEDY: Purchaser's sole and exclusive remedy under this Limited Warranty in the event of a defect in material or workmanship in the Vehicle, any part or component, or battery charger during the applicable Warranty Period is that E-Z-GO will, at its sole option, repair or replace any defective parts. If E-Z-GO elects to repair or replace a defective part, E-Z-GO may at its discretion provide a factory reconditioned part or new component from an alternate supplier. All replaced parts become the sole property of E-Z-GO. This exclusive remedy will not be deemed to have failed of its essential purpose so long as E-Z-GO has made reasonable efforts to repair or replace the defective parts.

DISCLAIMER: THIS LIMITED WARRANTY IS THE SOLE AND EXCLUSIVE WARRANTY PROVIDED FOR THE VEHICLES AND BATTERY CHARGER AND IS MADE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ALL SUCH OTHER WARRANTIES BEING EXPLICITLY DISCLAIMED.

LIABILITY LIMITATIONS: IN NO CASE SHALL E-Z-GO BE LIABLE FOR INDIRECT, INCIDENTAL, SPECIAL, PUNITIVE OR CONSEQUENTIAL DAMAGES, INCLUDING BUT NOT LIMITED TO DEATH, PERSONAL INJURY OR PROPERTY DAMAGE ARISING FROM OR RELATED TO ANY ALLEGED FAILURE IN A VEHICLE OR BATTERY CHARGER, OR ANY DAMAGE OR LOSS TO THE PURCHASER OR ANY THIRD PARTY FOR LOST TIME, INCONVENIENCE OR ANY ECONOMIC LOSS, WHETHER OR NOT E-Z-GO WAS APPRISED OF THE FORSEEABILITY OF SUCH DAMAGES OR LOSSES. THE RIGHT OF PURCHASER TO RECOVER DAMAGES WITHIN THE LIMITATIONS SET FORTH IN THIS SECTION IS PURCHASER'S EXCLUSIVE ALTERNATIVE REMEDY IF THE LIMITED REMEDY OF REPAIR OR REPLACEMENT OF THE VEHICLE FAILS OF ITS ESSENTIAL PURPOSE. THE PARTIES AGREE THAT THIS ALTERNATIVE REMEDY WILL BE ENFORCEABLE EVEN IF THE LIMITED REMEDY OF REPAIR OR REPLACEMENT FAILS OF ITS ESSENTIAL PURPOSE. ANY LEGAL CLAIM OR ACTION ARISING THAT ALLEGES BREACH OF WARRANTY MUST BE BROUGHT WITHIN THREE (3) MONTHS FROM THE DATE THE WARRANTY CLAIM ARISES. THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE. SOME STATES DO NOT ALLOW THE EXCLUSION OF INCIDENTAL DAMAGES OR LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY MAY LAST, SO THE ABOVE EXCLUSIONS AND LIMITATIONS MAY NOT APPLY TO YOU

WARNING: ANY MODIFICATION OR CHANGE TO THE VEHICLE OR BATTERY CHARGER WHICH ALTERS THE WEIGHT DISTRIBUTION OR STABILITY OF THE VEHICLE, INCREASES THE VEHICLE'S SPEED, OR ALTERS THE OUTPUT OF THE BATTERY CHARGER BEYOND FACTORY SPECIFICATIONS, CAN RESULT IN PROPERTY DAMAGE, PERSONAL INJURY OR DEATH. <u>DO NOT MAKE ANY SUCH MODIFICATIONS OR CHANGES</u>. SUCH MODIFICATIONS OR CHANGES WILL VOID THE LIMITED WARRANTY. E-Z-GO DISCLAIMS RESPONSIBILITY FOR ANY SUCH MODIFICATIONS, CHANGES OR ALTERATIONS WHICH WOULD ADVERSELY IMPACT THE SAFE OPERATION OF THE VEHICLE OR BATTERY CHARGER.

DEEP CYCLE BATTERY WARRANTY LIMITATIONS, CONDITIONS AND EXCEPTIONS:

- The amp hour Warranty Period for electric Vehicle batteries is as recorded by the Vehicle's controller.
- To be eligible for this limited battery warranty, the warranty must be activated within forty-five (45) days of delivery of the Vehicle at the following web site http://ezgo.smartmanual.biz. Failure to do so will void the battery warranty. A Purchaser who is unable to log onto the web site should call or write the E-Z-GO Customer Care /Warranty Department using the contact information below or Purchaser's local dealer or distributor within forty-five (45) days of delivery of the Vehicle.
- Claims for battery warranty replacement require specific testing, as specified by the E-Z-GO Customer Care / Warranty Department. E-Z-GO, or an authorized E-Z-GO dealer or distributor, should be contacted to obtain a copy of the required tests, which must be performed and corrected for temperature, based upon BCI (Battery Council International) recommendations.
- NON-FACTORY INSTALLED PARTS OR ACCESSORIES INSTALLED DIRECTLY TO LESS THAN THE COMPLETE VEHICLE BATTERY PACK WILL VOID THE
 WARRANTY FOR THE ENTIRE BATTERY PACK.
- ALL NON-FACTORY INSTALLED ACCESSORIES REQUIRE THE INSTALLATION AND USE OF AN E-Z-GO APPROVED DC TO DC CONVERTER THAT USES
 ENERGY FROM ALL BATTERIES.
- Electric Vehicle storage facilities must provide the following:
 - ample electrical power to charge all Vehicles and allow the charger to shut off automatically;
 - battery chargers must each have an independent dedicated 15 amp circuit;
 - each battery charger must be connected to its circuit with at minimum a NEMA 15-5R three-pin receptacle;
 - five (5) air exchanges per hour in the charging facility;
 - if the facility utilizes an electrical energy management system, the timer must be set to have available fourteen (14) hours of electricity; and
 - one (1) functional charger for each Vehicle in the fleet with a proper electrical supply as specified above.

OTHER E-Z-GO RIGHTS:

- E-Z-GO may perform semi-annual vehicle inspections (directly or through assigned E-Z-GO representatives) through the term of any fleet lease.
- E-Z-GO may improve, modify or change the design of any E-Z-GO vehicle, part or battery charger without being responsible to modify previously
 manufactured vehicles, parts or battery chargers.
- E-Z-GO may audit and inspect the Purchaser's facility, maintenance records and its Vehicles by E-Z-GO representatives prior to approving a warranty claim and may contract with a third party to evaluate the Purchaser's storage facilities, fuel storage tanks and/or batteries.
- THE WARRANTY FOR ALL VEHICLES IN A FLEET SHALL BE VOIDED IF DATA SUBMITTED FOR AN INDIVIDUAL VEHICLE WARRANTY CLAIM CONTAINS
 FALSE OR MISLEADING INFORMATION.

AUTHORITY: No E-Z-GO employee, dealer, distributor or representative, or any other person, has any authority to bind E-Z-GO beyond the terms of this Limited Warranty without the express written approval of the E-Z-GO Customer Care / Warranty Department.

EMISSIONS CONTROL WARRANTY: The Vehicle may also be subject to an emissions control warranty, as required by the U.S. Environmental Protection Agency and California Air Resources Board, which is provided separately with the Vehicle.

FOR FURTHER INFORMATION, CALL 1-800-774-3946, GO TO WWW.EZGO.COM, OR WRITE TO E-Z-GO DIVISION OF TEXTRON INC., ATTENTION: E-Z-GO CUSTOMER CARE / WARRANTY DEPARTMENT, 1451 MARVIN GRIFFIN ROAD, AUGUSTA, GEORGIA 30906 USA.



TXT® Vehicles

TIME-TESTED PERFORMANCE. PROVEN INNOVATION

For over 20 years the E-Z-GO® TXT golf car has been the industry standard. Now, the standard has been refined. The redesigned TXT has been reengineered to better meet the demands of your operation and deliver a superior experience for your customers.

Below are just a few of the TXT's features that will add value to your facility:

Proven Dependability

- Best-in-class 48V DC electric or 13.5-hp gas drivetrain
- Customizable TruCourse™ Technology
- · Industry leading battery warranty options
- Fade-resistant automotive quality paint
- Durable TPO-construction body

Features Customers Notice

- Oversized bagwell
- Larger seatbacks provide 23% more support
- Expanded in-dash storage offers 30% more space
- Wider, taller cup holders hold 44% more volume
- · Repositioned ball holders for easy reach
- Convenient USB port (optional)

Smart Design

- Updated, modern styling
- Simplified F-N-R control for easier operation
- Stronger, redesigned hip restraints
- Sun canopy with unique drip edge and
- 25% stronger struts
- Battery fill system simplifies maintenance (optional)
- Steel reinforced front and rear bumpers
- The Freedom TXT offers all the features of the TXT along with headlights, taillights and an array of options.



E-Z-GO* TXT*

TIME-TESTED PERFORMANCE. PROVEN INNOVATION.

Give your golfers a superior experience with the ungraded TXT flow packaged with even more smart features, only the TXT combines almost two decades of dependable performance with proven innovation securing its spot as the inclustry's most trusted golf car.



A Textron Company



E-Z-GO TXT

Trusted performance is just the beginning. The TXT delivers loads of smart new features to increase convenience and conflort for your gotters, from larger seats and increased dash storage to a USB port for GPS, range finders and smart phones. The redesigned TXT offers more than a new look; if brings a new standard for your gotters.

PROVEN DEPENDABILITY

- Class feating innovation for almost two decades
- Best-in-class 48V DC electric or 13,5-hp gas grivetrain
- · Customizable TruConese Rectinology
- Industry Hading battery varianty onlines
- Fade-resistant nutumotive quality gaint
- . Durable TPO-construction trong

FEATURES CUSTOMERS NOTICE

- Overstred bagwell
- Linger seathanks provide 22% more support
- Expanded in-dash storage offers 30% more space
- Wider taller cupholders hold 445, more volume
- Repositioned ball holders for easy read?
- · Convenient USB part (aptional)

SMART DESIGN

- Updated incident styling
- Simplified F-R-R control for easier progration
- · Stranger redesigned hip restraints
- Surr carcopy with unique drip edge and 25% strunger strets
- Battery fill system samplifies munitenance contional)
- · Steel reinforced front and rear bumpers







- Gas-powered model features a 13.5-hp Kawasaki[®] engine with hemispheric combustion chamber for better fuel economy (exceeds EPA/CARB standards)
- Electric model features quiet izero-emissiono 48-volt electric drivetrair
- Foam seating constructed from 100% recycled materials
- · Sloped surface design requires less water when cleaning
- · Repairable seat components minimize landfill usage
- · Utilizes recyclable plastic components
- Manufactured in ISO 14001-certified facility





RONT

REAR



| | ELECTRIC | GAS |
|--------------------------------|--|--|
| DIMENSIONS | 2 - 0 + 1/2 /s cm ⁻¹ | |
| The M. WHIH | 273X-015397mt | 989 - 20639 |
| Coperation - with the copies | W. Sanct Of Cont. All of Alexa and Artical C | A2 (for (3.19 cm)) |
| Overall Height Invincet: | 1875 H 1171 UN Input List carrier | 40.5 et (1 5 cm) (les of viget registration) |
| Wheleste | OE-II to TORCON | 51.5 xt (172 cm) (top of ken carrying) 96.0 in (109 cm) |
| From Virger Tradit | 34.Dan (85 cm) | 300 m 38 pm |
| Brain Wheel Track | 78.5 m (07 mm) | 18.5 m 507 z=0 |
| to 11 to a mine of an internal | Facility from | 4.28 minuBien |
| POWER | - San Commit | N.E.D. STILL BLOOM |
| | THE VIRE DAY. | 4-Calls 34.5 to mody "co. Dwintenascom |
| Village Train | 3//A | Single Salmity (IFIV) |
| Motor Type | Print World | 1/A |
| Husubove RW. | E.O. III p. 12.2 MAY Continue copy | SLS 90110,1 kW Excepts SAC 31940 94d |
| Blichen Syuan | SEWIII | State Of Securitary — Solid State Pagnatative |
| Harrenes rolly flypics | Social voli direnti Cyclin | Cost 12 Vult V and united Page |
| Key or Pedal Start | Safal Safal | Pertra |
| Arthur | (f.)) | |
| | *VA | mounted data United |
| 2/76 | 3(0 9/A | Postavied DV System |
| Colling Types | W. | Epit-On |
| First Carpenty | N/A | 8 Table |
| | | \$31 \$7(ki) (201) |
| Balliony Estanger | BADC SESSANTI JE 180 AVETT STEVE | N/A |
| Special Controller | Sti Attin Cold Steel Controlle | WA. |
| | Voter Shaft Documbries | Curtinizardy Violante True Harrier (CVT) |
| fi lintii asism | Cathorinal with Halicon Sears | Definition with Hallout Sales |
| | Paul Mounter Powints Reputal-British | |
| How Ashi Statio | | 11.42-1 ihomandi 15:79 1 illewerzar |
| | <3.000 project (What recompled with angle-point watering watering | Note |
| 443 Smiller | | Single anticommon name at |
| Pre/institution Shift Alignat | 29.259 M 12 HM. Stany (HM | NO |
| Allillate Cartesty | | orsitzina kristzie mobile Billotti koldonia |
| PERFORMANCE | | |
| Seation Cheeny | | 7. ³ 4930000 |
| (In Which I would be see | | 250 (b) (344 sa) |
| Corn-Vermi | 30\$4, 424Ng | |
| | F10 (6 CF14 kg) | #Milder (Section) |
| Outside Climateur Circles | 19435 | 19 Pull-Enti- |
| | CS THE TYPE THE REAL SERVICES | Stringer - Deagn - Copper and Spa |
| Тинну Парасту | Terror F. F. G. T. H. C.A.S. LIM Appropriate Formulation For Edit | HOLE AND THE SECOND ASSESSMENT OF SECOND |
| STEERING & SUSPENSION | | VI I NOT THE RESERVE OF THE PARTY OF THE PAR |
| | Metamoresation For Allina Primar | StitleCongenuntrio.Hank. wierfluisie |
| | and Sinn on Relf Hydra-III Strock Philoropess | сыя заліднити Нухвайського Апроліти |
| Sature Tribe | Fee, Wheel Clerkin of Self-Albert in Crain | Real Writer Nichardal Sall-Aquating John |
| | UPD receivables a high Part Fig. (according | SOF Commonitors, Single Point From Security |
| 149 | | tBu E p(ca /4-ylly (usu) |
| BODY & CHASSIS | BUTTO A STATE OF THE STATE OF T | A THE REAL PROPERTY OF THE PARTY OF THE PART |
| o interest in | Wards St. Third Printer on 1 Pentinder | |
| Buly A Touch | Part of Children (CC) | Improving Affilian SPC |
| Single (May Od) | hay a Lades Green | |
| Golomod Gudy Lesberg | Alloy And, Bardley (Submitted Submitted Submit | Almoni Galley Gran Black Marganey, Histon Recognitions. Elegand Black Strong Maratin Journal Description. Frame Disc. Martinum Statistics. Supercontinuous courses edecades also evaluates. |
| | | |
| Participant of the second | Sent filing: Ministrative blass aspellation | On they can only a the sounds |
| | | SAX Butterny Day Crain And House, Acr., Jane |





HAULER 1200X

GEARED UP FOR YOUR COURSE'S BIGGEST OBSTACLES.

With a no-nonsense attitude the new Hauler® 1200X is ready to attack your toughest work days. A ton of standard features include a lifted suspension, ergonomic seats and ample leg room that complement its smooth ride and rugged demeanor. From transporting equipment to watering down a parched green on a hot summer's day or spraying unruly weeds, the Hauler 1200X is a force to be reckoned with. When your work has infinite hours the Hauler 1200X has reliability you can count on.

LET'S WORK?


13.5HP KAWASAKI GAS 900LB LOAD CAPACITY

12 CU FT CARGO BED













OPTIONS & ACCESSORIES

- Bed Dividers
- Long-Handled Tool Holder
- Cargo Mesh Netting
- Flexible Tool Clamps
- . L-Track Aluminum Bed System
- Tie Down D-Loops
- . Weather Enclosure
- USB Outlet
- 12-Volt Outlet
- · Canopy Storage Net
- Brushguard
- ROPS-Certified Ball Cage
- · Weather Enclosure
- Rearview Mirror
- · Color Options
- ROPS-Certified Cab

CUSHMAN HAULER® 1200X

FRAME Welded Steel with DuraShield™ Powder Coat

Injected Molded TPO **BODY & FINISH**

STANDARD COLOR Forest Green

OVERALL LENGTH 119 in (302 cm) OVERALL WIDTH 49 in (125 cm) OVERALL HEIGHT W/CANOPY 77 in (196 cm) 78 in (197 cm) WHEEL BASE FRONT WHEEL TRACK 38.0 in (97 cm) REAR WHEEL TRACK 38,5 in (98 cm) GROUND CLEARANCE 7 in (18 cm)

CARGO BOX CAPACITY

POWER SOURCE 4-cycle, 24.5 ci (401cc) Cylinder

Single Cylinder OHV VALVE TRAIN

13,5 hp (10.1 kW) Exceeds SAE J1940 Std. HORSEPOWER (KW) **ELECTRICAL SYSTEM** Starter/Generator, Solid-State Regulator

12 cu ft (0,34 m³)

BATTERY (QTY/TYPE) One 12V Maintenance Free

KEY OR PEDAL START Pedal

AIR CLEANER Dry Cartridge

LUBRICATION Pressurized Oil System

OIL FILTER Spin-On COOLING SYSTEM Air Cooled

FUEL CAPACITY 6.0 Gallon (22.7 L) Tank

DRIVE TRAIN Continuously Variable Transmission (CVT)

TRANSAXLE Differential with Helical Gears

GEAR SELECTION Forward-Reverse

REAR AXLE RATIO 11,42:1(Forward) 15,78:1(Reverse)

SEATING CAPACITY 2 Person 1003 lb (455 kg) **CURB WEIGHT**

BED LOAD CAPACITY 500 lb (227 kg) VEHICLE LOAD CAPACITY 900 lb (408 kg)

16.5 mph +/- 0.5 mph (26.6 kph +/- 0.8 kph) SPEED

TOWING CAPACITY 1200 lb (544 kg) max

OUTSIDE CLEARANCE CIRCLE 24 ft (7.2 m)

STEERING Self-Compensating Rack and Pinion

FRONT/REAR SUSPENSION Leaf Springs w/ Hydraulic Shock Absorbers SERVICE BRAKE Rear Wheel Mechanical Self-adjusting Drum PARKING BRAKE Self-compensating, Single Point Engagement

FRONT/REAR TIRES 20 x 8,00 -10

PROVIDING EVERY CUSTOMER WITH EXCELLENT SERVICE



HOW DID YOU GET STARTED WITH YOUR CAREER? WHAT LED YOU TO E-Z-GO®?

After high schoolm I went to vocational school to be a welder on the Alaskan Pipeline. My plans changed, and I worked on Earth Movers for Fiat-Allis until I got an opportunity to work for E-Z-GO in welding. I really like to work hands-on, so I began doing mechanical work with the products. I have a passion for learning, so I took advantage of any opportunity I could to further my product knowledge. I have found that my passions lie in working in service, so I was extremely excited to eventually become a service manager.

WHAT ARE YOUR BIGGEST RESPONSIBILITIES?

My biggest responsibility is to fully meet the customer's needs in a timely fashion. I firmly believe that an unhappy customer is totally and completely unacceptable. I want all my customers to have a positive feeling about their experience with us.

I also am responsible for making sure that my team is expertly trained and properly stocked with parts and tools. If my team, or a customer, needs something, whether it's a tool, part, or information, I will get it to them anyway I can

WHAT DOES SUCCESS LOOK LIKE FOR YOU? HOW DO YOU KNOW YOU'RE DOING YOUR JOB WELL?

When someone says they're going to reinvest with E-Z-GO because of our service, it's a great feeling. That's when I know we have truly been successful. A big personal success for me is when I leave a course and can shake hands with a customer and know they are happy and feel taken care of. Service to us doesn't mean just working on vehicles, it means educating our customers and being a true partner for them. That is key to both of our

successes. The product is excellent, but the service it receives is crucial. We're gifted with great vehicles, but keeping them neat, clean and meeting each customer's individual needs makes all the difference.

WHAT IS YOUR TEAM'S COMMITMENT TO THE CUSTOMER?

We are committed to making sure our customer is proud of their E-Z-GO and Cushman® vehicles. We strive to ensure that each customer has a great experience with our products and our technicians. I want all of our customers to know that when they see our trucks and our team in their shirts that they are going to be taken care of, and are going to be treated fairly and with respect.

"WE AREN'T JUST GOING TO WORK ON VEHICLES, WE'RE GOING TO EDUCATE"

WHAT IS THE TECHFORCE™ COMMITMENT?

Armed with extensive knowledge, experience and advanced training, TechForce is driven to do whatever it takes to keep your vehicles running smoothly. A quick response, dependable service and a no-excuses approach to business — that's what TechForce is all about.

- Largest nationwide network of experienced technicians
- Factory-trained to maintain and service vehicles
- Industry-leading response time
- · Mobile carts inventor



MIDWEST REGION

SERVICE MANAGER Robert Voldan

YEARS OF EXPERIENCE

SIZE OF TEAM

TERRITORY

Missouri Hineis

CONTACT 847-204-3995







A Textron Company

MODEL: TXT FLEET GOLF CAR

TYPE: GASOLINE POWERED FLEET GOLF CAR

MODEL YEAR: 2016

Part No:. 625111



Fixed float bowl with remote pulse fuel pump

PRODUCT SPECIFICATION

CONFIGURATION HIGHLIGHTS

• Fuel System:

Engine: 13.5 hp (10.1 kW) Exceeds SAE J1940 Standard, 4 cycle, 24.5 ci (401 cc) single cylinder, air-cooled by Kawasaki

• Valve Train: Overhead valve

Lubrication: Pressurized oil system, spin-on oil filter
 Balancer: Internal counter rotating balance shaft
 Internal counter rotating balance shaft
 Air Cleaner: Replaceable dry cartridge

Electrical: Starter/Generator, solid-state regulator, 12 Volt maintenance free battery (425 CCA, 60 minute reserve)

Drive Train: Automatic, continuously variable transmission (CVT)

Brakes: Dual rear wheel mechanical self-adjusting drum brakes. Automatic single point park brake release with self-compensating system

Transaxle: Differential with helical gears, ground speed governor, forward/reverse

Capacity: Seating for 2 persons

PRODUCT OVERVIEW

| Dimensions | | Performance | | |
|------------------------------|--|---------------------------|------------------|--|
| Overall Length | 93.0 in (236 cm) | Seating Capacity | | 2 Persons |
| Overall Width | 47.0 in (119 cm) | Dry Weight | | 760 lb (344 kg) |
| Overall Height (No Canopy) | 46.5 in (118 cm) (Top of Steering Wheel) | Curb Weight | | 780 lb (354 kg) |
| Overall Height (With Canopy) | 67.5 in (171 cm) (Top of Sun Canopy) | Vehicle Load Ca | pacity | 800 lb (363 kg) |
| Wheel Base | 66 in (168 cm) | Outside Clearand | | 19.0 ft (5.8 m) |
| Front Wheel Track | 34 in (86 cm) | Speed (Level Gro | ound) | 12 mph \pm 0.5 mph (19 kph \pm 0.8 kph) |
| Rear Wheel Track | 38.5 in (98 cm) | Towing Capacity | | 3 Golf Cars with Approved Permanent Tow Bar |
| Gnd Clearance @ Differential | 4.25 in (10.8 cm) | Steering & Susp | ension | THE COUNTY OF THE COUNTY OF THE COUNTY OF |
| Vehicle Power | AUDULY AREA PROPERTY AND FISH | Steering | | Self-compensating rack and pinion |
| Power Source | 4 Cycle 24.5 cu in (401 cc). Low E OHV | Front Suspension | n | Leaf springs with hydraulic shock absorbers |
| Valve Train | Single Cylinder OHV | Rear Suspension | ١ | Leaf springs with hydraulic shock absorbers |
| Horsepower (kW) | 13.5 hp (10.1 kW) Exceeds SAE J1940 Std. | Service Brake | | Rear wheel mechanical self-adjusting drum |
| Electrical System | Starter/Generator, Solid State Regulator | Parking Brake | | Self-compensating, single point engagement |
| Battery (Qty, Type) | One, 12 Volt Maintenance Free | Front Tires | | Pair of 18 x 8.50 - 8 (4 Ply Rated) Tires |
| Key or Pedal Start | Pedal | Rear Tires | | Pair of 18 x 8.50 - 8 (4 Ply Rated) Tires |
| Air Cleaner | Industrial Rated Dry Filter | Body & Chassis | 18 11 E-18 | |
| Lubrication | Pressurized Oil System | Frame | | Welded steel with DuraShield™ powder coat |
| Oil Filter | Spin On | Front Body & Fin | ish | Injection molded TPO |
| Cooling System | Air Cooled | Standard Color | | Ivory or Forest Green |
| Fuel Capacity | 5.3 Gallon (20L) Tank | CE Noise, Vibra | tion & Harshi | ness |
| Drive Train | Continuously variable transmission (CVT) | Noise | Sound press | sure; continued A-weighted ≤ 74 dB(a) |
| Transaxle | Differential with helical gears | Vibration, WBV | Highest valu | e of weighted acceleration less than 2.5 m/s^2 |
| Gear Selection | Forward-Reverse | Vibration, HAV | Highest valu | e of weighted acceleration less than 2.5 m/s^2 |
| Rear Axle Ratio | 11.42:1 (Forward) 15.78:1 (Reverse) | | The uncertain | inty of measurement is 1.07 m/s^2 |
| | | Measurement me | ethods were a | pplied per the ISO 2631 and ISO 5349 standards |
| Some items listed may b | pe optional equipment | under conditions | s of typical vel | hicle surfaces. |



A Textron Company

| ltem | em Std Opt Fid | | Item | | | Fld |
|---|----------------|-------|--|----------------|-----|-----|
| TIRES & WHEELS: | | | ELECTRICAL OPTIONS: | | - | |
| Front: | 1 | 1 1 1 | Fuel/Oil Gauge | 1 1 | χĮ | |
| Hole-in-One 18 x 8.50 - 8 (4 Ply Rated) | X | | Unique Group Key Switch | | Х | |
| Links 18 x 8.50 - 8 (4 Ply Rated) | | X | Unique Individual Key Switch | | Х | |
| USA Trail 18 x 8.50 - 8 (Load Range C) | | X | USB Port | | Х | |
| Rear: | | | Heavy Duty Battery | | Х | |
| Hole-in-One 18 x 8.50 - 8 (4 Ply Rated) | X | | <u> </u> | | | |
| Links 18 x 8.50 - 8 (4 Ply Rated) | | X | OTHER OPTIONS: | | | |
| USA Trail 18 x 8.50 - 8 (Load Range C) | | X | Sweater Basket | 1 x 1 | - 1 | |
| Turf Saver 18 x 8.50 - 8 (Load Range B) | | X | Ash Tray | | Х | |
| Wheel Covers: | | | Fender Scuff Guard | | Х | |
| Spoke, Silver | 1 | x | Heavy Duty Rear Suspension | T | Х | F |
| Spoke, Gold | | X | Front Bumper | | Х | |
| | | | Cooler & Bracket | | | Х |
| COLORS: | | | Sand Bottle | | | Х |
| Ivory or Forest Green (select one) | l x | | Sand Bucket | | | Х |
| Almond | | X | Side Basket (Single or Double) | | Х | |
| Black | | X | Tow Bar (Permanent) | | Х | |
| Flame Red | | X | CE Kit, Gas | | | Х |
| Inferno Red | | X | Tow Bar (Casual Use) | | | Х |
| Patriot Blue | | X | Sand Rake | | | Х |
| Metallic Charcoal | | X | Sand Rake Holder | | Х | |
| Barley Gold | | X | Club and Ball Washer | | | Х |
| Java Brown | | X | 4 Bag Attachment | | | Х |
| Oasis Green | | X | Premium Steering Wheel | | Х | |
| Platinum | | X | No Fuel shipping | | Х | |
| Steel Blue | | X | | - | | |
| Burgundy | | X | WEATHER PROTECTION: | | | |
| Electric Blue | | X | Bag Cover Kit (Oyster) | | | X |
| British Racing Green | | X | Bag Cover Kit (Tan) | | | Χ |
| Sunburst Orange | | X | Bag Cover Kit (Green) | | | Х |
| | | • | Sun Canopy (Top) Oyster | | | Х |
| SEATING: | | | Sun Canopy (Top) Tan | | | Х |
| Seat Color (Oyster) |] x | | Weather Enclosure (3 Side, Sun Canopy & Wdshld Req'd | | | Х |
| Seat Color (Tan) | | X | Windshield Flat (Clear) (Requires Sun Canopy) | | | Х |
| Seat Color (Grey) | | X | Windshield Fold Down (Clear) (Requires Sun Canopy) | | | Χ |
| | • | · | Message Holder (1 Piece, Requires Sun Canopy) | | | Χ |
| PIN STRIPES: | | | Double Message Holder (Requires Sun Canopy) | \blacksquare | | Χ |
| Pewter | | x | Rear View Mirror (Requires Sun Canopy) | | | Χ |
| White | | Х | | W | | |
| Black | | X | POWERTRAINS: | | | |
| Gold | | Х | Gas Powertrain 0-3K Ft Altitude | 1 x 1 | | |
| Red | | Х | Gas Powertrain 3-6K Ft Altitude | | Х | |
| Dark Green | | X | Gas Powertrain 6-10K Ft Altitude | \Box | Х | |



MODEL: HAULER 1200X TYPE: GAS POWERED TRUCK

MODEL YEAR: 2016 Part No: 618847



PRODUCT SPECIFICATION

CONFIGURATION HIGHLIGHTS

Engine: 13.5 hp (10.1 kW) Exceeds SAE J1940 Standard, 4 cycle, 24.5 ci (401 cc) single cylinder, air-cooled by Kawasaki

Valve Train: Overhead valve

Lubrication:

Pressurized oil system, spin-on oil filter

Balancer:

Internal counter rotating balance shaft

Fuel System:

Fixed float bowl with remote pulse fuel pump

Ignition:

Electronic spark/magneto

Air Cleaner:

Replaceable dry cartridge

Electrical:

Starter/Generator, solid-state regulator, 12 Volt maintenance free battery (425 CCA, 60 minute reserve)

Drive Train:

Automatic, continuously variable transmission (CVT)

Brakes:

Dual rear wheel mechanical self-adjusting drum brakes. Automatic single point park brake release with self-compensating system

Transaxle:

Differential with helical gears, ground speed governor, forward/reverse

Cargo Bed:

Roto-molded cross-linked polyethylene. Lifts for access to powertrain. Removable hinged multi-position tailgate requires no latch mechanism

PRODUCT OVERVIEW

| Dimensions | MARKET TO AN HELD HARRING |
|------------------------------|--|
| Overall Length | 113.0 in (287 cm) |
| Overall Width | 48.5 in (123 cm) |
| Overall Height (No Canopy) | 52.5 in (133 cm) (Top of steering wheel) |
| Overall Height (With Canopy) | 77.0 in (196 cm) |
| Wheel Base | 77.0 in (196 cm) |
| Front Wheel Track | 38.0 in (97 cm) |
| Rear Wheel Track | 38.5 in (98 cm) |
| Gnd Clearance @ Differential | 5.3 in (15 cm) |
| Cargo Box Width (inside) | 44.0 in (112 cm) |
| Cargo Box Length (inside) | 36.0 in (91 cm) |
| Cargo Box Depth (inside) | 10.5 in (27 cm) |
| Cargo Box Capacity | 9.6 cu ft (0.27 m3) |
| Cargo Box material/capacity | Roto-molded poly/9.6 cu ft (0.27 m3) |

| Vehicle Power | |
|-----------------------|--|
| Valve Train | Single Cylinder OHV |
| Horsepower (kW) | 13.5 hp (10.1 kW) Exceeds SAE J1940 Std. |
| Electrical System | Starter/Generator. Solid State Regulator |
| Batteries (Qty, Type) | One, 12 Volt Maintenance Free |
| Key or Pedal Start | Pedal |
| Air Cleaner | Replaceable Dry Cartridge |
| Lubrication | Pressurized Oil System |
| Oil Filter | Spin On |
| Cooling System | Air Cooled |
| Max Fuel Volume | 6.0 Gallon (22.7 L) tank |

Continuously variable transmission (CVT)

11.42:1 (Forward) 15.78:1 (Reverse)

Differential with helical gears

Forward - Reverse

| Performance | ATTEMPT OF THE STATE |
|------------------------------|---|
| Seating Capacity | 2 Person |
| Dry Weight | 910 lb (415 kg) |
| Curb Weight | 950 lb (435 kg) |
| Bed Load Capacity | 500 lb (226 kg) |
| Vehicle load capacity | 800 lb (360 kg) |
| Outside Clearance Circle | 22.0 ft (6.7 m) |
| Intersecting Aisle Clearance | N/A |
| Speed (Level Ground) | 17 mph \pm 0.5 mph (27.4 kph \pm 0.8 kph) |
| Towing Capacity | 500 lb (225 kg) max load |
| | |

| Steering & Suspension | |
|-----------------------|---|
| Front Suspension | Leaf springs with hydraulic shock absorbers |
| Rear Suspension | Leaf springs with hydraulic shock absorbers |
| Service Brake | Rear wheel mechanical self-adjusting drum |
| Parking Brake | Self-compensating, single point engagement |
| Front Tires | Stryker 22 x 9 - 10 Uni-Directional |
| Rear Tires | Stryker 22 x 9 - 10 Uni-Directional |

| Rear Tires | Stryker 22 x 9 - 10 Uni-Directional |
|---------------------|---------------------------------------|
| Body & Chassis | |
| Frame | Welded steel. DuraShield™ powder coat |
| Front Body & Finish | Injection Molded TPO |
| Rear Body & Finish | Steel. Base coat/clear coat |
| Standard Color | Patriot Blue |
| | |
| | |
| | |
| | |
| | |

Drive Train

Transaxle

Gear Selection

Rear Axle Ratio

Some items shown may be optional equipment



OPTIONS & FIELD INSTALLED ACCESSORIES (Installation not included)*

| Item | Std | Opt Fld |
|---|-----|---------|
| TIRES & WHEELS: | T | |
| Stryker 22 x 9 - 10 Uni-directional | X | |
| Turf Saver 20 x 10 -10 (Load Range b) | | Х |
| Terra Trac 22 x 11 -10 with Polished 4-Spoke Wheels | | Х |
| COLORS: | | |
| Body Color - Patriot Blue | X | |
| Body Color - Forest Green | | Х |
| Body Color - Bright White | | X |
| Body Color - Yellow | | Х |
| Body Color - Black | | Х |
| Custom Body Color | | Х |
| SEATS: | | |
| Seat Color - Gray | X | |
| Seat Color - Oyster | | Х |
| Seat Color - Tan | | Х |
| Seat Color - White | | Х |
| Seat Color - Brown | | Х |
| Seat Color - Black | | Х |

HAULING & TOWING:

| 2 in (5 cm) Receiver (Front) | | X | |
|---|---|---|--|
| 2 in (5 cm) Receiver (Rear) | X | | |
| 1 7/8 in (48 mm) Ball (Rcvr Reqd) | | Х | |
| Angle Hitch (Rcvr Reqd) | | Х | |
| Clevis Hitch (Rcvr Reqd) | | Х | |
| Angle Hitch, Drop (Rcvr Reqd) | | Х | |
| 1 7/8 in (48 mm) Ball Hitch, Drop (Rcvr Reqd) | | Х | |
| Clevis Hitch, Drop (Rcvr Reqd) | | Х | |
| Poly Bed w/Manual Dump | X | | |
| Poly Bed w/Elec Dump | | Х | |
| Aluminum Bed w/Manual Dump | | Х | |
| Aluminum Bed w/Electric Dump | | Х | |
| No Bed option | | Х | |

OTHER PERFORMANCE:

| Ash Tray | | X | |
|---|---|---|---|
| Differential Guard | | Х | |
| Front Fascia & Brush Guard (Black) | X | | |
| Glove Box Door (Locking) Driver Side | | Х | - |
| Glove Box Door (Locking) Passenger Side | | Х | |
| Remote Air Intake | | Х | |
| State of Charge Meter | | Х | |

TRANSAXLE:

| Limited Slip Differential | Х | |
|---------------------------|---|--|
| High Altitude Jetting | Χ | |

| | Std | Opt | Flo |
|----------------------------------|-----|-----|-----|
| LECTRICAL: | | | |
| Headlights | X | | |
| Unique Individual Key Switch | | Х | |
| LED Headlights | | Х | |
| Taillights | | Х | |
| Brake Lights | | Х | |
| Turn Signals with 4-Way Flashers | | Х | |
| Strobe Light | | Х | |
| Fuel Gauge | Х | | |
| Horn | X | | |
| Low Oil Indicator | X | | |
| 12 Volt Outlet | | Х | |
| Heavy duty battery | | Х | |
| Hour Meter | | Х | |
| CE Kit | | Х | |

WEATHER PROTECTION:

| Sun Canopy (Top) Black | |
|---------------------------|--|
| Canopy Handle | |
| Windshield Fold Down | |
| Windshield Flat | |
| Weather Enclosure - Black | |
| Weather Enclosure - Gray | |
| Weather Enclosure - Green | |
| Weather Enclosure - White | |
| Weather Enclosure - Tan | |
| | |

2016 Hauter 1200X G Released: 10/15/2011 Revised: 7/10/2015